


ADAPTERS AND ACCESSORIES

Part Number	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.
-------------	-----------	--------	------------	--------	-----------------------------

SEOOW/STOOW, TUF-FLEX® 3-OUTLET U-GROUND POWER BLOCK ADAPTER

All weather with oil and water resistant jacket and insulation. Quick Check® power indicator lighted end. Stays flexible in extreme cold or hot conditions. Light weight, -50°C to +105°C (-58°F to 221°F). NEMA 5-15.

A3612002BULTE	12/3	2'	BLUE	15A 125V 1875W	10 7
---------------	------	----	------	----------------	--------



STW, 600 VOLT, ALL WEATHER 3-OUTLET U-GROUND ADAPTER

For heavy duty power tools and industrial and construction equipment. NEMA 5-15.

A8312002YW	12/3	2'	YELLOW	15A 125V 1875W	40 34
------------	------	----	--------	----------------	---------



SJTW, 300 VOLT, POWER BLOCK

3-Outlet U-Ground Power Block Adapter. NEMA 5-15.

A4514001OR	14/3	1'	ORANGE	15A 125V 1875W	50 25
------------	------	----	--------	----------------	---------



SJTW, 3-OUTLET U-GROUND ADAPTER

NEMA 5-15.

A1459001OR	14/3	1'	ORANGE	15A 125V 1875W	50 16
------------	------	----	--------	----------------	---------



STW, LOCKING ADAPTERS - 600 VOLT - RHINO-HIDE®

Locking connection plug/U-Ground connector. NEMA L5-20P, NEMA 5-15R

A1446009YW10P	12/3	9"	YELLOW	15A 125V 1875W	10 4
---------------	------	----	--------	----------------	--------

U-Ground plug/Locking connector. NEMA 5-15P, NEMA L5-20R.

A1447009YW10P	12/3	9"	YELLOW	15A 125V 1875W	10 4
---------------	------	----	--------	----------------	--------



ADAPTERS AND ACCESSORIES

Part Number	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.	
-------------	-----------	--------	------------	--------	-----------------------------	--

STW, U-GROUND “Y” ADAPTER - 600 VOLT - RHINO-HIDE®

Extra flexible, abrasion resistant. NEMA 5-15.


A1473020YW10P	12/3	20"	YELLOW	15A 125V 1875W	10	9
---------------	------	-----	--------	----------------	----	---



STW, U-GROUND “W” ADAPTER - 600 VOLT - RHINO-HIDE®

Extra flexible, abrasion resistant. NEMA 5-15.

A1479020YW05P	12/3	20"	YELLOW	15A 125V 1875W	5	8
---------------	------	-----	--------	----------------	---	---



STW, LOCKING “Y” ADAPTER - 600 VOLT - RHINO-HIDE®

Extra flexible, abrasion resistant. NEMA L5-20.


A1474020YW10P	12/3	20"	YELLOW	20A 125V 2500W	10	13
---------------	------	-----	--------	----------------	----	----



STW, LOCKING “W” ADAPTER - 600 VOLT - RHINO-HIDE®

Extra flexible, abrasion resistant. NEMA L5-20.

A1480020YW05P	12/3	20"	YELLOW	20A 125V 2500W	5	9
---------------	------	-----	--------	----------------	---	---



STW, LOCKING 3-OUTLET POWER BLOCK ADAPTER - 600 VOLT

Converts Locking Connection to U-Ground. NEMA L5-20P, NEMA 5-15R.

A1449002YW	12/3	2'	YELLOW	15A 125V 1875W	40	37
------------	------	----	--------	----------------	----	----



ADAPTERS AND ACCESSORIES

Part Number	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.
-------------	-----------	--------	------------	--------	-----------------------------

STW, CORD-LOCK™ ADAPTER

NEMA L5-20P, NEMA 5-15R



A1446009YWKDL	12/3	9"	YELLOW	15A 125V 1875W	100 40
---------------	------	----	--------	----------------	----------

STW, RV/MOBILE HOME ADAPTER - 600 VOLT

NEMA 5-15P to non-NEMA 30A RV Receptacle.




C1426009BL*	12/3	9"	BLACK	15A 125V 1875W	50 31
-------------	------	----	-------	----------------	---------

*Non UL, but manufactured to acceptable industry standards.

3-OUTLET GROUNDED ADAPTER

NEMA 5-15 with high visibility.



B0317000YW	--	-	YELLOW	15A 125V 1875W	100 29
------------	----	---	--------	----------------	----------

3-OUTLET GROUNDED ADAPTER WITH QUICK CHECK®

NEMA 5-15 with power indicator LED.



B03171/CCL	--	-	CLEAR	15A 125V 1875W	48 16
------------	----	---	-------	----------------	---------