



Close Window 🗵

T-shank Jig Saw Blades for Wood



Bosch is the world-wide market leader for jig saw blades. This means uncompromising quality, innovative ideas and universal use. Whether for miter, straight or curved cuts, Bosch sells the right saw blade designed for high performance in all major brand jig saws.

Key Specifications

	Item #	Туре	Overall Length	Working Length	Blade Height	Blade Thickness	Teeth Per Inch
(\$	T234X3	Progressor® for Wood	4-1/2"		0.37"	0.06"	Progressive
\$	T234X	Progressor® for Wood	4-1/2"		0.37"	0.06"	Progressive
\$	T234X25	Progressor® for Wood	4-1/2"		0.37"	0.06"	Progressive
\$	T234X100	Progressor® for Wood	4-1/2"		0.37"	0.06"	Progressive
\$	T111C3	Basic for Wood	4"	2.95″	0.3"	0.05"	8
\$	T111C	Basic for Wood	4"	2.95″	0.3"	0.05"	8
\$	T119BO3	Basic for Wood	3″	1.97″	0.15"	0.04"	12
\$	T119BO	Basic for Wood	3″	1.97″	0.15"	0.04"	12
\$	T144D3	Speed for Wood	4"	2.95″	0.28"	0.05"	5-6
8	T144D	Speed for Wood	4"	2.95″	0.28"	0.05"	5-6
\$	T144D100	Speed for Wood	4"	2.95″	0.28"	0.05"	5-6
\$	T344D	Speed for Wood	6"	4.92″	0.36"	0.05"	6
\$	T244D3	Speed for Wood	4"	2.95″	0.24"	0.05"	6
\$	T244D	Speed for Wood	4"	2.95″	0.24"	0.05"	6
8	T244D100	Speed for Wood	4"	2.95″	0.24"	0.05"	6
8	T301DL	Speed for Wood	5″	4.13"	0.36"	0.06"	6

\$ T144DF	Speed for Hardwood	4"	2.83"	0.3"	0.05"	5-6
\$ T344DF	Speed for Hardwood	6"	4.92″	0.37"	0.05"	6
\$ T101AO3	Clean for Wood	3″	1.97″	0.17"	0.05"	20
\$ T101AO	Clean for Wood	3″	1.97"	0.17"	0.05"	20
\$ T101AO100	Clean for Wood	3″	1.97"	0.17"	0.05"	20
\$ T101B	Clean for Wood	4"	2.95″	0.28"	0.06"	10 variable gullet
\$ T101B3	Clean for Wood	4"	2.95″	0.28"	0.06"	10 variable gullet
\$ T101B100	Clean for Wood	4"	2.95″	0.28"	0.06"	10 variable gullet
\$ T101BR	Clean for Wood	4"	3.03"	0.28"	0.06"	10
\$ T101BR100	Clean for Wood	4"	3.03"	0.28"	0.06"	10
\$ T101D	Clean for Wood	4"	2.95"	0.28"	0.06"	5-6
\$ T101D100	Clean for Wood	4"	2.95"	0.28"	0.06"	5-6
\$ T301CD	Clean for Wood	4-5/8"	3.66"	0.28"	0.06"	8
\$ T101BF	Clean for Hardwood	4"	3.03"	0.3"	0.05"	10
\$ T101DP	Precision for Wood	4"	2.83"	0.28"	0.07"	6
\$ T144DP	Precision for Wood	4"	2.87"	0.28"	0.07"	6
\$ T344DP	Precision for Wood	5″	4.09"	0.28"	0.07"	6

Additional Specifications

	Item #	Material	Tooth Design	Application	Type of Cut	Quantity
\$	T234X3	HCS	Ground teeth & taper ground back	Hard/soft wood, particleboard & plywood	Straight, fine, splinter free, accurate cuts in thick or thin material	3
\$	T234X	HCS	Ground teeth & taper ground back	Hard/soft wood, particleboard & plywood	Straight, fine, splinter free, accurate cuts in thick or thin material	5
(\$)	T234X25	HCS	Ground teeth & taper ground back	Hard/soft wood, particleboard & plywood	Straight, fine, splinter free, accurate cuts in thick or thin material	25
\$	T234X100	HCS	Ground teeth & taper	Hard/soft wood, particleboard & plywood	Straight, fine, splinter free, accurate cuts in thick	100

			ground back		or thin material	
\$	T111C3	HCS	Side set & milled	Softwood, chipboard, particleboard, plywood, fiberboard, 7/32" - 2-3/8"	Fast, course cuts, ideal for jigsaws without orbital action	3
8	T111C	HCS	Side set & milled	Softwood, chipboard, particleboard, plywood, fiberboard, 7/32" - 2-3/8"	Fast, course cuts, ideal for jigsaws without orbital action	5
\$	T119BO3	HCS	Side set & ground	Softwood, chipboard, particleboard, plywood, fiberboard, 5/64" - 1/4"	For curved cuts	3
•	T119BO	HCS	Side set & ground	Softwood, chipboard, particleboard, plywood, fiberboard, 5/64" - 1/4"	For curved cuts	5
•	T144D3	HCS	Side set & ground	Soft/hard wood, chipboard, particleboard, plywood, fiberboard, 1/4" - 2-3/8"	Straight and very fast cuts; plunge cuts	3
\$	T144D	HCS	Side set & ground	Soft/hard wood, chipboard, particleboard, plywood, fiberboard, 1/4" - 2-3/8"	Straight and very fast cuts; plunge cuts	5
\$	T144D100	HCS	Side set & ground	Soft/hard wood, chipboard, particleboard, plywood, fiberboard, 1/4" - 2-3/8"	Straight and very fast cuts; plunge cuts	100
\$	T344D	HCS	Side set & ground	Soft/hard wood, chipboard, particleboard, plywood, fiberboard 1/4" - 4"	Straight and very, fast cuts	5
\$	T244D3	HCS	Side set & ground	Soft/hard wood, chipboard, particleboard, plywood, fiberboard 1/4" - 2-3/8"	Curved and fast cuts; plunge cuts	3
\$	T244D	HCS	Side set & ground	Soft/hard wood, chipboard, particleboard, plywood, fiberboard 1/4" - 2-3/8"	Curved and fast cuts; plunge cuts	5
8	T244D100	HCS	Side set & ground	Soft/hard wood, chipboard, particleboard, plywood, fiberboard 1/4" - 2-3/8"	Curved and fast cuts; plunge cuts	100
\$	T301DL	HCS	Ground teeth & taper ground back	Soft/hard wood, chipboard, particleboard, plywood, fiberboard 1/4" - 3-3/8"	Clean, straight, and fast cuts	5
\$	T144DF	Bi-metal	Side set & ground	Hard/soft wood, all types of boards, including laminates 1/4" - 2-3/8"	Straight and very fast cuts; plunge cuts	5
\$	T344DF	Bi-metal	Side set & ground	Hard/soft wood, all types of boards, including laminates 1/4" - 4"	Straight and very fast cuts; plunge cuts	5

\$	T101AO3	HCS	Pointed teeth & ground	Hard/soft wood, laminated particleboard, plywood, plastics 5/64" - 3/4"	Curved cutting - pointed teeth for splinter free cuts on both side of the workpiece	3
\$	T101AO	HCS	Pointed teeth & ground	Hard/soft wood, laminated particleboard, plywood, plastics 5/64" - 3/4"	Curved cutting - pointed teeth for splinter free cuts on both side of the workpiece	5
•	T101AO100	HCS	Pointed teeth & ground	Hard/soft wood, laminated particleboard, plywood, plastics 5/64" - 3/4"	Curved cutting - pointed teeth for splinter free cuts on both side of the workpiece	100
\$	T101B	HCS	Ground teeth & taper ground back	Hard/soft woods, plastics, plywood, laminated particleboard 3/16" - 1-1/4"	Straight, fine cuts; plunge cuts	5
\$	T101B3	HCS	Ground teeth & taper ground back	Hard/soft woods, plastics, plywood, laminated particleboard 3/16" - 1-1/4"	Straight, fine cuts; plunge cuts	3
•	T101B100	HCS	Ground teeth & taper ground back	Hard/soft woods, plastics, plywood, laminated particleboard 3/16" - 1-1/4"	Straight, fine cuts; plunge cuts	100
•	T101BR	HCS	Ground teeth & taper ground back	Laminated particleboard, chipboard, plywood, hard/soft wood & plastics 3/16" - 1-1/4"	Splinter-free on top of workpiece; straight, fine down cuts	5
\$	T101BR100	HCS	Ground teeth & taper ground back	Laminated particleboard, chipboard, plywood, hard/soft wood & plastics 3/16" - 1-1/4"	Splinter-free on top of workpiece; straight, fine down cuts	100
\$	T101D	HCS	Ground teeth & taper ground back	Hard/soft woods, plastics, plywood, laminated particleboard & plastics 1/4" - 2-3/8"	Straight, clean cuts; plunge cuts	5
\$	T101D100	HCS	Ground teeth & taper ground back	Hard/soft woods, plastics, plywood, laminated particleboard & plastics 1/4" - 2-3/8"	Straight, clean cuts; plunge cuts	100
•	T301CD	HCS	Ground teeth & taper ground back	Hard/soft woods, plastics, plywood, laminated particleboard & plastics 3/16" - 2-3/8" & plastics 3/16" - 1-1/4"	Straight, fine cuts	5

6	T101BF	Bi-metal	Ground teeth & taper ground back	Hard/soft woods, plastics, plywood, laminated particleboard 3/16" - 1-1/4"	Long life - Straight, fine cuts; plunge cuts	5
3	T101DP	HCS	Ground teeth & taper ground back	Hard/soft woods, plastics, plywood, laminated particleboard & plastics 1/4" - 2-3/8"	Angled cuts; parallel	5
6	T144DP	HCS	Ground teeth & side set	Soft/hard wood, chipboard, particleboard, plywood, fiberboard, 3/16" - 2"	Precise right angle cuts through material	5
6	T344DP	HCS	Ground teeth & side set	Soft/hard wood, chipboard, particleboard, plywood, fiberboard, 3/16" - 4"	Precise right angle cuts through material	

Safety Information

Sorry, there is no information at this time.

©2006 Bosch Tool Corporation. All rights reserved.