CORDLESS TOOLS

a) worth

187

W

THIS IS WHAT RELIABILITY LOOKS LIKE JOBSITE PROVEN

The Bosch legacy of legendary reliability extends to its cordless tool lineup. Now, advanced Bosch battery technology has instilled professional-grade performance in powerful 12V, 18V and 36V tools with names like Bulldog[™] and Socket-Ready. Add innovative features, like KickBack Control to reduce potential torque injury and electronic motor protection to guard against overload, and you have the best tools on the jobsite. This is how you outperform every day, every job.

B BOSCH 18V SOAN



BATTERY

- CoolPack technology preserves power cells for superior runtime and 2× longer life
- Fastest charger technology to full recharge ensures you're back on the job fast
- FatPack and SlimPack batteries fit any 18V tool and are backward compatible

SAFETY

- KickBack Control cuts power in bit bindup situations to reduce potential injuries
- Electronic Motor Protection (EMP) and Electronic Cell Protection (ECP) prevent the tool and batteries from overload and overheating
- Enhanced handle geometry offers a comfortable grip throughout the workday
- ► Bosch-exclusive Durashield[™] housing adds to overall tool durability even in the toughest applications

ADVANCEMENTS

- Socket Ready impact driver incorporates both hex and square interfaces
- EC brushless motor delivers 2× life and virtually no maintenance
- Heavy-duty all-metal chuck offers increased robustness and great gripping power
- Compact tools with reduced weight that deliver the same power as larger competitive tools



NEVER SAY DIE

36 V

Bosch 36V batteries deliver maximum power in a package with 5× longer run time and 30-minute fast charging capability. Like all Bosch Lithium-ion batteries, 36V options feature CoolPack technology, Electronic Cell Protection and operating performance to -4°F.





When it comes to advanced battery runtime and power, no one beats Bosch 18V Lithium-ion technology. The innovative design found in CoolPack technology merges with Electronic Cell Protection to create the industry's longest-lasting and best-runtime power platform.





Bosch 12V Max batteries deliver Lithium-ion power in a compact package that's best-in-class for size and weight. These high-capacity batteries run up to 50 percent longer than competitive 12V batteries.



QUICK TOOL REFERENCE GUIDE

12 VOLT MAX CORDLESS TOOLS

Item #	PS10	PS11	PS21	PS22	PS31	PS32
	1	1	T	EC Ibrushess	7	EC/motor
Description	I-Driver	Angle Drill	Two-Speed Pocket Driver	EC Brushless Two-Speed Pocket Driver	Drill/Driver	EC Brushless Drill/Driver
No Load RPM	0-600	0-1,300	0-350/0-1,300	0-400/0-1,300	0-350/0-1,300	0-400/0-1,300
No Load BPM	-	—	-	_	-	-
Max Torque (inlbs.)	80	115	265	180	265	180
Drive	1/4" hex	3/8" keyless chuck	1/4" hex	1/4" hex	3/8" keyless chuck	3/8" keyless chuck
Length	90° = 3.5"; 180° = 11.5"	11.5"	5.6"	5.3"	7.0"	6.5"
Weight	2.2 lbs.	2.75 lbs.	1.8 lbs.	1.6 lbs.	2.14 lbs.	2.0 lbs.

ltem #	PS130	PS41	PS42	PS82	PS50	PS60
	7	Ţ	EC/musless	EC/motor		
Description	Hammer Drill/ Driver	Impact Driver	EC Brushless Impact Driver	EC Brushless Impact Wrench	Oscillating Multi-X™ Tool	Pocket Reciprocating Saw
No Load RPM	0-380/0-1,300	0-2,600	0-1,200/0-2,600	0-1,200/0-2,600	-	-
No Load BPM	0-19,500	0-3,100	0-2,700/0-3,100	0-2,700/0-3,100	-	-
OPM	-	-	-	-	5,000-20,000	-
SPM	-	-	-	-	-	0-3,000
Max. Torque (inlbs.)	265	930	212/974	212/1,018	-	-
Drive	3/8" keyless chuck	1/4" hex	1/4" hex	3/8" square	_	-
Length	8.0"	5.4"	5.4"	5.4"	10.9"	11.0"
Weight	2.3 lbs.	2.13 lbs.	2.0 lbs.	2.0 lbs.	2.12 lbs.	2.6 lbs.

Item #	PS70	JS120	VAC120	FL12
Description	Metal Shear	Jig Saw	Vacuum	LED Work Light
No Load RPM	3,600	-	-	-
SPM	-	0-2,800	-	-
Length	10.0"	9.4"	15.0"	-
Weight	3.0 lbs.	3.3 lbs.	1.6 lbs.	0.6 lbs.





18 VOLT CORDLESS TOOLS

Item #	DDB181	DDS181A	DDS183	DDH181X	HDS181A	HDS183	HDH181X	IDS181	25618
	7	7	EC/brushless		7	EC/brushless		3	3
Description	Compact 1/2" Drill/Driver	Compact Tough™ 1/2" Drill/Driver	EC Brushless Compact Tough™ 1/2" Drill/Driver	Brute Tough™ 1/2" Drill/Driver	Compact Tough™ 1/2" Hammer Drill/Driver	EC Brushless Compact Tough™ 1/2" Hammer Drill/Driver	Brute Tough™ 1/2" Hammer Drill/Driver	1/4" Hex Impact Driver	1/4" Hex Impact Driver
No Load RPM	0-400/ 0-1,300	0-500/ 0-1,700	0-600/ 0-1,900	0-400/ 0-1,700	0-500/ 0-1,700	0-600/ 0-1,900	0-440/ 0-1,850	0-2,600	0–2,800
No Load BPM	-	-	-	-	0-25,500	0–28,500	0-27,750	0-3,100	0–3,200
Max. Torque	350 inlbs.	600 inlbs.	294/531 inlbs.	710 inlbs.	600 inlbs.	274/531 inlbs.	750 inlbs.	1,150 inlbs.	1,500 inlbs.
Chuck Capacity	1/2" keyless chuck	1/2" keyless metal chuck	1/2" keyless metal chuck	1/2" keyless metal chuck	1/2" keyless metal chuck	1/2" keyless metal chuck	1/2" keyless metal chuck	-	_
Clutch Settings	15 + 1	18 + 1	20 + 1	25 + 1	20 + 1	20 + 1	25 + 1	-	-
Drive	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/4" hex	1/4" hex
Length	7.1"	7.28"	6.8"	8.4"	7.5"	9.25"	8.9"	5.4"	5.7"
Weight	3.0 lbs.	3.4 lbs.	3.5 lbs.	4.75 lbs.	3.6 lbs.	3.7 lbs.	5.0 lbs.	3.5 lbs.	3.8 lbs.

Item #	24618	IDH182	IWH181	IWBH182	IWMH182	IWHT180	HTH181	HTH182	ADS181	SGH182
	3	EC/brushless	2	EC/motor	EC/motor	7	7	7	1	EC/motor
Description	1/2" Impact Wrench	EC Brushless 1/4" and 1/2" Socket- Ready Impact Driver	3/8" Impact Wrench	EC Brushless 1/2" Impact Wrench	EC Brushless 1/2" Impact Wrench	High- Torque Impact Wrench with Friction Ring	High- Torque Impact Wrench with Pin Detent	High- Torque Impact Wrench with 7/16" Hex	1/2" Right Angle Drill	EC Brushless Screwgun
No Load RPM	0-2,800	0-2,800/ 0-2,300/ 0-1,300	0-2,800	0-2,800/ 0-2,300/ 0-1,300	0-2,400	0-1,900	0-1,900	0-1,900	0-1,150	0-4,200
No Load BPM	0–3,200	0-3,200/ 0-2,600/ 0-1,100	0–3,200	0-3,200/ 0-2,600/ 0-1,100	0-3,100	0-2,100	0-2,100	0-2,100	-	-
Max. Torque	1,600 in Ibs.	1,650/900/ 400 inlbs.	1,600 inlbs.	1,650/900/ 400 inlbs.	2,212 inlbs.	500 ftlbs.	500 ftlbs.	500 ftlbs.	160 inlbs.	-
Chuck Capacity	-	-	-	-	-	-	-	-	1/2" keyless	-
Drive	1/2" square	1/4" hex and 1/2" square	3/8" square	1/2" square	1/2" square	1/2" square	1/2" square	7/16" quick- change anvil	1/2"	1/4" hex
Length	6.0"	6.2"	6.0"	5.8"	6.4"	10.0"	10.0"	10.75"	13.0"	10.5"
Weight	3.8 lbs.	3.2 lbs.	3.8 lbs.	3.6 lbs.	2.7 lbs.	6.7 lbs.	6.7 lbs.	6.7 lbs.	4.9 lbs.	5.5 lbs.

18 VOLT CORDLESS TOOLS

ltem #	RHH181	GBH18V-26	CCS180	GSA18V-083	CRS180	GWS18V-45	GWS18V-50	DGSH181
	EC brushless	EC Imotor	٩	1	H	Verantien	VERATION	į
Description	EC Brushless 3/4" SDS-plus® Rotary Hammer	EC Brushless 1" SDS-plus® Bulldog™ Rotary Hammer	6-1/2" Circular Saw	Reciprocating Saw	Reciprocating Saw	4-1/2" Angle Grinder	5" Angle Grinder	Die Grinder
No Load RPM	0-1,400	890	3,900	-	-	0-10,000	0-10,000	20,000
No Load BPM	0–4,550	0–4,350	-	-	-	-	-	-
Impact Energy	1.3 ftlbs. EPTA	1.9 ftlbs. EPTA	-	-	-	-	-	-
SPM/OPM	-	-	-	0–3,050	0-2,400/ 0-2,700	-	-	-
Stroke Length	-	-	-	0.83"	1-1/8"	-	-	-
Length	11.4"	13.7"	12.5"	15.8"	17.4"	12.5"	12.5"	13.25"
Weight	5.8 lbs.	7.7 lbs.	7.4 lbs.*	4.4 lbs.	7.0 lbs.*	4.0 lbs.	4.0 lbs.	3.5 lbs.*

ltem #	CSM180	BSH180	JSH180	MXH180	PLH181	GLI18V-420
		F	P	EC/brushless	R	
Description	Metal Circular Saw	Compact Band Saw	Jig Saw	EC Brushless Multi-X™ Oscillating Tool	3-1/4" Planer	LED Work Light
No Load RPM	4,250	-	-	-	14,000	-
SPM/OPM	-	-	0-2,700	8,000-20,000	-	-
No Load SFPM	-	530	-	-	-	-
Stroke Length	-	-	1"	2.8°	-	-
Length	14.0"	13.5"	10.24"	12.6"	12.63"	5.0"
Weight	4.6 lbs.	7.6 lbs.*	4.9 lbs.*	3.8 lbs.*	5.2 lbs.*	0.6 lbs.

*Tool with SlimPack battery

36 VOLT CORDLESS TOOLS

ltem #	38636	18636	RH328VC-36K	1671	1651
	3	7	T		La constante
Description	Brute Tough™ 1/2 Drill/Driver	Brute Tough™ 1/2 Hammer Drill/Driver	1-1/8" SDS-plus® Rotary Hammer with Chipping	6-1/2" Circular Saw	Reciprocating Saw
No Load RPM	0-450/0-1,400	0-450/0-1,500	0-1,150	0-4,000	-
No Load BPM	-	0-18,000	0-4,170	-	-
SPM	-	-	-	-	0-3,000/0-2,400
Max. Torque	600 inlbs.	600 inlbs.	2.4 ftlbs. EPTA	-	-
Stroke Length	-	-	-	-	1-1/8"
Length	9.75"	10.5"	14.0"	14.0"	16.0"
Weight	6.7 lbs. (without assist handle)	7.2 lbs. (without assist handle)	9.9 lbs.	8.2 lbs.	9.21 lbs.





BOSCH Invented for life

12 Max LITHIUM-10N

12V MAX I-DRIVER



CORDLESS TOOLS 12 VOLT MAX



- ► Ultra-Compact Head Length-3-1/2" total head length at 90°
- 90° Articulating Head-Rotates and locks into five positions for increased versatility
- ▶ 7 + 1 Electronic Clutch-Precision driving eliminates over torque in soft base materials. Drill mode allows pilot and other small bore holes

Specifications	
Rating	12V Max
No Load RPM	0–600
Max. Torque (inlbs.)	80
Chuck Type	Quick Change
Length	90° = 3.5"; 180° = 11.5"
Weight	2.2 lbs.

PS10BN

INCLUDES (2) 1-1/2" Power Drive Bits Exact-Fit[™] Insert Tray



(2) Lithium-Ion Batteries **BAT414** Charger **BC330** (2) 1-1/2" Power Drive Bits Carrying Bag

See page 87 for batteries/charger. See pages 139–146 for wood drilling accessories.

See pages 161–192 for screwdriving and metal drilling accessories.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120–131.

12V MAX 3/8" ANGLE DRILL



- Fastest angle drill in its class
- 90° Articulating Head-Rotates and locks into five positions for increased versatility
- Two LED Lights—Articulates with chuck and effectively illuminates dark work spaces
- Compact Design—Shortest height, small enough to reach into tight areas and corners

Specifications	
Rating	12V Max
No Load RPM	0-1,300
Max. Torque (inlbs.)	115
Drive	3/8"
Chuck Type	Three Jaw
Length	11.5"
Weight	2.75 lbs.

PS11BN

120-131.

Exact-Fit™ Insert Tray



Lithium-Ion Battery BAT414 Charger BC330 Carrying Bag

See page 87 for batteries/charger. See pages 139-146 for wood drilling accessories. See pages 161-192 for screwdriving

and metal drilling accessories. Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages

12V MAX TWO-SPEED POCKET DRIVER



- Compact Design—Shortest head length and shortest height in its class
- LED Light—Enables use of tool in low light or dark areas
- Lightest Weight in Class—Great for overhead work
- 20 + 1 Clutch Settings—For precise torque adjustment
- Forward/Reverse Button-Equally useful in driving or removing screws

Specifications	
Rating	12V Max
No Load RPM	0-350/0-1,300
Max. Torque (inlbs.)	265
Chuck Type	Quick Change
Length	5.6"
Weight	1.8 lbs.

PS21BN INCLUDES

(2) 1-1/2" Power Drive Bits Exact-Fit™ Insert Tray

PS21-2A J J Constant of the second se

See page 87 for batteries/charger. See pages 161–192 for screwdriving accessories.

Information about L-Boxx $^{\otimes}$ and a listing of all L-Boxx $^{\otimes}$ kits are available on pages 120–131.



12 LITHIUM-10N

12V MAX EC BRUSHLESS TWO-SPEED POCKET DRIVER



- Compact and easy to use
- ► EC Brushless Motor Technology enables longer life, increased efficiency, less maintenance and same power at a lighter weight and compact size
- ▶ 1/4" Hex System for quick and easy bit changes
- Battery fuel gauge indicates battery life level



Compact and easy to use

12V MAX 3/8"

DRILL/DRIVER

- ▶ 20 + 1 clutch settings for precise torque adjustment
- Durable three-jaw keyless chuck system
- LED light enables use of tool in darker environments
- Battery fuel gauge indicates battery life level

12V MAX EC BRUSHLESS
3/8" DRILL/DRIVER



- Compact and easy to use
- 20 + 1 clutch settings for precise ► torque adjustment
- Durable three-jaw keyless chuck system

12V Max 0-400/ 0-1,300

Three Jaw 6.5"

2.0 lbs.

180

- ► LED light enables use of tool in darker environments
- Battery fuel gauge indicates battery life level

Specifications		
Rating	12V Max	
No Load RPM	0-400/0-1,300	
Max. Torque (inlbs.)	180	
Chuck Type	Quick Change	
Length	5.3"	
Weight	1.6 lbs.	

PS22BN

INCLUDES

Magnetic Bit Holder (4) Screwdriver Bits Belt Clip Accessory 4× Bit Tip Holder Exact-Fit[™] Insert Tray



(2) Lithium-Ion Batteries BAT414 Charger BC330 Magnetic Bit Holder (4) Screwdriver Bits Belt Clip Accessory 4× Bit Tip Holder Carrying Bag

See page 87 for batteries/charger. See pages 139-146 for wood drilling accessories. See pages 161-192 for screwdriving and metal drilling accessories.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120-131.

Specifications		
Rating	12V Max	
No Load RPM	0-350/0-1,300	
Max. Torque (inIbs.)	265	
Chuck Type	Three Jaw	
Length	7.0"	
Weight	2.14 lbs.	

PS31BN

INCLUDES (2) Screwdriver Bits Exact-Fit[™] Insert Tray



(2) Lithium-Ion Batteries BAT414 Charger BC330 (2) Screwdriver Bits Carrying Bag

See page 87 for batteries/charger. See pages 139-146 for wood drilling accessories. See pages 161–192 for screwdriving and metal drilling accessories.

Information about L-Boxx® and a listing of all L-Boxx[®] kits are available on pages 120-131.

PS32BN

Specifications Rating

No Load RPM Max. Torque (in.-lbs.)

Chuck Type

Length Weight

INCLUDES Magnetic Bit Holder (4) Screwdriver Bits Belt Clip Accessory 4× Bit Tip Holder Exact-Fit[™] Insert Tray



(2) Lithium-Ion Batteries BAT414 Charger BC330 Magnetic Bit Holder (4) Screwdriver Bits Belt Clip Accessory 4× Bit Tip Holder Carrying Bag

See page 87 for batteries/charger. See pages 161–192 for screwdriving and metal drilling accessories.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120-131.



CORDLESS TOOLS 12 VOLT MAX

79



12V MAX 3/8" HAMMER DRILL/DRIVER

CORDLESS TOOLS 12 VOLT MAX



- Compact and easy to use
- Hammer mechanism allows drilling into harder materials (i.e. concrete)
- ▶ LED light enables using the tool in darker environments
- Battery fuel gauge indicates battery life level

Specifications Pating

Rating	12V Max	
No Load RPM	0-380/0-1,300	
No Load BPM	0-19,500	
Max. Torque (inlbs.)	265	
Chuck Type	Three Jaw	
Length	8.0"	
Weight	2.3 lbs.	

PS130BN

INCLUDES (2) Screwdriver Bits Exact-Fit[™] Insert Tray

PS130-2A 📕 INCLUDES

(2) Lithium-Ion Batteries BAT414 Charger BC330 (2) Screwdriver Bits Carrying Bag

See page 87 for batteries/charger. See pages 139-146 for wood drilling accessories. See pages 161–192 for screwdriving and metal drilling accessories.

Information about L-Boxx® and a listing of all L-Boxx[®] kits are available on pages 120-131.



12V MAX IMPACT DRIVER

- Compact and easy to use
- Impact mechanism for easy fastening applications
- ▶ 1/4" Hex System for quick and easy bit changes
- LED light enables using the tool in darker environments
- Battery fuel gauge indicates battery life level

Specifications		
Rating	12V Max	
No Load RPM	0-2,600	
No Load BPM	0-3,100	
Max. Torque (inlbs.)	930	
Chuck Type	Quick Change	
Length	5.4"	
Weight	2.13 lbs.	

PS41BN

INCLUDES (2) Screwdriver Bits Exact-Fit[™] Insert Tray



(2) Lithium-Ion Batteries BAT414 Charger BC330 (2) Screwdriver Bits Carrying Bag

See page 87 for batteries/charger. See pages 139-146 for wood drilling accessories. See pages 161–192 for screwdriving accessories.

Information about L-Boxx® and a listing of all L-Boxx[®] kits are available on pages 120-131.

12V MAX EC BRUSHLESS IMPACT DRIVER



- Compact and easy to use
- Two stage power setting
- EC Brushless Motor Technology enables longer life, increased efficiency, less maintenance and same power at a lighter weight and size
- ▶ LED light enables using the tool in darker environments
- Battery fuel gauge indicates battery life level

Specifications 12V Max Rating No Load RPM 0-1,200/0-2,600 No Load BPM 0-2,700/0-3,100 Max. Torque (in.-lbs.) 212/974 **Chuck Type** Quick Change Length 5.4" 2.0 lbs. Weight

PS42BN INCLUDES

(2) Screwdriver Bits Exact-Fit[™] Insert Tray



(2) Lithium-Ion Batteries BAT414 Charger BC330 (2) Screwdriver Bits Carrying Bag

See page 87 for batteries/charger. See pages 139-146 for wood drilling accessories. See pages 161–192 for screwdriving accessories.

Information about L-Boxx® and a listing of all L-Boxx[®] kits are available on pages 120-131.





12V MAX EC BRUSHLESS **IMPACT WRENCH**





- Compact and easy to use
- ► Two stage power setting
- ► EC Brushless Motor Technology enables longer life, increased efficiency, less maintenance and same power at a lighter weight and size
- ▶ LED light enables using the tool in darker environments
- Battery fuel gauge indicates battery life level

Specifications

Rating	12V Max	
No Load RPM	0-1,200/0-2,600	
No Load BPM	0-2,700/0-3,100	
Max. Torque (inIbs.)	212/1,018	
Square Drive	3/8" Retaining Ring	
Length	5.4"	
Weight	2.0 lbs.	

PS82BN

INCLUDES Exact-Fit™ Insert Tray



(2) Lithium-Ion Batteries BAT414 Charger BC330 Carrying Bag

See page 87 for batteries/charger. See pages 139–146 for wood drilling accessories. See pages 161-192 for screwdriving accessories.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120-131.









12V MAX MULTI-X™ OSCILLATING TOOL*

PS50BN





- Compact design for easy multiple applications in tight spaces and corners
- ► Variable-speed dial for precision and control during application
- Battery fuel gauge indicates battery life level

INCLUDES

Hex Wrench 2609110831 Wood/Metal Plunge Cut Blade OSC118F Accessory Mounting Screw and Washer 2609110797 Exact-Fit[™] Insert Tray

*Battery/charger sold separately



Specifications	
Rating	12V Max
No Load OPM 5,000–20,000	
Height	2.32"
Length	10.9"
Weight (bare tool)	1.7 lbs.

See page 87 for batteries/charger. See pages 246-247 for multi-tool blades.

Information about L-Boxx® and a listing of all L-Boxx[®] kits are available on pages 120-131.

12V MAX POCKET RECIPROCATING SAW KIT

PS60-102



Compact design for easy cutting in tight spaces and corners

12MAX LITHIUM-10N

- ▶ Fast cutting in wide range of materials LED light enables using the tool in
- darker environments
- Battery fuel gauge indicates battery life level

INCLUDES

Lithium-Ion Battery BAT414 Charger BC330 Metal Reciprocating Saw Blade Wood Reciprocating Saw Blade Carrying Bag

Specifications	
Rating	12V Max
No Load SPM	0–3,000
Stroke Length	0.57"
Length	11.0"
Weight	2.6 lbs.

See pages 230-234 for 4" blades.

12V MAX POCKET RECIPROCATING SAW*

PS60BN



Same features as PS60-102 above.

12Max LITHIUM-10N

INCLUDES

Metal Reciprocating Saw Blade Wood Reciprocating Saw Exact-Fit[™] Insert Tray

*Battery/charger sold separately

Same specifications as PS60-102 above.

Specifications

Weight (bare tool) 2.2 lbs.

See page 87 for batteries/charger. See pages 230-234 for 4" blades.

Information about L-Boxx® and a listing of all L-Boxx[®] kits are available on pages 120-131.

12V MAX METAL SHEAR* PS70BN



12V MAX JIG SAW*

JS120BN







- Compact and easy to use
- Easy cutting of straight lines as well as curves with tight minimum radius
- Accurate cutting of holes as small as 1/2" in diameter
- Battery fuel gauge indicates battery life level

INCLUDES

Feeler Gauge Allen® Key Exact-Fit™ Insert Tray

*Battery/charger sold separately



Specifications

Rating	12V Max	
No Load RPM	3,600	
Recommended Max Thickness	18 gauge metal/ 12 gauge aluminum	
Height	2.31"	
Length	10.0"	
Weight (bare tool)	2.6 lbs.	

See page 87 for batteries/charger

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120–131.



- Ergonomic, Well-Balanced Barrel-Grip Design—With large upfront soft grip areas for comfortable, low-fatigue accurate work
- Toolless, Multidirectional Blade Clamp-Firmly grips T-shank blades. Hot/broken blades can be ejected
- Electronic Cell Protection (ECP)-Protects battery against overload, overheating and deep discharge
- LED Light Switch—Allows enhanced view of cutting

INCLUDES

Jig Saw Blade **T144D** Anti-Splinter Insert **2601016093** No-Mar Plastic Overshoe **1619P07958** Bevel Wrench **2609110831** Exact-Fit™ Insert Tray

*Battery/charger sold separately

CLICK

Specifications		
Rating	12V Max	
Capacity (Ah)	2.0	
Stroke Rate (SPM)	0-2800	
Stroke Length	19mm (3/4")	
Weight	2.91 lbs.	

See page 87 for batteries/charger

Information about L-Boxx $^{\otimes}$ and a listing of all L-Boxx $^{\otimes}$ kits are available on pages 120–131.

12V MAX CORDLESS VACUUM CLEANER*

VAC120BN







- Best-in-Class Performance High-performance, lightweight design maximizes effortless and fast jobsite clean up
- Bosch Microfilter Dust Canister—Integrated paper filter is easy to empty
- Compact Design—Compact, lightweight design for convenient portability and comfortable use
- ▶ Fuel Gauge-For checking battery capacity

INCLUDES

Micro Filter **VF12V** Crevice Nozzle **1600A002PP** Exact-Fit[™] Insert Tray

*Battery/charger sold separately



Specifications		
Rating	12V Max	
Air Flow	31.5 CFM	
Vacuum Suction Pressure	45 millibars	
Length with Nozzle	10.75"	
Height	6.7"	
Weight	1.5 lbs.	

See page 87 for batteries/charger. See page 87 for vacuum filter.

Information about L-Boxx* and a listing of all L-Boxx* kits are available on pages 120–131.





12 VOLT MAX LITHIUM-ION WORK LIGHT

12V MAX LED WORK LIGHT FL12





SPECIFICATIONS

Item #	Description	Weight
FL12*	12V Max LED work light includes 10 high-intensity LED bulbs. Six hours of runtime with 2.0 Ah battery.	0.6 lbs.



*Battery/charger sold separately

BOSCHTOOLS.COM 84 877-BOSCH-99

2016/2017 POWER TOOLS & ACCESSORIES CATALOG

12 VOLT MAX LITHIUM-ION COMBO KITS

Item # CLPK22-120







CLPK241-120

Drivers	-	PS21	-
Drill/Driver	PS31	_	-
Hammer Drill/Driver	-	-	PS130
Impact Driver	PS41	PS41	PS41
Batteries/ Charger	(2) BAT414 12V Max Lithium-Ion batteries/BC330 charger	(2) BAT414 12V Max Lithium-Ion batteries/BC330 charger	(2) BAT414 12V Max Lithium-Ion batteries/BC330 charger
Includes	(2)1-1/2" (38mm) power drive bits, carrying bag	(2) 1-1/2" (38mm) power drive bits, carrying bag	(2)1-1/2" (38mm) power drive bits, carrying bag

CLPK27-120







CORDLESS TOOLS 12 VOLT MAX

12V MAX HEATED JACKET

PSJ120

INCLUDES BATTERY HOLSTER/CONTROLLER (BHB120)

*Battery/charger sold separately



REFLECTIVE MATERIAL



THREE-LEVEL HEAT SETTINGS: -High (red), medium (green) and low (blue) for maximum control and comfort



FRONT BATTERY HOLSTER/ CONTROLLER POCKET Located inside jacket and along waist line to eliminate

annoying discomfort in the side or back



Available Men's Sizes*

	S	М	L	XL	XXL	3XL
1 Chest	49"	51"	53"	56"	58"	61"
	(124 cm)	(130 cm)	(136 cm)	(142 cm)	(148 cm)	(156 cm)
2 Height	29"	29.1"	30"	30.1"	31.4"	31.6"
	(73.7 cm)	(74 cm)	(76.3 cm)	(76.6 cm)	(79.9 cm)	(80.3 cm)
3 Arm Length	32.4"	33"	33.7"	34.3"	34.9"	35.7"
	(82.4 cm)	(84 cm)	(85.6 cm)	(87.2 cm)	(88.8 cm)	(90.8 cm)

Available Women's Sizes*

	XS	S	М	L	XL
1 Chest	39.4"	41.7"	44.1"	46.5"	48.8"
	(100 cm)	(106 cm)	(112 cm)	(118 cm)	(124 cm)
2 Height	28.6"	28.7"	28.8"	29.7"	29.8"
	(72.6 cm)	(72.9 cm)	(73.2 cm)	(75.5 cm)	(75.8 cm)
3 Arm Length	29.1"	29.6"	30.2"	30.8"	31.3"
	(73.8 cm)	(75.3 cm)	(76.7 cm)	(78.2 cm)	(79.6 cm)

*Measurements are for actual jacket size, not body size

FABRIC

Outer fabric, padding and inner lining are all 100% polyester

RUGGED OUTER SHELL

For water and wind resistance

ADJUSTABLE SLEEVES

AND WAIST Provide maximum comfort while working

FIVE POCKETS

(2) Hand pockets
(1) Chest pocket for mobile phone or electronics
(1) Battery holster/ controller pocket
(1) Deep inside pocket for documents



THREE HEATING ZONES



USB OPTION For most personal electronics while in jacket pocket

12 VOLT MAX HEATED JACKETS

Item #	Description
MEN'S JACKETS	
PSJ120S-102*	12V Max Small Men's Heated Jacket
PSJ120M-102*	12V Max Medium Men's Heated Jacket
PSJ120L-102*	12V Max Large Men's Heated Jacket
PSJ120XL-102*	12V Max XLarge Men's Heated Jacket
PSJ120XXL-102*	12V Max XXLarge Men's Heated Jacket
PSJ1203XL-102*	12V Max XXXLarge Men's Heated Jacket

Description IACKET

12V Max Small Women's Heated Jacket
12V Max Medium Women's Heated Jacket
12V Max Large Women's Heated Jacket
12V Max XLarge Women's Heated Jacket

*Battery and charger sold separately

12 VOLT MAX LITHIUM-ION BATTERIES AND CHARGER

BATTERIES

► Cold weather performance



Item #	Description	Weight
BAT414	12V Max Lithium-Ion battery (2.0 Ah)	0.4 lbs.
BAT415	12V Max Lithium-Ion battery (2.5 Ah)	0.4 lbs.
BAT420	12V Max Lithium-Ion battery (4.0 Ah)	0.8 lbs.

BATTER` CHARGE	
Item #	Description
SKC120-102	(1) BAT414 12V Max Lithium-Ion battery and BC330 charger
CHARGE	R
Item #	Description

BC330

Item #

Standard 12V Max charger

12 VOLT MAX LITHIUM-ION BATTERY HOLSTER/CONTROLLER





ltem #	Description
BHB120*	Extended battery life for most mobile phones and personal electronics with USB compatibility (5V and/or 1 amp output). All-metal belt clip for mobile battery backup

*Battery and charger sold separately

12 VOLT MAX VACUUM FILTER



ltem #	Description
VF12V	Fits VAC120BN 12V Max Cordless Vacuum







ŧ	Descri
	E stand

NEW

▶ Bosch Micro Filter System-Optimal system for filtering fine dust ▶ Flat Filter Design-Maximizes canister capacity

18 VOLT LITHIUM-ION TOOLS

18 VOLT DRILL/DRIVERS

18 LITHIUM-ION

18V COMPACT 1/2" DRILL/DRIVER

CORDLESS TOOLS

8 VOLT



- Compact design, soft-grip handle and two-speed control for drilling and driving applications
- Keyless single sleeve 1/2" (13mm) chuck with Auto-Lock[™] and 15 + 1 clutch settings for precise torque adjustments
- LED light enables use of tool in darker environments

Specifications	
Rating	18V
No Load RPM	0-400/0-1,300
Max. Torque (inlbs.)	400
Chuck Capacity	1/2" keyless chuck
Clutch Settings	15 + 1
Drive	1/2"
Chuck Type	Three Jaw
Length	7.7"
Weight	3.0 lbs.



(2) Lithium-Ion SlimPack Batteries **BAT611** Charger **BC660** Double-Ended Bit Carrying Bag

See page 109 for batteries/chargers. See pages 139–146 for wood drilling accessories.

See pages 161–192 for screwdriving and metal drilling accessories.

18V COMPACT TOUGH™ 1/2" DRILL/DRIVER



- Compact design, soft-grip handle and two-speed control for drilling and driving applications
- Four-pole open-frame motor enables more power in a smaller size
- Metal ratcheting single sleeve 1/2" (13mm) chuck with Auto-Lock™ and 20 + 1 clutch settings for precise torque adjustments
- LED light enables use of tool in darker environments

Specifications	
Rating	18V
No Load RPM	0-500/0-1,700
Max. Torque (inlbs.)	600
Chuck Capacity	1/2" keyless metal chuck
Clutch Settings	18 + 1
Drive	1/2"
Chuck Type	Three Jaw
Length	7.28"
Weight	3.4 lbs.

DDS181AB

INCLUDES Double-Ended Bit

120-131.



(2) Lithium-Ion FatPack Batteries **BAT620** Charger **BC660** Double-Ended Bit Carrying Bag



(2) Lithium-Ion SlimPack Batteries **BAT612** Charger **BC660** Double-Ended Bit Carrying Bag

See page 109 for batteries/chargers. See pages 139–146 for wood drilling accessories. See pages 161–192 for screwdriving and

metal drilling accessories. Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages

18V EC BRUSHLESS COMPACT TOUGH™ 1/2" DRILL/DRIVER



- KickBack Control—Limits rotation of tool in a bind situation
- Compact design, soft-grip handle and two-speed control for drilling and driving applications
- EC Brushless Motor Technology enables longer life, increased efficiency, less maintenance and same power at a lighter weight and compact size
- LED light enables use of tool in darker environments

Specifications	
Rating	18V
No Load RPM	0-600/0-1,900
Max. Torque (inlbs.)	274/531
Chuck Capacity	1/2" keyless metal chuck
Clutch Settings	20 + 1
Drive	1/2"
Chuck Type	Three Jaw
Length	6.8"
Weight	3.5 lbs.

DDS183B

INCLUDES Magnetic Bit Holder 2610000992 4× Bit Holder, (4) Bit Tips, Belt Clip



(2) Lithium-Ion FatPack Batteries **BAT620** Charger **BC660** Magnetic Bit Holder **2610000992** 4× Bit Holder, (4) Bit Tips, Belt Clip Carrying Bag



(2) Lithium-Ion SlimPack Batteries **BAT612** Charger **BC660** Magnetic Bit Holder **2610000992** 4× Bit Holder, (4) Bit Tips, Belt Clip Carrying Bag

See page 109 for batteries/chargers. See pages 139-146 for wood drilling accessories. See pages 161-192 for screwdriving and metal drilling accessories.

Information about L-Boxx $^{\otimes}$ and a listing of all L-Boxx $^{\otimes}$ kits are available on pages 120–131.

88

18V BRUTE TOUGH™ 1/2" DRILL/DRIVER



- Compact design, soft-grip handle and two-speed control for drilling and driving applications
- ▶ Four-pole open-frame motor enables more power in a smaller size
- KickBack Control-Limits rotation of tool in a bind situation
- ▶ Metal ratcheting single sleeve 1/2" (13mm) chuck with Auto-Lock[™] and 20 + 1 clutch settings for precise torque adjustments

Specifications	
Rating	18V
No Load RPM	0-400/0-1,700
Max. Torque (inlbs.)	710
Chuck Capacity	1/2" keyless metal chuck
Clutch Settings	25 + 1
Drive	1/2"
Chuck Type	Three Jaw
Length	8.4"
Weight	4.75 lbs.

DDH181XB INCLUDES

Magnetic Bit Tip Holder 2610000992 Bit Tip



(2) Lithium-Ion FatPack Batteries BAT620 Charger BC660, Double-Ended Bit, Bit Tip Magnetic Bit Tip Holder 2610000992 Carrying Bag

See page 109 for batteries/chargers. See pages 139–146 for wood drilling accessories. See pages 161-192 for screwdriving and metal drilling accessories.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120-131.

18V EC BRUSHLESS COMPACT TOUGH[™] **1/2" DRILL/DRIVER**

DDS183



motor

CORDLESS TOOLS 18 VOLT

MOST COMPACT HEAD LENGTH

For better balance and control of the tool

METAL RATCHETING СНИСК

LED LIGHT Illuminates dark work spaces



BELT CLIP Allows tool to conveniently hang off the belt or other objects while on the job

KICKBACK CONTROL

MOTOR BRAKE Delivers immediate

motor stop for fast serial screwdriving

SOFT GRIP HANDLE Adds comfort, reduces fatigue

ELECTRONIC MOTOR PROTECTION (EMP)

Protects the motor against overload and ensures longer lifetime

ELECTRONIC CELL PROTECTION (ECP) For longer battery lifetime



KICKBACK CONTROL Limits rotation of tool

in a bind situation to reduce potential injury



4× BIT TIP HOLDER OFFERS Convenient on-tool bit storage for magnetic bit holder

FLEXIBLE POWER SYSTEM Runs on both SlimPack and FatPack batteries



89

18 VOLT HAMMER DRILL/DRIVERS 18 LITHIUM-10N

18V COMPACT TOUGH[™] 1/2" HAMMER DRILL/ DRIVER



- Compact design, soft-grip handle and two-speed control for drilling and driving applications
- ▶ Four-pole open-frame motor enables more power in a smaller size
- ▶ Metal ratcheting single sleeve 1/2" (13mm) chuck with Auto-Lock[™] and 20 + 1 clutch settings for precise torque adjustments
- ▶ LED light enables use of tool in darker environments

CORDLESS TOOLS 18 VOLT

Specifications		
Rating	18V	
No Load RPM	0-500/0-1,700	
No Load BPM	0-25,500	
Max. Torque (inlbs.)	600	
Chuck Capacity	1/2" keyless metal chuck	
Clutch Settings	18 + 1	
Drive	1/2"	
Chuck Type	Three Jaw	
Length	7.5"	
Weight	3.6 lbs.	

HDS181AB

INCLUDES Screwdriver Bit



(2) Lithium-Ion FatPack Batteries BAT620 Charger BC660 Double-Ended Bit Carrying Bag

HDS181A-02 🔎

INCLUDES (2) Lithium-Ion SlimPack Batteries BAT612 Charger BC660 Double-Ended Bit Carrying Bag

See page 109 for batteries/chargers. See pages 7-10 for hammer drill accessories. See pages 139-146 for wood drilling accessories. See pages 161-192 for screwdriving and metal drilling accessories.

Information about L-Boxx® and a listing of all L-Boxx[®] kits are available on pages 120-131.

18V EC BRUSHLESS COMPACT TOUGH™ 1/2" HAMMER DRILL/ DRIVER



- ▶ KickBack Control-Limits rotation of tool in a bind situation
- ► Compact design, soft-grip handle and two-speed control for drilling and driving applications
- ▶ Metal ratcheting single sleeve 1/2" (13mm) chuck with Auto-Lock[™] and 18 + 1 clutch settings for precise torque adjustments

Specifications	
Rating	18V
No Load RPM	0-600/0-1,900
No Load BPM	0–28,500
Max. Torque (inlbs.)	274/531
Chuck Capacity	1/2" keyless metal chuck
Clutch Settings	20 + 1
Drive	1/2"
Chuck Type	Three Jaw
Length	7.25"
Weight	3.7 lbs.

HDS183B INCLUDES

Magnetic Bit Holder 2610000992 4× Bit Holder, (4) Bit Tips, Belt Clip



(2) Lithium-Ion FatPack Batteries BAT620 Charger BC660 Magnetic Bit Holder 2610000992 4× Bit Holder, (4) Bit Tips, Belt Clip Carrying Bag

HDS183-02 💕

INCLUDES

(2) Lithium-Ion SlimPack Batteries BAT612 Charger BC660 Magnetic Bit Holder 2610000992 4× Bit Holder, (4) Bit Tips, Belt Clip Carrying Bag

See page 109 for batteries/chargers. See pages 7-10 for hammer drill accessories. See pages 139-146 for wood drilling accessories. See pages 161–192 for screwdriving and metal drilling accessories.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120-131.

18V BRUTE TOUGH™ 1/2" HAMMER DRILL/ DRIVER




- ► Durable design, soft-grip handle and two-speed control for drilling and driving applications
- High torque four-pole open-frame motor ► enables more power in a smaller size
- KickBack Control-Limits rotation of tool in a bind situation
- Metal ratcheting single sleeve 1/2" (13mm) chuck with Auto-Lock[™] and 25 + 1 clutch settings for precise torque adjustments

Specifications		
Rating	18V	
No Load RPM	0-440/0-1,850	
No Load BPM	0-27,750	
Max. Torque (inlbs.)	750	
Chuck Capacity	1/2" keyless metal chuck	
Clutch Settings	25 + 1	
Drive	1/2"	
Chuck Type	Three Jaw	
Length	8.9"	
Weight	5.0 lbs.	

HDH181XB INCLUDES

Magnetic Bit Tip Holder 2610000992



(2) Lithium-Ion FatPack Batteries BAT620 Charger BC660, Double-Ended Bit Magnetic Bit Tip Holder 2610000992 Carrying Bag

See page 109 for batteries/chargers. See pages 7–10 for hammer drill accessories. See pages 139-146 for wood drilling accessories. See pages 161–192 for screwdriving and metal drilling accessories.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120-131.

18 VOLT IMPACT DRIVERS

18V 1/4" HEX IMPACT DRIVER



- Compact design with shorter head length for better balance and control of the tool
- Bosch hammer and anvil system for maximum driving impact endurance and performance for small-duty fastening applications
- Three LED white light system for maximum illumination of work area without shadows

Specifications	
Rating	18V
No Load RPM	0-2,600
No Load BPM	0-3,100
Max. Torque (inlbs.)	1,150
Drive	1/4" hex
Chuck Type	Quick Change
Length	5.4"
Weight	3.5 lbs.



18V 1/4" HEX IMPACT DRIVER

- Compact Impactor™ design for increased maneuverability in tight spaces and extended comfort
- Bosch hammer and anvil system for maximum driving impact endurance and performance for small/medium duty fastening applications
- LED light enables use of tool in darker environments

Specifications	
Rating	18V
No Load RPM	0-2,800
No Load BPM	0-3,200
Max. Torque (inlbs.)	1,500
Drive	1/4" hex
Chuck Type	Quick Change
Length	5.7"
Weight	3.8 lbs.



(2) Lithium-Ion SlimPack Batteries **BAT612** Charger **BC660** Double-Ended Bit Carrying Bag

See page 109 for batteries/chargers. See pages 161–192 for screwdriving accessories.

25618B



(2) Lithium-Ion FatPack Batteries **BAT620** Charger **BC660** Double-Ended Bit Carrying Bag




(2) Lithium-Ion SlimPack Batteries **BAT612** Charger **BC660** Double-Ended Bit Carrying Bag

See page 109 for batteries/chargers. See pages 161–192 for screwdriving accessories.


Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120–131.
















18 VOLT IMPACT WRENCH AND DRIVER

18V 1/2" IMPACT WRENCH 18V EC BRUSHLESS

18V EC BRUSHLESS 1/4" AND 1/2" SOCKET-READY IMPACT DRIVER



- Bosch hammer and anvil system for maximum impact wrench endurance and performance for small/medium duty fastening applications
- LED light enables use of tool in darker environments

Specifications	
Rating	18V
No Load RPM	0-2,800
No Load BPM	0-3,200
Max. Torque (inlbs.)	1,600
Square Drive	3/8" ball detent
Length	6.0"
Weight	3.8 lbs.

EC/motor

- Superior ergonomics and all-in-one impact driver and impact wrench with a 1/4" quick-change hex and 1/2" square drive chuck for sockets
- Performance Control System enables selection between three speed and torque settings to maximize power or minimize fastener damage
- Bosch hammer and anvil system for maximum driving impact endurance and performance for small/medium duty fastening applications

Specifications		
Rating	18V	
No Load RPM	0-2,800/2,300/1,300	
No Load BPM	0-3,200/2,600/1,100	
Max Torque (inlbs.)	1,650/900/400	
Chuck Capacity	1/4" hex and 1/2" square drive	
Chuck Type	Quick Change	
Length	6.2"	
Weight	3.2 lbs.	

24618B



(2) Lithium-Ion FatPack Batteries **BAT620** Charger **BC660** Double-Ended Bit Carrying Bag

See page 109 for batteries/chargers. See pages 161–192 for screwdriving accessories.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120–131.

IDH182B



(2) Lithium-Ion FatPack Batteries **BAT612** Charger **BC660**, Double-Ended Bit Carrying Bag



(2) Lithium-Ion SlimPack Batteries **BAT612** Charger **BC660**, Double-Ended Bit Carrying Bag

See page 109 for batteries/chargers. See pages 161–192 for screwdriving accessories.

Information about L-Boxx $^{\otimes}$ and a listing of all L-Boxx $^{\otimes}$ kits are available on pages 120–131.

92





18 VOLT IMPACT WRENCHES

18V 3/8" IMPACT WRENCH 18V EC BRUSHLESS



- Compact Impactor™ design for increased maneuverability in tight spaces and extended comfort
- Bosch hammer and anvil system for maximum impact wrench endurance and performance for small-duty fastening applications
- LED light enables use of tool in darker environments

18V

0 - 2.800

0-3,200

3/8" ball detent

1.600

6.0"

3.8 lbs.

18V EC BRUSHLESS 1/2" IMPACT WRENCH WITH PIN DETENT



- Pin Detent System enables toolless socket installation with secure socket retention
- EC Brushless Motor Technology enables longer life, increased efficiency, less maintenance and same power at a lighter weight and size
- Performance Control System enables selection between three speed and torque settings to maximize power or minimize fastener damage

Specifications	
Rating	18V
No Load RPM	0-2,800/0-2,300/ 0-1,300
No Load BPM	0-3,200/0-2,600/ 0-1,100
Max. Torque (inlbs.)	1,650/900/400
Square Drive	1/2" pin detent
Length	5.8"
Weight	3.6 lbs.

18V EC BRUSHLESS 1/2" SQUARE DRIVE IMPACT WRENCH WITH PIN DETENT



- Pin Detent System enables toolless socket installation with secure socket retention
- EC Brushless Motor Technology enables longer life, increased efficiency, less maintenance and same power at a lighter weight and size
- Advanced electronics help prevent overheating and overloading for extended life and runtime
- LED light enables use of tool in darker environments

Specifications	
Rating	18V
No Load RPM	0-2,400
No Load BPM	0-3,500
Max. Torque (inlbs.)	2,212
Square Drive	1/2" pin detent
Length	5.7"
Weight	2.7 lbs.

IWH181B

Specifications

No Load BPM

Max. Torque

Square Drive

(in.-lbs.)

Length

Weight

Rating No Load RPM

INCLUDES Belt Clip



(2) Lithium-Ion FatPack Batteries **BAT620** Charger **BC660** Carrying Bag

See page 109 for batteries/chargers. See pages 161–192 for screwdriving accessories.

Information about L-Boxx $^{\otimes}$ and a listing of all L-Boxx $^{\otimes}$ kits are available on pages 120–131.

IWBH182B INCLUDES

Belt Clip



(2) Lithium-Ion FatPack Batteries **BAT620** Charger **BC660** Carrying Bag

See page 109 for batteries/chargers. See pages 161–192 for screwdriving accessories.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120–131.

IWMH182B

Belt Clip



(2) Lithium-Ion FatPack Batteries **BAT620** Charger **BC660** Carrying Bag

See page 109 for batteries/chargers. See pages 7–10 for hammer drill accessories. See pages 139–146 for wood drilling accessories. See pages 161–192 for screwdriving and metal drilling accessories.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120–131.

18V EC BRUSHLESS 1/2" SQUARE DRIVE IMPACT WRENCH WITH PIN DETENT



IWMH182





18 VOLT IMPACT WRENCHES IN LITHIUM-ION

18V HIGH-TORQUE IMPACT WRENCH WITH FRICTION RING





- Metal front housing with Friction Ring System for quick and easy toolless socket installation
- ▶ Max torque for fast tightening/removing of heavy-duty fasteners (lag screws, concrete anchors, lug nuts)
- ► Heavy-duty, all-metal impact hammer and anvil system made to hold up in tough environments

18V HIGH-TORQUE IMPACT WRENCH WITH **PIN DETENT**



- ▶ Metal front housing with Pin Detent System enables toolless socket installation with secure socket retention
- ▶ Max torque for fast tightening/removing of heavy-duty fasteners (lag screws, concrete anchors, lug nuts)
- ▶ Heavy-duty, all-metal impact hammer and anvil system made to hold up in tough environments



IMPACT WRENCH WITH

18V HIGH-TORQUE

- Metal front housing with Hex System for quick and easy toolless socket installation
- Max torque for fast tightening/removing of heavy-duty fasteners (lag screws, concrete anchors, lug nuts)
- ► Heavy-duty, all-metal impact hammer and anvil system made to hold up in tough environments

18V

0-1,900

Specifications	
Rating	18V
No Load RPM	0-1,900
No Load BPM	0-2,100
Max. Torque (ftlbs.)	500
Square Drive	1/2" friction ring
Length	10.0"
Weight	6.7 lbs.

IWHT180B



(2) Lithium-Ion FatPack Batteries BAT620 Charger BC660 Carrying Case

See page 109 for batteries/chargers. See page 165 for Impact Tough[™] sockets.

Information about L-Boxx® and a listing of all L-Boxx[®] kits are available on pages 120-131.



ations		Specifications	
	18V	Rating	
RPM	0-1,900	No Load RPM	
BPM	0-2,100	No Load BPM	
que	500	Max. Torque (ft.·lbs.)	
Drive	1/2" pin detent	Chuck Type	
	10.0"	ondek Type	
	6.7 lbs.	Length	
		Weight	

ad BPM 0-2,100Torque 500 s.) 7/16" quick-change k Type anvil 10.75" h Weight 6.7 lbs

HTH181B



(2) Lithium-Ion FatPack Batteries BAT620 Charger BC660 Carrying Case

See page 109 for batteries/chargers. See page 165 for Impact Tough[™] sockets.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120-131.

HTH182B



(2) Lithium-Ion FatPack Batteries BAT620 Charger **BC660** Carrying Case

See page 109 for batteries/chargers. See pages 144-145 for auger and selffeed bits.

Information about L-Boxx® and a listing of all L-Boxx[®] kits are available on pages 120-131.



18 LITHIUM-10N


18V 1/2" RIGHT ANGLE DRILL



- Compact head length for tight space drilling and driving
- Ratcheting single sleeve 1/2" (13mm) chuck with Auto-Lock[™] for one-handed bit changes
- Extended position trigger for easy and convenient operation in multiple applications
- Metal gear box with soft grip enables durable profile while protecting delicate surfaces

Specifications	
Rating	18V
No Load RPM	0-1,150
Max Torque (inlbs.)	160
Chuck Capacity	1/2" keyless
Chuck Type	Three Jaw
Length	13.0"
Weight	4.9 lbs.

ADS181B



Lithium-Ion SlimPack Battery **BAT612** Charger **BC660** Carrying Bag

See page 109 for batteries/chargers. See pages 139-146 for wood drilling accessories. See pages 161-192 for screwdriving and metal drilling accessories.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120–131.





18V EC BRUSHLESS SCREWGUN

SGH182

Superior efficiency
 Long lifetime

- Motor brake system

- Electronic motor protection

- No maintenance

EC MOTOR

18 VOLT



INNOVATIVE

DIRECTION CONTROL

Designed to prevent

unintended reversal

using either hand

18V EC BRUSHLESS SCREWGUN



- Long Runtime-Up to 3,400 screws per charge (with 4.0 Ah battery) for greater productivity
- EC Brushless Motor—Superior efficiency for longer runtime and more productivity, no maintenance
- Advanced Electronics—Electronic Motor and Cell Protection help prevent overheating and overloading for extended tool life and runtime
- Ergonomic Design—Compact and lightweight, best for fatigue-free work, including overhead

Specifications	
Rating	18V
No Load RPM	0-4,200
Torque Hard/Soft	221/44
Lock-On Button	Yes
LED Light	Yes
Length	10.5"
Weight	5.5 lbs.

SGH182B

INCLUDES Bit Holder (5) P2R Bit Tips Belt Clip Belt Clip Screw Depth Control/Nosepiece



(2) FatPack Batteries **BAT620** Charger **BAT660** Bit Holder, (5) P2R Bit Tips Belt Clip, Belt Clip Screw, Depth Control/Nosepiece Carrying Bag



(1) FatPack Battery **BAT612** (1) SlimPack Battery **BAT620** Charger **BAT660** Bit Holder, (5) P2R Bit Tips Belt Clip, Belt Clip Screw, Depth Control /Nosepiece Carrying Bag

See page 109 for batteries/chargers. See pages 135 for screwgun accessories and attachment.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120–131.

CORDLESS TOOLS 18 VOLT

ADJUSTABLE EASY-TO-REMOVE DEPTH CONTROL Quick screw removal or switch to auto-feed attachment

BUILT-IN BIT REMOVAL FEATURE

LOCK-ON BUTTON For continuous, fatigue-free work

4× BIT HOLDER For convenient bit storage

INTEGRATED LED LIGHT / Illuminates dark workspaces

temporary tool storage

BELT CLIP

hands-free

For easy

10 00

FLEXIBLE POWER SYSTEM

Compatible with SlimPack and FatPack batteries

18V EC BRUSHLESS 3/4" SDS-plus[®] BULLDOG[™] ROTARY HAMMER

RHH181-01



BULLDEG.

- EC Brushless Motor Technology enables longer life, increased efficiency, less maintenance and same power at a lighter weight and size
- Multi-function selector offers three modes of operation: rotary hammer, hammer only and rotation only
- Compact design for maximum comfort and less fatigue
- In chisel mode, Vario-Lock™ rotates and locks chisel into 12 different positions to optimize working angle

INCLUDES

(2) Lithium-Ion FatPack Batteries **BAT620** Charger **BC660** Auxiliary Handle **160202508X** Depth Gauge **1613001009** Carrying Bag

Specifications	
Rating	18V
No Load RPM	0-1,400
No Load BPM	0-4,550
Impact Energy (ftIbs.)	1.3 EPTA
Maximum Capacities: Concrete	3/4"
Maximum Capacities: Steel	1/2"
Maximum Capacities: Wood	1-1/4"
Length	11.4"
Weight	5.8 lbs.

See page 109 for batteries/chargers. See pages 16-23 for SDS-plus® rotary hammer bits and chisels.

Optional dust collection attachments are available on pages 15, 28 and 320.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120-131.

18V EC BRUSHLESS 3/4" SDS-plus® BULLDOG™ ROTARY HAMMER*

RHH181B



18 LITHIUM-ION

Same features as RHH181-01 above.

INCLUDES Auxiliary Handle 160202508X Depth Gauge 1613001009

*Battery/charger sold separately

Same specifications as RHH181-01 above.

See page 109 for batteries/chargers. See pages 16-23 for SDS-plus® rotary hammer bits and chisels.

Optional dust collection attachments are available on pages 15, 28 and 320.





18V EC BRUSHLESS 1" SDS-PLUS® BULLDOG™ ROTARY HAMMER



GBH18V-26



MORE POWER

Powerful 1.9 ft.-lbs.

weight of only 7.7 lbs.

EC BRUSHLESS MOTOR

Offers 2× motor life and

less maintenance at

lighter weight and size

KICKBACK CONTROL Reduces hazard of

sudden tool reaction

in binding conditions

of torque with tool

ELECTRONIC PRECISION CONTROL

70% power soft start ensures no walking or skating

ERGONOMIC DESIGN L-shape design for better horizontal power transmission

VIBRATION CONTROL™ For greater user safety,

comfort and ease of use

6.0 AH LITHIUM-ION BATTERY

Features Bosch CoolPack that delivers longer recharge life

LED WORKLIGHT / Illuminates dark work spaces

DUST EXTRACTION ADAPTER (NOT SHOWN)

10.0753

Adapter ensures seamless, easy-to-access on-tool dust extraction using attachment terminals (coming 2017)

18V EC BRUSHLESS 1" SDS-plus® BULLDOG™ ROTARY HAMMER KIT

GBH18V-26K





LITHIUM-JON EC motor

- EC Brushless Motor Technology enables longer life, increased efficiency, less maintenance and same power at a lighter weight and size
- KickBack Control-Limits rotation of tool in a bind siutation
- Multi-function selector offers three modes of operation: rotary hammer, hammer only and rotation only
- In chisel mode, Vario-Lock™ rotates and locks chisel into 12 different positions to optimize working angle

INCLUDES

(2) Lithium-Ion FatPack Batteries **BAT622** Fast Charger **BC1880** Auxiliary Handle **160202508X** Depth Gauge **1613001009** Carrying Case

Specifications	
Rating	18V
No Load RPM	890
No Load BPM	0–4,350
Impact Energy (ftIbs.)	1.9
Maximum Capacities: Concrete	1"
Maximum Capacities: Steel	1/2"
Maximum Capacities: Wood	1-1/8"
Length	13.7"
Weight	7.7 lbs.

See page 109 for batteries/chargers. See pages 16-23 for SDS-plus® rotary hammer bits and chisels.

Optional dust collection attachments are available on pages 15, 28 and 320.

18V EC BRUSHLESS 1" SDS-plus[®] BULLDOG[™] ROTARY HAMMER*

GBH18V-26





LITHIUM-ION

Same features as GBH18V-26K on page 100.

INCLUDES

Auxiliary Handle 160202508X Depth Gauge 1613001009

*Battery/charger sold separately

Same specifications as GBH18V-26K on page 100.

See page 109 for batteries/chargers. See pages 16-23 for SDS-plus® rotary hammer bits and chisels.

Optional dust collection attachments are available on pages 15, 28 and 320.

18V 6-1/2" CIRCULAR SAW* **CCS180B**



AR LITHIUM-ION

- ▶ 6-1/2" saw blade cuts through twice the amount of material, even at full depth of cut
- Exclusive anti-snag lower guard enables smooth guard operation for ease of use
- Easy-to-read depth gauge
- ▶ 50° bevel for wider range of applications

INCLUDES

Allen® Key **2610937464** 6-1/2" 18-Tooth Carbide Blade

*Battery/charger sold separately

Specifications	
Rating	18V
No Load RPM	3,900
Blade Diameter	6-1/2"
Arbor Size	5/8"
Max. Bevel	50°
Depth of Cut at 50°	1-3/8"
Depth of Cut at 45°	1-5/8"
Depth of Cut at 0°	2"
Length	12.5"
Weight (bare tool)	6.6 lbs.

See page 109 for batteries/chargers. See pages 218–225 for circular saw blades.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120-131.

18V COMPACT RECIPROCATING SAW*

GSA18V-083B



LITHIUM-ION

- ► Lightweight and Compact Design-Light, 4.4 pound weight and short 15-3/4" length for easy work overhead and in very tight spaces
- Optimized 0.83" Stroke—Efficiently cuts both wood and metal
- LED Light—Provides helpful illumination of the cutting zone
- Toolless Blade-Change System—For fast and effortless blade installation and removal

INCLUDES

(2) Bi-Metal Reciprocating Saw Blades

*Battery/charger sold separately

Specifications	
Rating	18V
No Load SPM	0-3,050
Stroke Length	0.83"
Length	15-3/4"
Weight	4.4 lbs.

See page 109 for batteries/chargers. See pages 228-235 for reciprocating saw blades.



18V 1-1/8" RECIPROCATING SAW KIT

CRS180K

CORDLESS TOOLS 18 VOLT





- Compact design for easy cutting in tight spaces and corners
- ► Lockjaw[™] Blade Change System for fast and easy, one-handed blade change
- Two-speed selector to adjust speed to the application
- Variable-speed trigger enables easy cutting into material without kickbacks

INCLUDES

Lithium-Ion FatPack Battery BAT620

Charger **BC660** (2) Bi-Metal Reciprocating Saw Blades Carrying Bag

18V
0-2,400/0-2,700
1-1/8"
17.4"
7.6 lbs.

See page 109 for batteries/chargers. See pages 228-235 for reciprocating saw blades.

18V 1-1/8" RECIPROCATING SAW*





Same features as CRS180K above.

INCLUDES (2) Bi-Metal Reciprocating Saw Blades *Battery/charger sold separately Same specifications as CRS180K above.

Specifications

Weight (bare tool) 6.35 lbs.

See page 109 for batteries/chargers. See pages 228-235 for reciprocating saw blades.

18V 4-1/2" ANGLE GRINDER

GWS18V-45-01





- Four-pole, open-frame motor enables more power in a smaller size
- Overload protection and lifetime brush design creates long motor life without need to change brushes
- Restart protection prevents starting if switch is locked on during battery insertion

INCLUDES

(2) Lithium-Ion FatPack Batteries **BAT620** Charger **BC660**

Grinding Guard Flange Kit Including Side Handle Spanner Wrench and Matched Flanges Abrasive Grinding Wheel Carrying Bag

Specifications	
Rating	18V
No Load RPM	0-10,000
Spindle Thread	5/8"-11
Wheel Diameter	4-1/2"
Length	12.5"
Weight	5.3 lbs.

See page 109 for batteries/chargers. See pages 64-66 for abrasive wheels and other angle grinder accessories.

102 BOSCHTOOLS.COM 877-BOSCH-99 2016/2017 POWER TOOLS & ACCESSORIES CATALOG

18V 4-1/2" ANGLE GRINDER*

GWS18V-45







Same features as GWS18V-45-01 on page 102.

*Battery/charger sold separately

Same specifications as GWS18V-45-01 on page 102.

Specifications

Weight (bare tool) 3.9 lbs.

See page 109 for batteries/chargers. See pages 64–66 for abrasive wheels and other angle grinder accessories.

18V 5" ANGLE GRINDER* GWS18V-50





- Four-pole open-frame motor enables more power in a smaller size
- Overload protection and lifetime brush design creates long motor life without need to change brushes
- Restart protection prevents starting if switch is locked on during battery insertion

INCLUDES

Grinding Guard Flange Kit Including Side Handle Spanner Wrench and Matched Flange Abrasive Grinding Wheel

*Battery/charger sold separately

Specifications	
Rating	18V
No Load RPM	0-10,000
Spindle Thread	5/8"-11
Wheel Diameter	5"
Length	12.5"
Weight (bare tool)	4.0 lbs.

See page 109 for batteries/chargers. See pages 64-66 for abrasive wheels and other angle grinder accessories.

18V DIE GRINDER* DGSH181B



18 LITHIUM-10N

- High-Performance Four-Pole Motor— Delivers best-in-class power-to-weight ratio
- Compact size and weight for improved ergonomics and reduced fatigue in extended-use applications
- Hardened and ground chuck for longest life and best precision

INCLUDES

(2) Wrenches

*Battery/charger sold separately

Specifications	
Rating	18V
No Load RPM	20,000
Collet Diameter	1/4"
Bit Change	Wrench
Length	13.25"
Weight (bare tool)	2.7 lbs.

See page 109 for batteries/chargers.

Information about L-Boxx $^{\otimes}$ and a listing of all L-Boxx $^{\otimes}$ kits are available on pages 120–131.





18V METAL CIRCULAR SAW

CSM180-01



TBM LITHIUM-LON 🏀 🍘 🏦

- Bosch engineered motor and gearing specifically designed for longevity with metal cuts
- ► Electronic Motor and Cell Protection-Helps prevent overheating and overloading for extended tool life and runtime
- Integrated Saw Hook—For easy placement after cut
- Steel footplate with intuitive cut line guide and LED light for increased accuracy

INCLUDES

(2) Lithium-Ion FatPack Batteries BAT620 Charger BC660 5-3/8" 30-tooth Metal Cutting Blade Carrying Bag



See page 109 for batteries/chargers. See pages 220 for metal circular saw blade.

18V METAL CIRCULAR SAW*

CSM180B



Same features as CSM180-1 above.

INCLUDES 5-3/8" 30-tooth Metal Cutting Blade

*Battery/charger sold separately

Same specifications as CSM180-1 above.

Specifications

Weight (bare tool) 4.4 lbs.

See page 109 for batteries/chargers. See pages 220 for metal circular saw blade.





18V COMPACT BAND SAW*

BSH180B



18 LITHIUM-10N

- Compact design for easy cutting in tight spaces, corners and overhead cutting
- High cutting capacity for cutting most common materials for electrical, plumbing and mechanical applications
- Rugged aluminum base withstands tough jobsite conditions
- LED light enables use of tool in darker environments

INCLUDES

Auxiliary Handle (3)18 TPI Band Saw Blades

*Battery/charger sold separately

Specifications	
Rating	18V
No Load SFPM	530
Cutting Capacity	2-1/2"×2-1/2"
Blade Size	28.75"×.5"×.02"
Length	13.5"
Weight (SlimPack)	7.6 lbs.

See page 109 for batteries/chargers. See page 266 for band saw blades.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120–131.

18V JIG SAW*

JSH180B



18 LITHIUM-ION

- Optimized Performance-Fast cutting speed and long battery runtime optimized for jig saw applications
- Compact Size and Weight—Up to 10% more compact and 30% lighter than leading competitor
- One-Handed Blade Insertion and Ejection— Offers convenience and ease of use
- Toolless T-Shank Blade—Fast and effortless blade installation and removal
- Integrated LED work light for enhanced visibility in blade area

INCLUDES

Jig Saw Blade Bevel Wrench **1907950006** Anti-Splinter Insert **2601016093**

*Battery/charger sold separately

Specifications	
Rating	18V
No Load SPM	0-2,700
Stroke Length	1"
Cutting Depth: Wood	3-1/2"
Cutting Depth: Steel	3/8"
Cutting Depth: Aluminum	7/8"
Bevel Capacity	0-45°
Orbital Action	Four-stage
Length	10.24"
Weight (bare tool)	4.1 lbs.

See page 109 for batteries/chargers. See pages 256-265 for jig saw blades.

Information about L-Boxx* and a listing of all L-Boxx* kits are available on pages 120–131.





18V MULTI-X™ OSCILLATING TOOL*

MXH180B



18 LITHIUM-ION

- Toolless Accessory Change Lever-Easy to attach or reposition OIS[®] accessories in any of 12 positions
- EC Brushless Motor—For enhanced efficiency, performance, runtime and lifetime
- ► Constant Response[™] Circuitry-Maintains speed under load
- Reinforced Gearing and Metal Gear Housing—For optimal force transmission, durability and low vibration

INCLUDES

Wood/Metal Cutting Blade **OSC312F** Accessory Box **2609100707**

*Battery/charger sold separately



Specifications	
Rating	18V
No Load OPM	8,000-20,000
Oscillating Angle L/R	1.4° (2.8° Total)
Length	12.6"
Weight (bare tool)	3.0 lbs.

See page 109 for batteries/chargers. See pages 246-247 for multi-tool blades.



18V 3-1/4" PLANER* **PLH181B**



18 LITHIUM-LON

- Optimized Performance—Fast cutting speed and long battery runtime optimized for planing applications
- ► Electronically Counterbalanced Single-Blade Design Positions Ideal Cutting Angle-Reduces drag for faster operation and smooth cutting
- Chip-Ejection Switch-Directs shavings left or right
- ▶ Edge Guide Fence-Ensures consistent planing through entire workpiece; can be mounted on either side of tool, protective shield covers section of blade not in use

INCLUDES

Edge Guide Fence PA1207 Woodrazor® Micrograin Carbide Blade PA1202 Blade Wrench 190795003

*Battery/charger sold separately

Specifications	
Rating	18V
No Load RPM	14,000
Adjustable Depth of Cut	0-1/16"
Planing Width	3-1/4"
Cutter Head Blades	1
Chip Ejection	Left and right
Length	12.63"
Weight (bare tool)	4.5 lbs.

See page 109 for batteries/chargers. See page 310 for planer blades and attachments.

Information about L-Boxx® and a listing of all L-Boxx[®] kits are available on pages 120-131.



18 VOLT LITHIUM-ION COMBO KITS

DDS181A

_

25618

(2) BAT612

SlimPack

batteries/

18V Lithium-Ion

BC660 charger

Carrying bag

CLPK26-181

DDB181

IDS181

(2)1.5 Ah

SlimPack

charger

18V Lithium-Ion

batteries/BC660

Carrying bag

_

CLPK232A-181 CLPK237A-181 CLPK238-181

HDS181A

(2) BAT620

FatPack

batteries/

18V Lithium-Ion

BC630 charger

Carrying bag

25618

CLPK238-181 CLPK251-181

DDS183

IDH182

(2) BAT612

SlimPack

batteries/

18V Lithium-Ion

BC660 charger

Carrying bag

_

HDS183

IDH182

(2) BAT612

SlimPack

batteries/

18V Lithium-Ion

BC660 charger

Carrying bag

DDH181X

IDH182

FatPack

batteries/

(2) BAT620

18V Lithium-Ion

BC660 charger

Carrying bag

_

. .



HDH181X

(2) BAT620

FatPack

batteries/

18V Lithium-Ion

BC630 charger

Carrying bag

25618

CLPK222-181

Drill/Drivers

Drill/Driver Impact/Driver

Batteries/

Includes

Charger/Other

Hammer

	CLPK224-181	CLPK203-181	CLPK204-181	CLPK402-181	CLPK414-181	CLPK430-181
		-	-			
Drill/Drivers	-	-	-	-	-	DDH181X
Hammer Drill/Driver	HDH181X	HDH181X	-	HDH181X	HDH181X	-
Impact/Driver	IDH182	-	IDH182	-	IDH182	IDH182
Reciprocating Saw	-	CRS180	CRS180	CRS180	CRS180	CRS180
6-1/2" Circular Saw	-	-	-	CCS180	-	CCS180
Work Light	-	-	-	CFL180	CFL180	-
Batteries/ Charger/Other	(2) BAT620 18V Lithium-Ion FatPack batteries/ BC630 charger	(2) BAT620 18V Lithium-Ion FatPack batteries/ BC660 charger	(2) BAT620 18V Lithium-Ion FatPack batteries/ BC660 charger	(2) BAT620 18V Lithium-Ion FatPack batteries/ BC630 charger	(2) BAT620 18V Lithium-Ion FatPack batteries/ BC660 charger	(2) BAT620 18V Lithium-lon FatPack batteries/ BC660 charger
Includes	Carrying bag					

18 VOLT LITHIUM-ION WORK LIGHTS







Item #	Description
CFL180*	Easily fits into tight spaces. Up to four hours of continuous run time
GLI18V-420B*	LED work light easily fits into tight spaces. Up to seven hours of continuous run time

*Battery sold separately

CFL180

GLI18V-420B

18 VOLT L	ITHIUM-ION	BATTERIES AN	D CHARGERS

BATTERIES



Item #	Description	Weight
BAT612	18V Lithium-Ion 2.0 Ah SlimPack battery	0.75 lbs.
BAT612-2PK	18V Lithium-Ion 2.0 Ah SlimPack battery, 2 pack	1.74 lbs.
BAT620	18V Lithium-Ion 4.0 Ah FatPack battery	1.35 lbs.
BAT620-2PK	18V Lithium-Ion 4.0 Ah FatPack battery, 2 pack	2.87 lbs.
BAT621	18V Lithium-Ion 5.0 Ah FatPack battery	1.35 lbs.
BAT622	18V Lithium-Ion 6.0 Ah FatPack battery	1.60 lbs.

BATTERY AND CHARGER KITS




Item #	Description
SKC181-101	(1) BAT620 18V Lithium-Ion 4.0 Ah FatPack battery and BC660 charger
SKC181-02	(2) BAT612 18V Lithium-Ion 2.0 Ah SlimPack batteries and BC660 charger



CoolPack heat conductive housing for Bosch 18V and 36V batteries is specifically designed to cool internal cell temperatures. And a cooler-running battery means extended recharge life that's up to 100 times longer than similar packs without this design.

See page 115 for a complete list of 36V batteries.



STANDARD HOUSING



BOSCH COOLPACK

CHARGERS



	-
Item #	Description
BC630	18V fast charger for Lithium-Ion FatPack and SlimPack batteries
BC660	Standard charger for Lithium-Ion 18V FatPack and SlimPack batteries
BC1836	18V–36V dual-voltage charger for Lithium-Ion FatPack and SlimPack batteries
BC1880	18V fast charger for Lithium-Ion FatPack and SlimPack batteries



18 VOLT WIRELESS CHARGING

18V EC BRUSHLESS COMPACT TOUGH™ 1/2" DRILL/DRIVER





Specifications	
Rating	18V
No Load RPM	0-600/0-1,900
Max. Torque (inlbs.)	274/531
Chuck Capacity	1/2" keyless metal chuck
Clutch Settings	20 + 1
Drive	1/2"
Chuck Type	Three Jaw
Length	6.8"
Weight	3.5 lbs.

DDS183WC-102 🐲 📾

Wireless Charging SlimPack Battery WCBAT612 Wireless Charger WC18C Frame WC18F Carrying Bag

See page 111 for wireless batteries/ chargers. See pages 139-146 for wood drilling accessories.

See pages 161–192 for screwdriving and metal drilling accessories.


18V EC BRUSHLESS 1/4" AND 1/2" SOCKET-READY IMPACT DRIVER



Specifications	
Rating	18V
No Load RPM	0-2,800/2,300/1,300
No Load BPM	0-3,200/2,600/1,100
Max Torque (inlbs.)	1,650/900/400
Chuck Capacity	1/4" hex and 1/2" square drive
Chuck Type	Quick Change
Length	6.2"
Weight	3.2 lbs.

IDH182WC-101

Wireless Charging FatPack Battery WCBAT620 Wireless Charger WC18C Frame WC18F



Wireless Charging SlimPack Battery WCBAT612 Wireless Charger WC18C Frame WC18F Carrying Bag

See page 111 for wireless batteries/ chargers. See pages 161–192 for screwdriving and metal drilling accessories.

18 VOLT WIRELESS CHARGING COMBO KIT

CLPK238WC-02



Drill/Drivers	DDS183
Hammer Drill/Drivers	-
Impact/Driver	IDH182
Batteries/Charger	(2) WCBAT612 18V wireless charging SlimPack batteries/ WC18C wireless charger
Includes	Carrying Bag

18 VOLT WIRELESS CHARGING BATTERIES, CHARGERS, HOLSTER, FRAME AND KITS

BATTERIES



CHARGERS



Item #	Description
WCBAT612	18V wireless charging 2.0 Ah SlimPack battery
WCBAT620	18V wireless charging 4.0 Ah FatPack battery

 Item #
 Description

 WC18C
 18V wireless charger

 WC18CV
 18V wireless vehicle charger

HOLSTERS

FRAME



Item # WC18F **Description** 18V wireless charger frame

WIRELESS CHARGING KITS



Item #	Description
WC18CF	(1) 18V wireless charger, (1) frame
WC18CH	(1) 18V wireless charger, (1) holster
WC18CF-102	(1) 18V wireless charger, (1) frame, (1) 18V 2.0 Ah SlimPack battery
WC18CHF-102	(1) 18V wireless charger, (1) holster, (1) frame, (1) 18V 2.0 Ah SlimPack battery
WC18CHF-101	(1) 18V wireless charger, (1) holster, (1) frame, (1) 18V 4.0 Ah FatPack battery

Item # Description WC18H 18V wireless charger holster WC18CVH 18V wireless vehicle charger holster







36M LITHIUM-10N





- Externally Accessible Brushes—For brush replacement in as little as two minutes
- Ratcheting, Carbide-Tooth Single-Sleeve 1/2" Chuck—For one-handed bit changes
- Bosch-Designed Powertrain with Metal Gears—For increased life and durability

36V BRUTE TOUGH™ 1/2" HAMMER DRILL/ DRIVER



- ► Brute Tough[™] Construction with Unibody Powertrain, Metal-Reinforced Collar and Durashield[™] Housing-Constructed to withstand real-world conditions
- Hammer On/Off Ring—Easily engage and disengage hammer mode
- Externally Accessible Brushes—For brush replacement in as little as two minutes
- Ratcheting, Carbide-Tooth Single-Sleeve 1/2" Chuck—For one-handed bit changes

36V 1-1/8" SDS-plus® BULLDOG™ ROTARY HAMMER



- KickBack Control-Limits rotation of tool in a bind situation
- Three-Mode Selector—Rotary hammer, rotation-only and hammer-only mode
- Variable-Speed Reversing Trigger— For accurate bit starting as well as removing fasteners or bound bits
- Vario-Lock™ Positioning-Rotates and locks chisel into 36 different positions

Specifications Rating

No Load RPM

No Load BPM

Impact Energy

Max. Capacity: Wood

Max. Capacity: Core Bits

Chuck Type

Length

Weight

(ft.-lbs.) Max. Capacity:

Concrete Max. Capacity:

Steel

 Integral Clutch-Disengages torque transmission if bit gets in a bind situation

36V

0-1,150

0-4,170

2.4 EPTA

1-1/8"

1/2"

1-1/4"

2-5/8"

9.9 lbs.

SDS-plus® 14.0"

Specifications	
Rating	36V
No Load RPM	0-450/0-1,400
Max. Torque (inlbs.)	600
Chuck Type	Three Jaw
Length	9.75"
Weight	6.7 lbs. with FatPack (without assist handle) 5.6 lbs. with SlimPack (without assist handle)

Specifications	
Rating	36V
No Load RPM	0-450/0-1,500
No Load BPM	0-18,000
Max. Torque (inlbs.)	600
Chuck Type	Three Jaw
Length	10.5"
Weight	7.2 lbs. with FatPack (without assist handle) 6.1 lbs. with SlimPack (without assist handle)



(2) Lithium-Ion SlimPack Batteries **BAT818** Charger **BC1836** 360° Auxiliary Handle Double-Ended Bit Carrying Case

See page 115 for batteries/chargers. See pages 139-146 for wood drilling accessories. See pages 161-192 for screwdriving

and metal drilling accessories.



Lithium-Ion FatPack Battery **BAT837** Lithium-Ion SlimPack Battery **BAT818** Charger **BC1836** 360° Auxiliary Handle Double-Ended Bit Carrying Case

See page 115 for batteries/chargers. See pages 7–10 for hammer drill accessories. See pages 139–146 for wood drilling accessories. See pages 161–192 for screwdriving and metal drilling accessories.



(2) Lithium-Ion FatPack Batteries **BAT838** Charger **BC3680** 360° Auxiliary Handle Depth Gauge Carrying Case

See page 115 for batteries/chargers. See pages 16-23 for SDS-plus® rotary hammer bits and chisels.

Optional dust collection attachments available on pages 15, 28 and 320.







36V 6-1/2" CIRCULAR SAW*



36M LITHIUM-ION

- Built-In Saw Hook—Convenient saw storage between cuts
- Heavy-duty aluminum shoe and upper guard
- Anti-Snag Lower Guard—Reduces hang-ups when making narrow cut-offs
- Large, Easy-To-Reach Depth Adjustment Lever-Match depth of stock for accurate cuts

INCLUDES

6-1/2" 18-Tooth Carbide Blade Allen® Key **2610937464**

*Battery/charger sold separately

Specifications	
Rating	36V
No Load RPM	4,000
Blade Diameter	6-1/2"
Arbor Size	5/8"
Max. Bevel at 0°	50°
Depth of Cut at 50°	1-3/8"
Depth of Cut at 45°	1-5/8"
Depth of Cut at 0°	2-1/8"
Length	14.0"
Weight (bare tool)	7.4 lbs.

See page 115 for batteries/chargers. See pages 220-221 for circular saw blades.

36V 1-1/8" RECIPROCATING SAW*

1651B



36^V LITHIUM-ION

- Fastest Saw in the Category-1-1/2" per square inch per minute
- ► Lockjaw[™] Blade Change System—For fast, easy one-handed blade insertion and ejection
- Built-In Saw Hook—Convenient saw storage between cuts
- Two-Position Handle and Smaller Collar—For better control in multiple working conditions

INCLUDES

(2) Bi-Metal Reciprocating Saw Blades

*Battery/charger sold separately

Specifications	
Rating	36V
No Load SPM	0-3,000/0-2,400
Stroke Length	1-1/8"
Length	16.0"
Weight (bare tool)	7.7 lbs.

See page 115 for batteries/chargers. See pages 228-235 for reciprocating saw blades.

36 VOLT LITHIUM-ION BATTERIES AND CHARGERS

BATTERIES



Item #	Description	Weight
BAT838	Lithium-Ion 36V 4.0 Ah FatPack battery	2.9 lbs.
BAT819	Lithium-Ion 36V 2.0 Ah SlimPack battery	1.5 lbs.

CHARGERS



Item #	Description
BC1836	Standard charger for Lithium-Ion 36V FatPack and SlimPack batteries
BC3680	18V–36V dual-voltage charger for Lithium-Ion FatPack and SlimPack batteries



RADIOS

12V MAX COMPACT RADIO*

PB120





12MAX LITHIUM-10N

- High-Performance Neodymium Speakers—Powerful 2×5-watt speakers for maximum sound clarity and quality
- High-Strength Shock-Absorbing Handles-Maximum robustness and protection
- Integrated Screw Mount Slots—Increased convenience for mounting unit to the wall
- External AUX Port-Connect external digital media players
- AC/DC Power Compatibility—Powered by Bosch AC adapter (included) or Bosch 12V Lithium-Ion battery (not included)

INCLUDES

6" Male-to-Male Auxiliary Cable AC Adapter Cord (2) AA Batteries for Clock

*Battery/charger sold separately

18V COMPACT RADIO*

PB180



LITHIUM-ION

- High-Performance Neodymium Speakers—Powerful 2×5-watt speakers for maximum sound clarity and quality
- High-Strength Shock-Absorbing Handles-Maximum robustness and protection
- Integrated Screw Mount Slots-Increased convenience for mounting unit to the wall
- External AUX Port—Connect external digital media players
- AC/DC Power Compatibility—Powered by Bosch AC adapter (included) or Bosch 18V Lithium-Ion battery (not included)

INCLUDES

6" Male-to-Male Auxiliary Cable AC Adapter Cord (2) AA Batteries for Clock

*Battery/charger sold separately



Specifications	
Rating	12V Max
AC Power	AC adapter
Dimensions	12.1"×2.8"×7.5"

See page 87 for batteries/chargers.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120–131.



Specifications	
Rating	18V
AC Power	AC adapter
Dimensions	12"×4.5"×5.75"
Weight (radio only)	4.1 lbs.

See page 87 for batteries/chargers.

Information about L-Boxx® and a listing of all L-Boxx® kits are available on pages 120–131.



2016/2017 POWER TOOLS & ACCESSORIES CATALOG

POWER BOXTM JOBSITE RADIO Bluetooth[®]

PB360C



FREE PB360C APP

FOUR-WAY SPEAKERS AND SUBWOOFER

Provides the best jobsite sound distribution

Adds alarm clock, direct music library access, connection to third-party streaming, user-created announcement features and more

RUGGED RUBBER/ ALUMINUM ROLL CAGE Offers best protection against

tough jobsite conditions



CORDLESS TOOLS RADIOS

ENHANCED USB -CHARGING PORT

Charges Apple® and other smart devices when unit is powered by 120V or Bosch battery **Æ**

DEEPENED BATTERY BAY DOOR Accommodates large Bosch batteries

FOUR 120V POWER OUTLETS

The largest number of outlets on any jobsite radio for maximum connectivity

BLUETOOTH® CONNECTIVITY Allows streaming of internet

radio and stored music from smartphone



POWER BOX™ JOBSITE AM/FM RADIO/CHARGER/DIGITAL MEDIA STEREO WITH BLUETOOTH®*

PB360C



🚯 Bluetooth[®]

- Bluetooth[®] connectivity for internet radio and stored music with range of up to 150 feet
- Four-way speakers and a subwoofer project 360° sound
- Free Bosch PB360C App available thru Apple App Store or Google Play
- Digital Media Bay-Secure storage for most devices

INCLUDES

6" Male-to-Male Auxiliary Cable (2) AA Batteries for Clock

*18V battery/charger sold separately **Charges Apple® and other phones and devices

Specifications	
Power Sources	120V Outlet or 18V/ 14.4V Lithium-Ion Battery
Bluetooth® Range	150 ft.
Audio Sources	FM, AM, Bluetooth®, Aux-In
Sound Projection	360°
Equalization Settings	4 plus Custom
AM/FM Presets	10 AM/20 FM
Battery Charging	18V/14.4V Lithium-Ion Battery
USB Charging	5V/1.0-amp rating**
Antenna	Pivot
No. of 120V Outlets	4
Protection Class	IP54
Unit Size	14.5"×14.0"×13.5"
Weight	24.0 lbs.
Constant 100 for bottoning /showing	

See page 109 for batteries/chargers.



ROCKO CONNECT TO THE ULTIMATE BOX IN THE BUSINESS

The Bosch Power Box[™] is the acknowledged standard for jobsite radios in the construction industry. Actually, that goes for any industry, job, campsite or tailgate party. The Bosch PB360C carries on a tradition of great performance with exciting new features, including Bluetooth® connectivity. Why mess around? Get the best jobsite radio on the planet.

