



PRIME SOURCE
 BUILDING PRODUCTS, INC.
 BUILDING PRODUCTS CANADA CORPORATION
 are Incho Company
 Carrollton, Texas 75006 USA
 www.primesourcebp.com

Distribution Centers

Location	Telephone	Fax	E-mail Addresses
ALABAMA - Montgomery	(800) 488-2281	(800) 447-8195	Montgomery@primesourcebp.com
ARIZONA - Phoenix	(800) 755-2291	(623) 245-4144	Phoenix@primesourcebp.com
CALIFORNIA - Los Angeles	(800) 998-4864	(888) 548-6248	LosAngeles@primesourcebp.com
CALIFORNIA - San Leandro	(800) 755-2286	(866) 850-6370	SanLeandro@primesourcebp.com
COLORADO - Denver	(800) 489-2870	(888) 642-4422	Denver@primesourcebp.com
CONNECTICUT - Waterbury	(800) 745-3319	(877) 434-6927	Waterbury@primesourcebp.com
FLORIDA - Miami	(800) 653-4864	(877) 895-8980	Miami@primesourcebp.com
FLORIDA - Orlando	(800) 432-2537	(407) 888-9724	Orlando@primesourcebp.com
FLORIDA - Tallahassee	(800) 875-6930	(850) 574-7439	Tallahassee@primesourcebp.com
GEORGIA - Atlanta	(800) 488-2296	(800) 679-6532	Atlanta@primesourcebp.com
GEORGIA - Savannah	(800) 398-4864	(877) 521-7613	Savannah@primesourcebp.com
ILLINOIS - Chicago	(800) 488-5508	(877) 886-8214	Chicago@primesourcebp.com
INDIANA - Indianapolis	(800) 755-2269	(800) 426-8716	Indianapolis@primesourcebp.com
LOUISIANA - New Orleans	(800) 745-3347	(800) 545-9842	NewOrleans@primesourcebp.com
MASSACHUSETTS - Boston	(800) 444-9585	(508) 436-6113	Boston@primesourcebp.com
MICHIGAN - Detroit	(800) 497-4864	(800) 308-7724	Detroit@primesourcebp.com
MINNESOTA - Minneapolis	(800) 829-2120	(877) 845-0929	Minneapolis@primesourcebp.com
MISSOURI - Kansas City	(800) 457-2620	(800) 280-2718	KansasCity@primesourcebp.com
MISSOURI - Springfield	(800) 488-5516	(800) 995-0615	Springfield@primesourcebp.com
NEW JERSEY - Edison	(800) 745-3318	(800) 689-6711	Edison@primesourcebp.com
NEW YORK - Albany	(800) 745-3320	(877) 823-2456	Albany@primesourcebp.com
NEW YORK - Rochester	(800) 745-3321	(877) 745-3321	Rochester@primesourcebp.com
NORTH CAROLINA - Greensboro	(800) 488-2294	(800) 757-6724	Greensboro@primesourcebp.com
OHIO - Cleveland	(440) 846-3600	(440) 846-3601	Cleveland@primesourcebp.com
OHIO - Cincinnati	(800) 745-3323	(800) 967-7584	Cincinnati@primesourcebp.com
OKLAHOMA - Oklahoma City	(800) 366-5357	(800) 236-7521	OklahomaCity@primesourcebp.com
ONTARIO, CAN - Toronto	(866) 512-1418	(866) 512-1653	Toronto@primesourcebp.com
PENNSYLVANIA - Philadelphia	(800) 488-5517	(800) 689-6712	Philadelphia@primesourcebp.com
PENNSYLVANIA - Pittsburgh	(800) 488-5518	(800) 745-8762	Pittsburgh@primesourcebp.com
SOUTH CAROLINA - Columbia	(800) 488-2295	(800) 834-1858	Columbia@primesourcebp.com
TENNESSEE - Nashville	(800) 488-5509	(800) 308-7308	Nashville@primesourcebp.com
TEXAS - Dallas	(800) 745-3341	(800) 487-5758	Dallas@primesourcebp.com
TEXAS - Houston	(800) 775-4864	(800) 990-0260	Houston@primesourcebp.com
TEXAS - San Antonio	(800) 745-3342	(800) 644-0232	SanAntonio@primesourcebp.com
UTAH - Salt Lake City	(877) 873-8875	(801) 952-0900	SaltLakeCity@primesourcebp.com
VIRGINIA - Fredericksburg	(800) 488-5521	(800) 353-3492	Fredericksburg@primesourcebp.com
WASHINGTON - Seattle	(800) 755-2254	(253) 437-1607	Seattle@primesourcebp.com
Call PrimeSource at:	800-676-7777 - USA	www.grip-rite.com	
	866-512-1418 - Canada	www.primesourcebp.com	

Collated Fasteners



PRIME SOURCE
 BUILDING PRODUCTS, INC.
 BUILDING PRODUCTS CANADA CORPORATION
 are Incho Company

Collated Fastener Selection Made Easy



Where will the fastener be used?

Yellow Label Background	For Interior Use Coated
Green Label Background	For Limited Outdoor Use Galvanized
Green Label Background	For Outdoor Use Exterior Galvanized for Treated Lumber
Gold Label Background	For Outdoor Use PrimeGuard Plus No-Rust Exterior Coated for Treated Lumber
Silver Label Background	For Outdoor Use PrimeGuard Plus Stainless Steel for Treated Lumber, Redwood and Cedar
Blue Label Background	Roofing

Label example*

* Center color stripe on label below matches page color within the catalog



What type of fastener do you need?

Framing, Siding & Roofing Nails	
Red Stripe on Label	Wire Collated
Beige Stripe on Label	Plastic Collated
Aqua/Purple Stripe on Label	Paper Collated
Finishing Nails & Brads	
Red Stripe on Label	Adhesive Collated 15 Gauge FN Series
Aqua Stripe on Label	Mylar® Collated 15 Gauge DA Series Adhesive Collated 23 Gauge
Purple Stripe on Label	Adhesive Collated 16 & 18 Gauge
Staples-all adhesive collated	
Red Stripe on Label	16 Gauge BCS Series 18 Gauge SX Series
Aqua Stripe on Label	16 Gauge P Series, N Series 18 Gauge L Series
Purple Stripe on Label	16 Gauge GSW Series, GS Series
Beige Stripe on Label	16 Gauge 76 Series
Hammer Tacker Staples	
Red Stripe on Label	STCR Series SHCR Series
Beige Stripe on Label	50 Series
White Stripe on Label	A11 & A19 Series



Table of Contents

	Page Number	Page Color*
How to Select a Fastener	2-4	↓
General Fastener Information		
Common Collated Fastener Coatings and Finishes	4	
Common Collated Nail Shanks	5	
PrimeGuard Plus® Exterior Fasteners	6-7	
Roofing		
15° Coil Roofing Nails	8	
Plastic Cap Staple Packs	9	
Framing		
21° Round Head Plastic Stick	10-14	
28° Clipped Head Plastic Stick	15	
28° Clipped Head Wire Stick	16-17	
33° Clipped Head Paper Stick	18-19	
15° Round Head Wire Coil	20-21	
33° Round Head Joist Hanger	22	
30°-34° Round Head Joist Hanger	23	
Siding & Fencing		
15° Round Head Wire Coil	24-25	
15° Round Head Plastic Coil	26	
Finish & Brad Nails		
15 Gauge "FN" Angled Finish Nails	27	
15 Gauge "DA" Angled Finish Nails	28-29	
16 Gauge Angled Finish Nail	30	
16 Gauge Finish Brads	31-32	
18 Gauge Finish Brads	33-34	
23 Gauge Micropins	35	
Flooring		
15 Gauge Flooring Staples	36	
"L" Flooring Cleats	37	
"T" Nails	37	
Staples		
16 Gauge "BCS" Wide Crown	38	
16 Gauge "P" Wide Crown	39	
16 Gauge "GSW" Wide Crown	40	
16 Gauge "BCS" Medium Crown	41	
16 Gauge "N" Medium Crown	42	
16 Gauge "GS" Medium Crown	43	
16 Gauge "76" Medium Crown	44	
18 Gauge "SX" Narrow Crown	45	
18 Gauge "L" Narrow Crown	46-47	
"50" Series Hammer Tacker	48	
"A11" Series Hammer Tacker	49	
"A19" Series Hammer Tacker	49	
"STCR" Series Hammer Tacker	50	
"SHCR" Series Hammer Tacker	50	
Do-It-Yourself Convenience Tubs		
15° Coil Roofing Nails	51	
15° Coil Nails Wire Collated	51	
21° Round Head Plastic Stick	52	
28° Clipped Head Wire Stick	53	
15 Gauge Flooring Staples	53	
Tool & Fastener Cross Reference	54-64	



* Page color matches the label color stripe in the diagram on facing page

Grip-Rite® - We know fasteners!

Finding the right collated fastener for your tool *and* for your project can be quite a challenge. There are as many, or more, brands of collated fasteners as there are brands of pneumatic tools on the market today. The last thing you need to worry about is getting back to your work site and not having the correct fastener. How do you know which fastener is the *right* fastener for you? Trust Grip-Rite, the most popular brand of fasteners in America, for all of your fastening needs.

Grip-Rite collated fasteners are a perfect fit for Grip-Rite pneumatic tools, along with many other brands. Each Grip-Rite collated fastener is guaranteed not to malfunction when used in a tool for which it is recommended. Grip-Rite's color-coded packaging and labeling takes the guesswork out of matching a fastener to your tool and to your project (turn to the inside front cover of this catalog for our label illustration).

Finding the "rite" collated fastener (how to use this catalog)

You need to consider two things when purchasing collated fasteners:

1. Which fastener do I need to fit my tool? Once you know this,
2. What type of fastener is right for my project?

This catalog is organized first by fastener type, then by the different styles of fasteners within each type. **If you know what type and style of fastener you need, turn to the Table of Contents** for the page(s) listing your fasteners.

If you know the make and model of your tool, turn to the Tool & Fastener Cross Reference.

Tool brands, types and models are listed alphabetically, along with the pages where you will find the fasteners designed to fit those tools.

Once you have found the *style* of fasteners that fit your tool, you can choose the *type of finish* to complement your project.

Still not sure where to start? As long as you know the type of tool you are using or the type of fastener, Grip-Rite makes it easy to find exactly the fastener you need.

Matching the fasteners to your tool

Fasteners have been designed to meet the special needs of projects such as roofing, siding, or framing, and in many cases are known by the application for which they are intended (roofing nails, finish nails, etc.) Be sure to use the correct type of fastener for your project. Tool makes and models are listed on each Grip-Rite collated fastener label; check to confirm that your tool is listed.

Most collated fasteners are either **nails, are finish nails/brads, or are staples**. Use this section to identify the type of fasteners that fit your tool.

Collated Nails

If you have a nailer, you need collated nails:

- collated in either coils or sticks
- collated with wire, paper, or plastic
- either full round head or clipped head
- collated with or without gaps between the nails
- collated at a variety of degrees (0°, 15°, 21°, 28°, 33°, etc.)

Coil Nails

15° Coil Roofing Nails




15° Round Head Wire Coil Framing Nails



15° Round Head Wire Coil Siding/Fencing Nails




15° Round Head Plastic Coil Siding/Fencing Nails




Stick Nails



21° Round Head Plastic Stick Framing Nails



28° Clipped Head Plastic Stick Framing Nails




Stick Nails Continued



Collated Finish & Brad Nails

If you have a finish nailer or brad nailer, you need finish brads or nails:

- 15, 16 or 18 gauge wire
- collated with either adhesive or Mylar® adhesive
- collated straight or on angle



Collated Staples

If you have a stapler, you need staples:

- 15, 16 or 18 gauge wire
- narrow, medium, or wide-crown
- arched or flat crown
- may also be a "hammer tacker" style staple

16 Gauge Wide Crown



- 1" crown "BCS"-style
- 1" crown "P"-style
- 15/16" crown "GSW"-style

16 Gauge Medium Crown




- 1/2" "BCS"-style
- 7/16" "N"-style
- 1/2" "GS"-style
- 7/16" "76"-style

18 Gauge Narrow Crown



- 7/32" "SX"-style
- 1/4" "L"-style

Hammer Tacker Arched Crown Staples



- 7/16" "STCR"-style
- 3/8" "SHCR"-style

Hammer Tacker Flat Crown Staples




- 1/2" "50"-style
- 3/8" "A11"-style
- 3/8" "A19"-style

Other Collated Fasteners

If you have another type of tool, such as a cap stapler or flooring tool, you will need fasteners designed specifically for that "specialty" tool:


- Plastic Cap Staple Packs
- 15 Gauge Flooring Staples
- "L" Flooring Cleats
- "T" Nails



Plastic Cap Staple Packs



"L" Flooring Cleats



15 Gauge Flooring Staples



"T" Nails

Matching the fasteners to your project

Consider where the fastener will be used (inside, outside, with treated lumber, etc.). Grip-Rite collated fasteners are available in a variety of finishes ranging from coated to stainless steel. The background color of each label indicates the type of coating or the optimal application for those fasteners:

-  Yellow – Bright/Coated
-  Green – Galvanized
-  Gold – PrimeGuard Plus® No-Rust Exterior Coated
-  Silver – PrimeGuard Plus® Stainless Steel
-  Blue – Roofing

Outdoor applications and other high-moisture environments will require a fastener specifically designed for these conditions. Grip-Rite PrimeGuard Plus fasteners are recommended for all exterior applications and for use with treated lumber, carry a lifetime guarantee against rust and corrosion, and are certified with the Rust-Oleum® stamp of approval. See the PrimeGuard Plus section for more information.

One final fastener check:

- Does the fastener description in the color band match the fasteners you need for your tool?
- Is your tool make and model listed on the label?
- Does the label color background match the type of project you are working on?

If you answered “yes” to each question, you have the “rite” collated fastener!

Common Collated Fastener Coatings & Finishes

Most fasteners are made of steel unless otherwise noted. All collated fasteners are vinyl coated for ease of use.

Bright – Bright, uncoated steel finish intended for use where corrosion resistance is not required.

Vinyl coated – Eases nail driving and provides greater holding power.

Galvanized – Treated with layer of zinc for enhanced resistance to corrosion and rust.

Electrogalvanized – Zinc coating applied to steel with an electrical charge. Offers limited resistance to rust.

Hot dipped galvanized – Zinc coating applied by dipping into molten zinc. All Grip-Rite hot-dipped galvanized meet the ASTM A-153 standard for hot-dipped galvanized.

Exterior galvanized – Fasteners are recommended for use with treated lumber.

Gold dichromate – Gold-colored zinc dichromate applied over electrogalvanized surface for additional corrosion resistance.

PrimeGuard Plus No-Rust Exterior coating – Proprietary coating that provides lifetime guarantee against rust and corrosion, including treated lumber.

Stainless steel – Lifetime guarantee against rust and corrosion; recommended for use with cedar, redwood, or treated lumber.

Copper – For specialty applications when working with copper or where appearance is a factor (copper weathered by age and exposure to elements can provide desirable appearance).

Common Collated Nail Shanks

Smooth – Most common for everyday projects, provides the least amount of holding power.



Barbed – Horizontal or herring-bone indentations in the shank. Relatively better hold than smooth shank, but far less than a comparable threaded nail.



Screw/Spiral – Designed to drive into hard woods and dense materials. Nail actually turns when driven, much like wood screws. Very good holding power.



Ring/Annular Thread – A series of closely spaced concentric rings around shank. Nail does not turn when driven; instead, the wood fibers are forced over the ring shoulders into their annular grooves like wedges. Gives greatest holding power in soft or medium woods.





PRIMEGUARD PLUS



PrimeGuard Plus® Premium Exterior Fasteners

PrimeGuard Plus fasteners are specifically designed for optimal performance, appearance, and value for all outdoor projects. Every Grip-Rite PrimeGuard Plus fastener carries a lifetime guarantee against rust and corrosion. What's more, PrimeGuard Plus fasteners are now certified with the Rust-Oleum® stamp of approval. PrimeGuard Plus fasteners are the first and only fasteners to pass Rust-Oleum's rigorous rust and corrosion testing standards. Rust-Oleum has been trusted by America for protection against rust and corrosion since 1921. Now that trusted protection extends to PrimeGuard Plus fasteners.

What makes exterior fasteners different?

Corrosion resistance. Indoor applications somewhat shield fasteners from moisture and other factors that can cause the fastener to corrode. However, fences, decks, sheds, siding, and other outdoor projects are continuously exposed to the elements. And so are the fasteners holding them together.

Fastener corrosion resistance is evaluated using an "hour rating" system based upon ASTM B117. This process involves placing fasteners in a test chamber and subjecting them to heat and salt spray. When the fastener breaks down or starts to rust, the time frame becomes the fastener's rating.

Fastener Finish	Approximate Rating (Hours)
Electrogalvanized	48
Yellow zinc	100
Dacrotized	300-400
Hot dipped galvanized	600-700
Double Hot-dipped galvanized	700-800
PrimeGuard Plus/Rust-Oleum	1500 hours

What can cause a fastener to corrode?

Rain, salt and snow from winter conditions, cleaning solutions, etc. Not only is the holding power of the fastener compromised but also the metal itself begins to react with the wood surrounding it, causing unsightly discoloration and staining.

Many woods are treated with chemicals to prevent rot and insect infestation, and these chemicals can also corrode fasteners. Dacrotized and electrogalvanized fasteners are not suitable for use with this wood. PrimeGuard Plus-coated fasteners and stainless steel fasteners are approved for use with all treated lumber, and still carry their lifetime guarantee against rust and corrosion when used with this material.

There is some discoloration that occurs naturally, regardless what material is used to pierce the wood. Wood contains tannins, self-preserving water-soluble compounds, that are often released when wood is penetrated. The tannins themselves may cause discoloration. This is commonly known as "extractive staining".

Tannins, acidic by nature, may also react with the iron in fasteners, leading to additional blue/black gray staining.

Some woods, especially decay-resistant types such as cedar and redwood, contain relatively more tannins than other species. Only PrimeGuard Plus stainless steel fasteners are recommended for use with cedar and redwood, and still carry a lifetime guarantee when used with these woods.

So while some discoloration is to be expected, the goal is to minimize additional staining whenever possible.



- Only stainless steel is recommended for use with all redwood and cedar projects, for marine projects, and within 5 miles of coastline.
- Lifetime guarantee against rust and corrosion when used with any wood, including all treated lumber.

Tested to the extreme... and the results are in!

PrimeGuard Plus fasteners were tested using the most thorough methods recognized by fastener manufacturers and wood treaters worldwide. PrimeGuard Plus fasteners performed better when tested side by side against other nationally recognized brands' coatings, including double hot-dip galvanized. You don't have to take our word for how they performed, pictures are worth a thousand words.

Rust-Oleum®

Accelerated weathering testing in accordance with ASTM G85 was conducted. The PrimeGuard Plus fasteners were driven into corrosive ACQ treated lumber to simulate a typical application, then placed in an environmental test chamber. The test chamber accelerates corrosion by continually alternating one hour cycles of fog (with 0.05% sodium chloride and 0.035% ammonium sulfate to simulate an industrial environment) and one hour cycles of dry heat.




Independent testing


Continual testing is conducted according to ASTM B117 Salt Spray Testing procedures. The corrosion chamber greatly accelerates corrosive conditions by spraying a constant 5% salt solution on the fasteners at a stable cabinet temperature of 95°F. This procedure is one of the most effective corrosion tests in the world, and is used by many industries including aerospace, automotive, and compliance.

Michigan State University

Testing was conducted using the American Wood Preservers Association's E12 methodology. Three different types of treated lumber (CCA-type C, ACQ-type D, and CA-B) were used, each at ground contact treatment levels much higher than what is normally used in residential deck construction.




This test also utilized an environmental test chamber that maintained 90% humidity to accelerate possible corrosion.




15° Coil Roofing Nails

Primary applications include:
Roofing Shingles & Vinyl
Siding*



15° Coil Roofing Nails

Primary applications include:
Roofing Shingles & Vinyl
Siding*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on pages 8-9 and page 51 of this catalog.

Manufacture	Model
A-PLUS	R-45
ATRO	45 ROOFING ROLL
BASSO	NR 31/45
BEA	SN-500, 554DC, 552DC
BESCO	RF3145
BOSTITCH	RN45B, RN46, N12, N12-40
CAMPBELL HAUSFELD	NC1545
CRAFTSMAN	18445
DE POAN	DPN-6D2
DEWALT	D51321
DUO-FAST	DRN-45
EZ FASTEN	CRN45AA
FASCO	R4CN 15W-45CT, R3C-CN15W-32CT ROOF
GREX	CR45, CR50
GRIP-RITE	GRTCR175
GRIZZLY	G6771
HAUBOLD	RNC450W, RNC45W
HILTI	RFC-134B

Manufacture	Model
HITACHI	NV 45AB, NV45AC
INTERCHANGE	ICB-CN45R
JAMERCO	JTCN45RA
JEPSON	PRN45C
MAKITA	AN-451
MAX	CN450R
NICHE RICH	17A 2052
NIKOTA	RF3145
PASLODE	3175/44RCU
PNEU TOOLS	RC150
PORTER-CABLE	RN 175
RIDGID	RN1750RNA
SESCO	SCN 200R, SCN40R
SPOTNAILS	KRN 45, VRN45
STAN TECH	SDCN 10B-1
T.C. INTERNATIONAL	UNC 175R
TRIDENT ASSOC.	CRW45AA
TRUSTY	CN45R
UNICATCH	UN175R

Grip Rite 15° Wire Weld Coil
Bobina de alambre soldado de 15°
1-1/4" / 3.18 cm x .120
Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Roofing Nails / Clavos para techos en secuencia

Primary applications include:
Roofing shingles, Vinyl siding
Las aplicaciones primarias incluyen:
Cubierta de tejas, Papeles de revestimiento lateral de vitales

For use with:
Para usar con:
Grip-Rite: GRTCR175
Craftsman: 18445
Paslode: 3175 RCU
Ridge: R1750RNA
Most other Coil Roofing Nails

Bestsell: RN45B-1, N120
Hitachi: NV45B, NV45AC
Porter Cable: RN175
Senec: SCN200R, SCN40R

La mayoría de las otras clavadoras para techo de bobina
Lifetime guarantee against rust and corrosion.
For use with all treated surfaces, cedar and redwood.
Tanned acids found naturally in wood can cause staining and streaking.
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de madera tratada, cedro y roble.
Los ácidos naturales que se encuentran normalmente en la madera pueden causar manchas y vetas.

7,200 count / número

GRCR3DGAL

Size	Shank Style	SKU	Quantity
3/4"	Smooth	GRCR19GAL	7.2M Carton
7/8"	Smooth	GRCR2DCGAL	7.2M Carton
1"	Smooth	GRCR2DGAL	7.2M Carton
1-1/4"	Smooth	GRCR3DGAL	7.2M Carton
1-1/4"	Smooth	GRCR3DGALB	3.84M Bucket
1-1/2"	Smooth	GRCR4DGAL	7.2M Carton
1-3/4"	Smooth	GRCR5DGAL	7.2M Carton
2"	Smooth	GRCR6DGAL	7.2M Carton
1-1/4"	Ring	GRCR3DRGAL	7.2M Carton
1-1/2"	Ring	GRCR4DRGAL	7.2M Carton

Grip Rite 15° Wire Weld Coil
Bobina de alambre soldado de 15°
1-1/4" / 3.18 cm x .120
Exterior Galvanized - Smooth Shank / Galvanizado exterior - Espiga lisa

Collated Roofing Nails / Clavos para techos en secuencia

Primary applications include:
Roofing shingles, Vinyl siding
Las aplicaciones primarias incluyen:
Cubierta de tejas, Papeles de revestimiento lateral de vitales

For use with:
Para usar con:
Grip-Rite: GRTCR175
Craftsman: 18445
Paslode: 3175 RCU
Ridge: R1750RNA
Most other Coil Roofing Nails

Bestsell: RN45B-1, N120
Hitachi: NV45B, NV45AC
Porter Cable: RN175
Senec: SCN200R, SCN40R

La mayoría de las otras clavadoras para techo de bobina
Lifetime guarantee against rust and corrosion.
For use with all treated surfaces, cedar and redwood.
Tanned acids found naturally in wood can cause staining and streaking.
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de madera tratada, cedro y roble.
Los ácidos naturales que se encuentran normalmente en la madera pueden causar manchas y vetas.

7,200 count / número

GRCR3DHDG

Hot Dipped Galvanized

Size	Shank Style	SKU	Quantity
1"	Smooth	GRCR2DHDG	7.2M Carton
1-1/4"	Smooth	GRCR3DHDG	7.2M Carton
1-1/2"	Smooth	GRCR4DHDG	7.2M Carton
1-3/4"	Smooth	GRCR5DHDG	7.2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

Grip Rite 15° Wire Weld Coil
Bobina de alambre soldado de 15°
1-1/4" / 3.18 cm x .120
Stainless Steel - Smooth Shank / Galvanizado - Acero inoxidable

Collated Roofing Nails / Clavos para techos en secuencia

Primary applications include:
Roofing shingles, Vinyl siding
Las aplicaciones primarias incluyen:
Cubierta de tejas, Papeles de revestimiento lateral de vitales

For use with:
Para usar con:
Grip-Rite: GRTCR175
Craftsman: 18445
Paslode: 3175 RCU
Ridge: R1750RNA
Most other Coil Roofing Nails

Bestsell: RN45B-1, N120
Hitachi: NV45B, NV45AC
Porter Cable: RN175
Senec: SCN200R, SCN40R

La mayoría de las otras clavadoras para techo de bobina
Lifetime guarantee against rust and corrosion.
For use with all treated surfaces, cedar and redwood.
Tanned acids found naturally in wood can cause staining and streaking.
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de madera tratada, cedro y roble.
Los ácidos naturales que se encuentran normalmente en la madera pueden causar manchas y vetas.

7,200 count / número

GRCR3DRSS

Lifetime Guarantee Against Rust and Corrosion

Stainless Steel – 304 Stainless

Size	Shank Style	SKU	Quantity
1"	Ring	GRCR2DRSS	7.2M Carton
1-1/4"	Ring	GRCR3DRSS	7.2M Carton
1-1/2"	Ring	GRCR4DRSS	7.2M Carton

Plastic Cap Staple Packs

Primary applications include:
Roof Felt & House-Wrap



5/8" Staples



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
GRIP-RITE	GRC58, GRC58A

Manufacturer	Model
PNEU TOOL	RC-58

Galvanized Wire

Crown	Leg	Cap Size	SKU	Quantity
1/2"	5/8"	1" DIA.	GRCP5822	2.2M

Grip Rite String Collated / Secuencia en serie
1/2" Crown - 5/8" Leg - 1" Cap Diameter, Corona 1/2" - Pata 5/8" - Tapas plásticas de 1" de diámetro

Plastic Cap Staple Packs / Paquetes de tapas plásticas de grapas

Primary applications include:
Roofing shingles, Vinyl siding
Las aplicaciones primarias incluyen:
Cubierta de tejas, Papeles de revestimiento lateral de vitales

For use with:
Para usar con:
Grip-Rite: GRC58, GRC58A
Pneu Tool: RC-58


2,000 caps/2,000 staples
2,200 tapas/2,200 grapas

GRCP5822

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

21° Round Head Plastic Stick Nails

Primary applications include: Framing, Sheathing, Subfloors & Roof Decking*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.


Grip-Rite Collated Fasteners that fit these tools can be found on pages 10-14 and 52 of this catalog.

Manufacture	Model	Manufacture	Model
AIRY	AVA2100CRK	JADE	JT350PL
APACH	AN-9021, AN-9021AC	JAMERCO	JTNFH90A
APLUS	S-130A, S-100A, S-90D	JEPSON	PF21FH
ATRO/ISM	RHS921	JIT	FN2190
BASSO	A22/100-A1, A22/90H-B1	J-K	89
BEA	R90-946, R100-950, R130-957	MAKITA	AN922, AN8300
BERRY-FAST	3000, 3500, 4100, 4500	MAX	SN890RH, SN80, SN90
BESCO	RHF9021	NICHE RICH	17A2051
BOSTITCH	N95RHN, N90RHN, KN85PP-1, N95-162, N79RH, N88RH	NIKEMA	590RN100, 590RN90
CAMPBELL	NS2090	NIKOTA	RHF9021
HAUSFELD		PANREX	PR-9021P
CRAFTSMAN	18436, 19034	PASLODE	5325 SRH, 5350/SRN-20
DEPOAN	DPN 6C50-RN2290	PATEK	PR9021
DEWALT	D51845, D51844	PORTER-CABLE	FR 350NC, FR350MAG, FR350, FR 350A
DUO-FAST	CN350B, SNP 83, CN325B, NSP-350F, CN350, CN137	PREBENA	9FAK100
EZ FASTEN	SN9021	RIDGID	R350RHA
FASCO	R5C RHN 20-90 SS-CT, F6C RHN 20-100	SENCO	SN60, SN65, SN65C, FRAMEPRO 652, FRAMEPRO 602, FRAMEPRO 650
GREX	SF 9021H		FRAMEPRO 700XL
GRIP-RITE	GRTRH350		FRAMEPRO 752XP, FRAMEPRO 702XP
GRIZZLY	G6050	SPOTNAILS	YPR90
HAUBOLD	RH90, RN100D, RN90PII, RN130 R, RN130 R/DB	STAN TECH	SDN 11 B-1, SDN 11
HILTI	RHN-9020	T.C. INTERNATIONAL	SRN 90, UNS 350
HITACHI	NR83A, NR90AC, NR90AC2, NR83A2	TRIDENT ASSOC.	SRN90
HOLZ-HER	3500 SERIES	TRUSTY	AF9021, TYI2190FN
INTERCHANGE	ICB-FN88	UNICATCH	UNS 350 PL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

21° Round Head Plastic Stick Nails

Primary applications include: Framing, Sheathing, Subfloors & Roof Decking*




Coated	Size	Shank Style	Nail Type	SKU	Quantity
	4D 1-1/2" x .148	Smooth	Hanger Nail	GR112148	6M Carton
	6D 2" x .113	Smooth	Common	GR03	5M Carton
	6D 2" x .113	Smooth	Common	GR03L	2.5M Carton
	10D 2-1/8" x .148	Smooth	Ply	GR218148	5M Carton
	10D 2-1/8" x .148	Smooth	Ply	GR7D148	4M Carton
	10D 2-1/4" x .148	Smooth	Ply	GR214148	5M Carton
	10D 2-1/4" x .148	Smooth	Ply	GR7DL148	4M Carton
	8D 2-3/8" x .113	Smooth	Cooler	GR07	5M Carton
	8D 2-3/8" x .113	Smooth	Cooler	GR07L	2.5M Carton
	8D 2-1/2" x .131	Smooth	Common	GR212131	5M Carton
	8D 2-1/2" x .131	Smooth	Common	GR8D131	4M Carton
	10D 2-3/8" x .120	Smooth	Cooler	GR238120	5M Carton
	10D 2-3/8" x .148	Smooth	Ply	GR238148	5M Carton
	10D 2-3/8" x .148	Smooth	Ply	GR8D148	4M Carton
	10D 3" x .120	Smooth	Sinker	GR301	4M Carton
	10D 3" x .120	Smooth	Sinker	GR301L	2M Carton
	10D 3" x .131	Smooth	Framer	GR014	4M Carton
	10D 3" x .131	Smooth	Framer	GR014L	2M Carton
	10D 3" x .148	Smooth	Common	GR3148	4M Carton
	12D 3-1/4" x .120	Smooth	Framer	GR444	4M Carton
	12D 3-1/4" x .120	Smooth	Framer	GR444L	2M Carton
	12D 3-1/4" x .148	Smooth	Common	GR314148	4M Carton
	12D 3-1/4" x .162	Smooth	Short-Common	GR314162	2.5M Carton
	16D 3-1/4" x .131	Smooth	Short-Common	GR024	4M Carton
	16D 3-1/4" x .131	Smooth	Short-Common	GR024L	2M Carton
	16D 3-3/8" x .131	Smooth	Sinker	GR338	4M Carton
	16D 3-3/8" x .131	Smooth	Sinker	GR338L	2M Carton
	16D 3-1/2" x .131	Smooth	Box	GR312131	4M Carton
	16D 3-1/2" x .131	Smooth	Box	GR312131L	2M Carton
	16D 3-1/2" x .162	Smooth	Common	GR312162	2.5M Carton
	6D 2" x .113	Ring	Common	GR04	5M Carton
	6D 2" x .113	Ring	Common	GR04L	2.5M Carton
	8D 2-3/8" x .113	Ring	Cooler	GR08R	5M Carton
	8D 2-3/8" x .113	Ring	Cooler	GR08RL	2.5M Carton
	10D 2-3/8" x .148	Ring	Ply	GR238148RD	5M Carton
	10D 2-3/8" x .148	Ring	Ply	GR8D148R	4M Carton
	10D 3" x .131	Ring	Framer	GR014R	4M Carton
	8D 2-3/8" x .113	Screw	Cooler	GR016	5M Carton
	10D 2-1/8" x .148	Screw	Ply	GR218148S	5M Carton
	10D 2-1/8" x .148	Screw	Ply	GR7D148S	4M Carton
	10D 2-3/8" x .148	Screw	Ply	GR8D148S	4M Carton
	10D 3" x .120	Screw	Sinker	GR3120S	4M Carton
	12D 3-1/4" x .148	Screw	Common	GR314148S	4M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

21° Round Head Plastic Stick Nails

Primary applications include: Framing, Sheathing, Subfloors & Roof Decking*



Grip Rite 21° Plastic Strip Round Head
Cabeza redonda en cinta plástica 21°
2" / 5.08 cm x .113 (6D Common / Común)
Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

5,000 count / número

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks.
Las aplicaciones primarias incluyen:
Armazón, Revestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores.

For use with:
Para usar con:
Grip-Rite: GR77R0202
Craftman: 19426, 19034
DeWalt: D51845

Mitsubishi: NP23A, NP20AC2
Purco-Cable: P230A, P230B&C
Senec: All Frame Pro 602FR1 & 700 FR1 series

Most other 21° Plastic Strip Round Head Nails
La mayoría de los otros clavadores de cabeza redonda y cinta plástica de 21°


Should not be used in treated lumber
No usar en madera tratada
No usar donde el estado de la superficie es incalificable

GR05G

Galvanized					
Size	Shank Style	Nail Type	SKU	Quantity	
6D 2" x .113	Smooth	Common	GR05G	5M Carton	
6D 2" x .113	Smooth	Common	GR05GL	2.5M Carton	
8D 2-3/8" x .113	Smooth	Cooler	GR09G	5M Carton	
8D 2-3/8" x .113	Smooth	Cooler	GR09GL	2.5M Carton	
8D 2-1/2" x .131	Smooth	Common	GR212131G	5M Carton	
10D 3" x .120	Smooth	Sinker	GR301G	4M Carton	
10D 3" x .120	Smooth	Sinker	GR301GL	2M Carton	
10D 3" x .131	Smooth	Framer	GR033G	4M Carton	
12D 3-1/4" x .120	Smooth	Box	GR444G	4M Carton	
12D 3-1/4" x .120	Smooth	Box	GR444GL	2M Carton	
16D 3-1/4" x .131	Smooth	Short	GR034G	4M Carton	
16D 3-1/4" x .131	Smooth	Short	GR034GL	2M Carton	
16D 3-3/8" x .131	Smooth	Sinker	GR338G	4M Carton	
6D 2" x .113	Ring	Common	GR04G	5M Carton	
8D 2-3/8" x .113	Ring	Cooler	GR08G	5M Carton	
8D 2-3/8" x .113	Ring	Cooler	GR08GL	2.5M Carton	
10D 3" x .120	Ring	Sinker	GR408G	4M Carton	
10D 3" x .120	Ring	Sinker	GR408GL	2M Carton	

21° Round Head Plastic Stick Nails

Primary applications include: Framing, Sheathing, Subfloors & Roof Decking*



Grip Rite 21° Plastic Strip Round Head
Cabeza redonda en cinta plástica 21°
2" / 5.08 cm x .113 (6D Common / Común)
Exterior Galvanized - Smooth Shank / Galvanizado exterior - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

5,000 count / número

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks.
Las aplicaciones primarias incluyen:
Armazón, Revestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores.

For use with:
Para usar con:
Grip-Rite: GR77R0202
Craftman: 19426, 19034
DeWalt: D51845

Mitsubishi: NP23A, NP20AC2
Purco-Cable: P230A, P230B&C
Senec: All Frame Pro 602FR1 & 700 FR1 series

Most other 21° Plastic Strip Round Head Nails
La mayoría de los otros clavadores de cabeza redonda y cinta plástica de 21°

For use in exterior applications and with all treated lumber
Para usar en aplicaciones exteriores y con todo tipo de madera tratada.
También usable para aplicaciones de exterior que requieren un galvanizado que prevenga la oxidación.
No-Rust Exterior Coated - Smooth Shank / Revestimiento exteriormente para evitar el óxido - Espiga lisa

Los ácidos tóxicos que se encuentran normalmente en la madera pueden causar manchas y vetas.

GR0H5G

Exterior Galvanized					
Size	Shank Style	Nail Type	SKU	Quantity	
6D 2" x .113	Smooth	Common	GR05HG	5M Carton	
8D 2-3/8" x .113	Smooth	Cooler	GR09HG	5M Carton	
8D 2-3/8" x .113	Smooth	Cooler	GR09HGL	2.5M Carton	
8D 2-1/2" x .131	Smooth	Common	GR212131HG	5M Carton	
10D 3" x .120	Smooth	Sinker	GR301HG	4M Carton	
10D 3" x .120	Smooth	Sinker	GR301HGL	2M Carton	
10D 3" x .131	Smooth	Framer	GR033HG	4M Carton	
12D 3-1/4" x .120	Smooth	Box	GR444HG	4M Carton	
12D 3-1/4" x .120	Smooth	Box	GR444HGL	2M Carton	
16D 3-1/4" x .131	Smooth	Short	GR034HG	4M Carton	
16D 3-1/4" x .131	Smooth	Short	GR034HGL	2M Carton	
16D 3-1/2" x .131	Smooth	Box	GR312131HG	4M Carton	
16D 3-1/2" x .162	Smooth	Common	GR312162HG	2.5M Carton	
6D 2" x .113	Ring	Common	GR04HG	5M Carton	
8D 2-3/8" x .113	Ring	Cooler	GR08RHG	5M Carton	
8D 2-3/8" x .113	Ring	Cooler	GR08HGL	2.5M Carton	
10D 3" x .120	Ring	Sinker	GR408HG	4M Carton	
10D 3" x .120	Ring	Sinker	GR408HGL	2M Carton	
10D 2-3/8" x .113	Screw	Cooler	GR016HG	5M Carton	
10D 3" x .120	Screw	Sinker	GR015HG	4M Carton	
12D 3-1/4" x .120	Screw	Box	GR444SHG	4M Carton	
12D 3-1/4" x .120	Screw	Box	GR444SHGL	2M Carton	

Exterior Galvanized, Casing Head					
Size	Shank Style	Nail Type	SKU	Quantity	
8D 2-3/8" x .113	Smooth	Cooler-Casing	GR238CSHG	2.5M Carton	
16D 3-1/4" x .113	Smooth	Short-Casing	GR314CSHG	2M Carton	


Lifetime Guarantee Against Rust and Corrosion					
No-Rust Exterior Coated					
Size	Shank Style	Nail Type	SKU	Quantity	
6D 2" x .113	Smooth	Common	GR05PGP	5M Carton	
8D 2-3/8" x .113	Smooth	Cooler	GR09PGP	5M Carton	
10D 3" x .131	Smooth	Framer	GR033PGP	4M Carton	
16D 3-1/4" x .131	Smooth	Short	GR034PGP	4M Carton	
16D 3-1/4" x .131	Smooth	Short	GR034PGPL	2M Carton	
6D 2" x .113	Ring	Common	GR04PGP	5M Carton	
8D 2-3/8" x .113	Ring	Cooler	GR08RPGP	5M Carton	
8D 2-3/8" x .113	Ring	Cooler	GR08PGPL	2.5M Carton	
10D 3" x .120	Ring	Sinker	GR408PGP	4M Carton	
10D 2-3/8" x .113	Screw	Cooler	GR016PGP	5M Carton	
10D 3" x .120	Screw	Sinker	GR015PGP	4M Carton	
12D 3-1/4" x .120	Screw	Box	GR444SPGP	4M Carton	

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

21° Round Head Plastic Stick Nails

Primary applications include: Framing, Sheathing, Subfloors & Roof Decking*



21° Plastic Strip Round Head
Cabeza redonda en cinta plástica 21°
2-3/8" / 6.03 cm x .113 (8D Cooler / Enfrizador)
Stainless Steel - Smooth Shank / Acero inoxidable - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

2,500 count / número

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armazón, Revestimiento, Contrapiso, Cubierta interior del techo, Terrazas de exteriores

For use with:
Para usar con:
Grip-Rite: 05774C50
Craftsman: 15436, 15634
DeWalt: 051545

Hitachi: NP53A, NP50ACZ
Parker-Cable: FR350, FR350MANG
Sense: All Frame Pro 600FRH & 700 FRH series

DeWalt: CN2056, NSP250F
Must order 21° Plastic Strip Round Head Nails
La mayoría de las otras clavadoras de cabeza redonda y cinta plástica de 21°

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Tanto con todo tipo de madera tratada, cedro y arce.
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de madera tratada, cedro y arce.
Los árboles tratados que se encuentran normalmente en la madera pueden causar manchas y virus.

GR439SS

Lifetime Guarantee Against Rust and Corrosion


Stainless Steel – 304 Stainless					
Size	Shank Style	Nail Type	SKU	Quantity	
8D 2-3/8" x .113	Smooth	Cooler	GR439SS	2.5M Carton	
10D 3" x .131	Smooth	Framer	GR4395SS	2M Carton	
16D 3-1/4" x .131	Smooth	Short	GR440SS	2M Carton	
8D 2-3/8" x .113	Ring	Cooler	GR08RSS	5M Carton	
10D 3" x .120	Ring	Sinker	GR408SS	4M Carton	
10D 3" x .120	Screw	Sinker	GR015SS	4M Carton	
12D 3-1/4" x .120	Screw	Box	GR444SSS	4M Carton	

Stainless Steel – 304 Stainless, Casing Head

Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Smooth	Casing-Cooler	GR238CSSS	2.5M Carton

28° Clipped Head Plastic Stick Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model	Manufacturer	Model
BASSO	N90PH-A1	DUO FAST	NSPM-325F

28° Plastic Strip Clipped Head
Cabeza recortada en cinta plástica 28°
2-3/8" / 6.03 cm x .113 (8D Cooler / Enfrizador)
Coated - Smooth Shank / Revestido - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

2,500 count / número

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armazón, Revestimiento, Contrapiso, Cubierta interior del techo, Terrazas de exteriores

For use with:
Para usar con:
Basso: NS9PH A1
Duo-Fast: NSPM-325F
Must order 28° Plastic Strip Clipped Head Nails
La mayoría de las otras clavadoras de cabeza recortada y cinta plástica de 28°

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GR603L

Coated

Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Smooth	Cooler	GR603L	2.5M Carton
10D 3" x .120	Smooth	Sinker	GR615L	4M Carton
10D 3" x .120	Smooth	Sinker	GR615L	2M Carton
10D 3" x .131	Smooth	Framer	GR606L	4M Carton
10D 3" x .131	Smooth	Framer	GR606L	2M Carton
16D 3-1/4" x .131	Smooth	Short	GR607L	2M Carton
8D 2-3/8" x .113	Ring	Cooler	GR609RL	2.5M Carton

28° Plastic Strip Clipped Head
Cabeza recortada en cinta plástica 28°
3" / 7.62 cm x .113 (10D Framer / Constructor)
Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

4,000 count / número

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armazón, Revestimiento, Contrapiso, Cubierta interior del techo, Terrazas de exteriores

For use with:
Para usar con:
Basso: NS9PH A1
Duo-Fast: NSPM-325F
Must order 28° Plastic Strip Clipped Head Nails
La mayoría de las otras clavadoras de cabeza recortada y cinta plástica de 28°

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GR606GL

Galvanized


Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Smooth	Cooler	GR611GL	2.5M Carton
10D 3" x .120	Smooth	Sinker	GR615GL	2M Carton
10D 3" x .131	Smooth	Framer	GR606GL	4M Carton
16D 3-1/4" x .131	Smooth	Short	GR613GL	2M Carton
10D 3" x .120	Ring	Sinker	GR617GL	2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL


28° Clipped Head Wire Stick Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



28° Clipped Head Wire Stick Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on pages 16-17 and 53 of this catalog.

Manufacturer	Model	Manufacturer	Model
AIRY	ANB2883CRK	DEPOAN	6C51-CN2890
APACH	AN-9028AN-9028AC	EZ FASTEN	SRN9028
APLUS	S-90B	FASCO	R5C HHN 28-90 SS CT
ATRO/ISM	CHS-928	GREX	SF9028H
BASSO	N90SB	JAMERCO	JTAFN2890
BESCO	CHF9028	MAX	SN890CH/28
BOSTITCH	N80SB, N70S, N79WW, N16, N100S, N86S, N80S, N88WW	PORTER-CABLE	FM350A
CAMPBELL HAUSFELD	NS2890	STAN TECH	1526B
CRAFTSMAN	18430, 19035	TRUSTY	TYI2890FN
		UNICATCH	UNS350P8

Grip Rite 28° Wire Weld Clipped Head Cabeza recortada en alambre soldado 28° 2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador) Coated - Smooth Shank / Revestido - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include: Framing, Sheathing, Subfloors, Roof decking, Exterior decks. Las aplicaciones primarias incluyen: Armazón, Revestimiento, Contrapiso, Cubierta interior del techo, Terrazas de exteriores.

For use with: Bestick: N16, N70S, N79WW, N80S, N86S, N88, N89WW, N100S. Craftsmen: 18430, 19035. Porter-Cable: FM350A. Must use 28° Wire Weld Clipped Head Nailers. La mayoría de los otros clavadores para cabeza recortada de bobina de alambre soldado de 28°.

Should not be used in treated lumber. Should not be used where surface rust is unacceptable. No usar en madera tratada. No usar donde el rizado de la superficie es inaceptable.

2,500 count / número

Coated				
Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Cooler	GRS6D	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRS8D	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRS10D	2M Carton
10D 3" x .131	Smooth	Framer	GRS10DZ	2M Carton
12D 3-1/4" x .120	Smooth	Box	GRS12D	2M Carton
16D 3-1/4" x .131	Smooth	Short	GRS12DZ	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRS16DZ	2M Carton
6D 2" x .113	Ring	Cooler	GRS6DR	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRS8DR	2.5M Carton

Grip Rite 28° Wire Weld Clipped Head Cabeza recortada en alambre soldado 28° 2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador) Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include: Framing, Sheathing, Subfloors, Roof decking, Exterior decks. Las aplicaciones primarias incluyen: Armazón, Revestimiento, Contrapiso, Cubierta interior del techo, Terrazas de exteriores.

For use with: Bestick: N16, N70S, N79WW, N80S, N86S, N88, N89WW, N100S. Craftsmen: 18430, 19035. Porter-Cable: FM350A. Must use 28° Wire Weld Clipped Head Nailers. La mayoría de los otros clavadores para cabeza recortada de bobina de alambre soldado de 28°.

Should not be used in treated lumber. Should not be used where surface rust is unacceptable. No usar en madera tratada. No usar donde el rizado de la superficie es inaceptable.

2,500 count / número

Galvanized				
Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Cooler	GRS6DG	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRS8DG	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRS10DG	2M Carton
12D 3-1/4" x .120	Smooth	Cooler	GRS12DG	2M Carton
16D 3-1/4" x .131	Smooth	Short	GRS12DZG	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRS16DZG	2M Carton
6D 2" x .113	Ring	Cooler	GRS6DRG	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRS8DRG	2.5M Carton
10D 3" x .120	Ring	Sinker	GRS10DRG	2M Carton
12D 3-1/4" x .120	Ring	Cooler	GRS12DRG	2M Carton
12D 3-1/4" x .120	Screw	Cooler	GRS12DSG	2M Carton

Grip Rite 28° Wire Weld Clipped Head Cabeza recortada en alambre soldado 28° 2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador) Exterior Galvanized - Smooth Shank / Galvanizado exterior - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include: Framing, Sheathing, Subfloors, Roof decking, Exterior decks. Las aplicaciones primarias incluyen: Armazón, Revestimiento, Contrapiso, Cubierta interior del techo, Terrazas de exteriores.

For use with: Bestick: N16, N70S, N79WW, N80S, N86S, N88, N89WW, N100S. Craftsmen: 18430, 19035. Porter-Cable: FM350A. Must use 28° Wire Weld Clipped Head Nailers. La mayoría de los otros clavadores para cabeza recortada de bobina de alambre soldado exterior de 28°.

Approved for exterior use with all types of treated lumber.

2,500 count / número

Exterior Galvanized				
Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Cooler	GRS6DHG	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRS8DHG	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRS10DHG	2M Carton
12D 3-1/4" x .120	Smooth	Box	GRS12DHG	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRS16DZH	2M Carton
6D 2" x .113	Ring	Cooler	GRS6DRHG	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRS8DRHG	2.5M Carton
10D 3" x .120	Ring	Sinker	GRS10DRHG	2M Carton
12D 3-1/4" x .120	Ring	Box	GRS12DRHG	2M Carton
12D 3-1/4" x .120	Screw	Cooler	GRS12DSHG	2M Carton

Grip Rite 28° Wire Weld Clipped Head Cabeza recortada en alambre soldado 28° 2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador) Stainless Steel - Smooth Shank / Acero inoxidable - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include: Framing, Sheathing, Subfloors, Roof decking, Exterior decks. Las aplicaciones primarias incluyen: Armazón, Revestimiento, Contrapiso, Cubierta interior del techo, Terrazas de exteriores.

For use with: Bestick: N16, N70S, N79WW, N80S, N86S, N88, N89WW, N100S. Craftsmen: 18430, 19035. Porter-Cable: FM350A. Must use 28° Wire Weld Clipped Head Nailers. La mayoría de los otros clavadores para cabeza recortada de bobina de alambre soldado de 28°.

Lifetime guarantee against rust and corrosion. For use with all treated lumber, cedar and redwood. Tarnish acids found naturally in wood can cause staining and streaking. Garantía de por vida contra óxido y corrosión. Para usar con todo tipo de madera tratada, cedro y roble. Los ácidos naturales que se encuentran normalmente en la madera pueden causar manchas y vetas.

2,500 count / número


Lifetime Guarantee Against Rust and Corrosion				
Stainless Steel - 304 Stainless				
Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Ring	Cooler	GRS8DRSS	2.5M Carton
10D 3" x .120	Ring	Sinker	GRS10DRSS	2M Carton
12D 3-1/4" x .120	Ring	Box	GRS12DRSS	2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials. NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE. CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials. NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE. CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.


33° Clipped Head Paper Stick Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



33° Clipped Head Paper Stick Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on pages 18 and 19 of this catalog.

Manufacturer	Model	Manufacturer	Model
AIRY	AUA3490CRK	MAKITA	AN-942
APACH	AN-9034, AN-9024AC	MAX	SN90CH-34
APLUS	S-90E	PANREX	PR-0034P
ATRO/ISM	CHS 933	PASLODE	IMPULSE350, IMPULSE300,
BASSO	N90PA-A1		IMPULSE325, GN212,
BESCO	CHF9034, CHF9030		F3505, 5350, SK312, IMCT,
BOSTITCH	N90PT, N79PT		5325
CAMPBELL HAUSFELD	NS2890	PATEK	PR0034
CRAFTSMAN	18320	PORTER-CABLE	FC350, FC350A, FM350A
DEPOAN	DPN6052	RIDGID	R350CHA
DEWALT	D51823, D51822	SENCO	SN2, SN2+, SN3, SN325+, SN4,
EZ FASTEN	SN9034		SN70, FRAMEPRO 600XL,
FASCO	R5C HHN 31-90 SS CT, F5C		FRAMEPRO 601,
	HHN 31-83, F6 HHN 31-90,		FRAMEPRO 651,
	F25 A-90/40		FRAMEPRO 700XL,
GREX	SF9034H		FRAMEPRO 701XP,
GRIP-RITE	GRTCH350		FRAMERPO 751XP
HILTI	CHN9033	SPOTNAILS	YTD90
HITACHI	NR83AA, NR83AA2, NR90AA,	STAN TECH	SDN11-PT-1
	NR90AD, NR83AA3	T.C. INTERNATIONAL	UNS 350 P4/P8
INTERCHANGE	ICB-DF88	TECH FORGE	1521
JADE	JT350 P4	TRUSTY	TY13490FN, AF0034
JAMERCO	JTAFN3190	UNICATCH	UNS 350P4

Grip Rite 33° Paper Tape Clipped Head Cabeza recortada en cinta de papel 33° 2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador) Coated - Smooth Shank / Revestido - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include: Framing, Sheathing, Subfloors, Roof decking, Exterior decks. Las aplicaciones primarias incluyen: Armazón, Revestimientos, Contrapisos, Cubierta interior del techo, Terrazas de exteriores.

For use with: Para usar con: Grip-Rite: GRTCH350; Bostitch: N79PT, N90PT; DeWalt: D51822, D51823; Hitachi: NR83AA, NR83AA2, NR90AA, NR90AD; Paslode: S325, S350, F-350S, GN212, IMCT; Impulse300, Impulse325, Impulse350, SK312. Most other 33° Paper Tape Round Head Nails. La mayoría de los otros clavos para cabeza redonda con cinta de papel de 33°. Should not be used on treated lumber. No usar en madera tratada.

2,500 count / número

GRSP8D

Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Cooler	GRSP6D	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRSP8D	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRSP10D	2M Carton
10D 3" x .131	Smooth	Framer	GRSP10DZ	2M Carton
12D 3-1/4" x .120	Smooth	Box	GRSP12D	2M Carton
12D 3-1/4" x .131	Smooth	Short	GRSP12DZ	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRSP16DZ	2M Carton
6D 2" x .113	Ring	Cooler	GRSP6DR	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRSP8DR	2.5M Carton
10D 3" x .120	Ring	Sinker	GRSP10DR	2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials. NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE. CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

Grip Rite 33° Paper Tape Clipped Head Cabeza recortada en cinta de papel 33° 2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador) Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include: Framing, Sheathing, Subfloors, Roof decking, Exterior decks. Las aplicaciones primarias incluyen: Armazón, Revestimientos, Contrapisos, Cubierta interior del techo, Terrazas de exteriores.

For use with: Para usar con: Grip-Rite: GRTCH350; Bostitch: N79PT, N90PT; DeWalt: D51822, D51823; Hitachi: NR83AA, NR83AA2, NR90AA, NR90AD; Paslode: S325, S350, F-350S, GN212, IMCT; Impulse300, Impulse325, Impulse350, SK312. Most other 33° Paper Tape Round Head Nails. La mayoría de los otros clavos para cabeza redonda con cinta de papel de 33°. Should not be used on treated lumber. No usar en madera tratada.

2,500 count / número

GRSP8DG

Grip Rite 33° Paper Tape Clipped Head Cabeza recortada en cinta de papel 33° 2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador) Exterior Galvanized - Smooth Shank / Galvanizado exterior - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include: Framing, Sheathing, Subfloors, Roof decking, Exterior decks. Las aplicaciones primarias incluyen: Armazón, Revestimientos, Contrapisos, Cubierta interior del techo, Terrazas de exteriores.

For use with: Para usar con: Grip-Rite: GRTCH350; Bostitch: N79PT, N90PT; DeWalt: D51822, D51823; Hitachi: NR83AA, NR83AA2, NR90AA, NR90AD; Paslode: S325, S350, F-350S, GN212, IMCT; Impulse300, Impulse325, Impulse350, SK312. Most other 33° Paper Tape Round Head Nails. La mayoría de los otros clavos para cabeza redonda con cinta de papel de 33°. Should not be used on treated lumber. No usar en madera tratada.

2,500 count / número

GRSP8DHG

Grip Rite 33° Paper Tape Clipped Head Cabeza recortada en cinta de papel 33° 2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador) No-Rust Exterior Coated - Smooth Shank / Revestido exteriormente para evitar el óxido - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include: Framing, Sheathing, Subfloors, Roof decking, Exterior decks. Las aplicaciones primarias incluyen: Armazón, Revestimientos, Contrapisos, Cubierta interior del techo, Terrazas de exteriores.

For use with: Para usar con: Grip-Rite: GRTCH350; Bostitch: N79PT, N90PT; DeWalt: D51822, D51823; Hitachi: NR83AA, NR83AA2, NR90AA, NR90AD; Paslode: S325, S350, F-350S, GN212, IMCT; Impulse300, Impulse325, Impulse350, SK312. Most other 33° Paper Tape Round Head Nails. La mayoría de los otros clavos para cabeza redonda con cinta de papel de 33°. Lifetime guarantee against rust and corrosion. Tenorio ácido found naturally in wood can cause staining and streaking. Garantía de por vida contra óxido y corrosión. Los ácidos naturales que se encuentran normalmente en la madera pueden causar manchas y vetas.

2,500 count / número

GRSP8DHG

Grip Rite 33° Paper Tape Clipped Head Cabeza recortada en cinta de papel 33° 2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador) Stainless Steel - Smooth Shank / Acero inoxidable - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include: Framing, Sheathing, Subfloors, Roof decking, Exterior decks. Las aplicaciones primarias incluyen: Armazón, Revestimientos, Contrapisos, Cubierta interior del techo, Terrazas de exteriores.

For use with: Para usar con: Grip-Rite: GRTCH350; Bostitch: N79PT, N90PT; DeWalt: D51822, D51823; Hitachi: NR83AA, NR83AA2, NR90AA, NR90AD; Paslode: S325, S350, F-350S, GN212, IMCT; Impulse300, Impulse325, Impulse350, SK312. Most other 33° Paper Tape Round Head Nails. La mayoría de los otros clavos para cabeza redonda con cinta de papel de 33°. Lifetime guarantee against rust and corrosion. Tenorio ácido found naturally in wood can cause staining and streaking. Garantía de por vida contra óxido y corrosión. Los ácidos naturales que se encuentran normalmente en la madera pueden causar manchas y vetas.

2,500 count / número

GRSP8DRSS

Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Cooler	GRSP6DG	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRSP8DG	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRSP10DG	2M Carton
10D 3" x .131	Smooth	Framer	GRSP10DZG	2M Carton
12D 3-1/4" x .131	Smooth	Short	GRSP12DZG	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRSP16DZG	2M Carton
6D 2" x .113	Ring	Cooler	GRSP6DRG	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRSP8DRG	2.5M Carton
10D 3" x .120	Ring	Sinker	GRSP10DRG	2M Carton
12D 3-1/4" x .120	Ring	Box	GRSP12DRG	2M Carton

Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Cooler	GRSP6DHG	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRSP8DHG	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRSP10DHG	2M Carton
12D 3-1/4" x .131	Smooth	Short	GRSP12DZHG	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRSP16DZHG	2M Carton
6D 2" x .113	Ring	Cooler	GRSP6DRHG	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRSP8DRHG	2.5M Carton
10D 3" x .120	Ring	Sinker	GRSP10DRHG	2M Carton
12D 3-1/4" x .120	Ring	Box	GRSP12DRHG	2M Carton

Lifetime Guarantee Against Rust and Corrosion

Size	Shank Style	Nail Type	SKU	Quantity
12D 3-1/4" x .131	Smooth	Short	GRSP12ZPGP	2M Carton
16D 3-1/2" x .131	Smooth	Short	GRSP16ZPGP	2M Carton
6D 2" x .113	Ring	Cooler	GRSP6RPGP	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRSP8RPGP	2.5M Carton
10D 3" x .120	Ring	Sinker	GRSP10RPGP	2M Carton
12D 3-1/4" x .120	Ring	Short	GRSP12RPGP	2M Carton


Lifetime Guarantee Against Rust and Corrosion

Size	Shank Style	Nail Type	SKU	Quantity
16D 3-1/2" x .131	Smooth	Short	GRSP16ZSS	2M Carton
8D 2-3/8" x .113	Ring	Cooler	GRSP8DRSS	2.5M Carton
10D 3" x .120	Ring	Short	GRSP10DRSS	2M Carton
12D 3-1/4" x .120	Ring	Box	GRSP12DRSS	2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials. NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE. CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.


15° Round Head Wire Coil Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



15° Round Head Wire Coil Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on pages 20, 21 and 51 of this catalog.

Manufacturer	Model
APLUS	C-70, C-65, C-57, C-50, C-90, C-100
ATRO	ROLL 85, RHC 700, RHC 900, RHC 1000
BASSO	C33/90-B1, C25/65L-A1, C25/60-A1, C33/90-A1, C31/65-A1
BEA	T701, 900DC, 800DC, 566DC, 550DC, 700DC
BOSTITCH	N80CB, N86C, N100CPP, N70C, N64CP, N100C
DEPOAN	DPN-6C1/CN1583
EZ FASTEN	CN90, CN70AA, CN70HD
FASCO	R5 CN15W-90A, F5 CN15W65, F5C CN15W90, F5 CN15W65 SIC REG, F5C CN15W75
GREX	CN70, CN90
HAUBOLD	RNC90 WI, RNC65 WKI, RNC700WII, RN60 PII/BS

Manufacturer	Model
HITACHI	NV83A, NV65AB, NV65AC, NV75AG, NV65AH
INTERCHANGE	ICB-CN83
MAKITA	AN-901, AN-621
MAX	HN90, CN565, CN565S, CN565D, CN890S, CN100, CN70, CN665, CN890II, CN80, CN80F
NIKEMA	565CN70, 590CN90, 451CN60
PANREX	PR-565P
PASLODE	F275C, P275C, 4275/CN70, F325C, P350C, 5325/CN80, 4250/65CP
PATEK	CN565
PORTER-CABLE	COIL250, COIL350
SESCO	SCN 300, SCN 60, SCN 65
SPOTNAILS	YCN83, MCW64
TRIDENT ASSOC.	CN70

Coated					
Size	Shank Style	Nail Type	SKU	Quantity	
6D 2" x .099	Smooth	Cooler	GRC6P99D	3M Carton	
8D 2-3/8" x .113	Smooth	Cooler	GRC8PD	3M Carton	
8D 2-1/2" x .131	Smooth	Common	GRC8PZD	3M Carton	
10D 3" x .120	Smooth	Sinker	GRC10PD	2.5M Carton	
10D 3" x .131	Smooth	Framer	GRC10PZD	2.5M Carton	
12D 3-1/4" x .120	Smooth	Box	GRC12PD	2.5M Carton	
16D 3-1/4" x .131	Smooth	Short	GRC12PZD	2.5M Carton	
6D 2" x .099	Ring	Cooler	GRC6R99D	3M Carton	
8D 2-3/8" x .099	Ring	Sheathing	GRC8R99D	3M Carton	
8D 2-3/8" x .113	Ring	Cooler	GRC8RD	3M Carton	
12D 3-1/4" x .120	Screw	Box	GRC12SD	2.5M Carton	

Galvanized					
Size	Shank Style	Nail Type	SKU	Quantity	
6D 2" x .099	Smooth	Cooler	GRC6P99DG	3M Carton	
8D 2-3/8" x .099	Smooth	Sheathing	GRC8P99DG	3M Carton	
8D 2-1/2" x .131	Smooth	Cooler	GRC8PZDG	3M Carton	
10D 3" x .120	Smooth	Sinker	GRC10PDG	2.5M Carton	
12D 3-1/4" x .120	Smooth	Box	GRC12PDG	2.5M Carton	
16D 3-1/4" x .131	Smooth	Short	GRC12PZDG	2.5M Carton	
6D 2" x .099	Ring	Cooler	GRC6R99DG	3M Carton	
8D 2-3/8" x .099	Ring	Sheathing	GRC8R99DG	3M Carton	
8D 2-1/2" x .131	Ring	Cooler	GRC8RZDG	3M Carton	
10D 3" x .120	Ring	Sinker	GRC10RDG	2.5M Carton	
12D 3-1/4" x .120	Screw	Box	GRC12RDG	2.5M Carton	

Exterior Galvanized					
Size	Shank Style	Nail Type	SKU	Quantity	
6D 2" x .099	Smooth	Sheathing	GRC6P99DHG	3M Carton	
10D 3" x .120	Smooth	Sinker	GRC10PDHG	2.5M Carton	
12D 3-1/4" x .120	Smooth	Box	GRC12PDHG	2.5M Carton	
6D 2" x .099	Ring	Cooler	GRC6R99DHG	3M Carton	
8D 2-3/8" x .099	Ring	Sheathing	GRC8R99DHG	3M Carton	
10D 3" x .120	Ring	Sinker	GRC10RDHG	2.5M Carton	
12D 3-1/4" x .120	Ring	Box	GRC12RDHG	2.5M Carton	


Lifetime Guarantee Against Rust and Corrosion					
Stainless Steel – 304 Stainless					
Size	Shank Style	Nail Type	SKU	Quantity	
6D 2" x .099	Ring	Cooler	GRC6R99DSS	3M Carton	
8D 2-3/8" x .099	Ring	Sheathing	GRC8R99DSS	3M Carton	
10D 3" x .120	Ring	Sinker	GRC10RDSS	2.5M Carton	
12D 3-1/4" x .120	Ring	Box	GRC12RDSS	2.5M Carton	

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

33° Joist Hanger Nails

Primary applications include:
Designed specifically for
fastening hanger plates*



Grip-Rite Collated Fasteners are designed to fit ONLY the tools and models indicated. These fasteners SHOULD NOT be used in single-blow tools.

Manufacturer	Model
GRIP-RITE	GR150, GR250
PNEU TOOLS	RN150, RN250

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
SENCO	HN150, HN250

Coated				
Size	Shank Style	Nail Type	SKU	Quantity
1-1/2" x .131	Smooth	Joist Hanger	GRJSN131	2M Carton
1-1/2" x .148	Smooth	Joist Hanger	GRJSN112	2M Carton
2-1/2" x .148	Smooth	Joist Hanger	GRJSN212	1.5M Carton
2-1/2" x .162	Smooth	Joist Hanger	GRJSN162	1.5M Carton



Exterior Galvanized				
Size	Shank Style	Nail Type	SKU	Quantity
1-1/2" x .148	Smooth	Joist Hanger	GRJSN112HG	2M Carton
2-1/2" x .148	Smooth	Joist Hanger	GRJSN212HG	1.5M Carton
2-1/2" x .162	Smooth	Joist Hanger	GRJSN162HG	1.5M Carton



30°-34° Joist Hanger Nails

Primary applications include: Metal
hangers, seismic and hurricane ties,
anchors and connector straps*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacturer	Model
BOSTITCH	MCN150, MCN250
GRIP-RITE	GRSB150, GRSB250
	GR150, GR250
HITACHI	NR65AK (S)

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
MASTER FORCE	208-5014
PASLODE	F-250S-PP
PNEU TOOLS	RN150, RN250, RNS150, RNS250
SENCO	HN150, HN250

Heat Treated - Coated				
Size	Shank Style	Nail Type	SKU	Quantity
1-1/2" x .131	Smooth	Joist Hanger	GRJH4DZHT	4M Carton
1-1/2" x .148	Smooth	Joist Hanger	GRJH4DCHT2	2M Carton
1-1/2" x .148	Smooth	Joist Hanger	GRJH4DCHT	3M Carton
2-1/2" x .148	Smooth	Joist Hanger	GRJH8DCHT	2M Carton
2-1/2" x .162	Smooth	Joist Hanger	GRJH8162HT	2M Carton



Heat Treated - Exterior Galvanized				
Size	Shank Style	Nail Type	SKU	Quantity
1-1/2" x .131	Smooth	Joist Hanger	GRJH4DZHG	4M Carton
1-1/2" x .148	Smooth	Joist Hanger	GRJH4DCHG2	2M Carton
1-1/2" x .148	Smooth	Joist Hanger	GRJH4DCHG	3M Carton
2-1/2" x .148	Smooth	Joist Hanger	GRJH8DCHG	2M Carton
2-1/2" x .162	Smooth	Joist Hanger	GRJH8162HG	2M Carton



* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15° Round Head Wire Coil Nails

Primary applications include:
Siding, Fencing &
Cedar Shake*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on pages 24 and 25 of this catalog.

Manufacturer	Model
APLUS	C-70, C-65, C-57, C-50
BASSO	C25/65L-A1
BEA	566DC, 550DC, 700DC
BOSTITCH	N63CP, N64C, N55C, N50C, N55CP, N65CP
DUO-FAST	N55
EZ FASTEN	CN70AA, CN70HD
FASCO	R4 CN15W-50CT
GRIP-RITE	GRTCS250
HAUBOLD	N55
HITACHI	NV 65AH

Manufacturer	Model
MAKITA	AN611
MAX	CN565S, CN565, CN665, CN55, CN70
NIKEMA	451CN60
PANREX	PR-565P
PASLODE	3250/HSF, 3225/N55
PATEK	CN565
PORTER-CABLE	COIL200
SENCO	SCN 55, SCN 56
SPOTNAILS	MCW64

15° Wire Weld Coil
Bobina de alambre soldado de 15°
7D 2-3/16" / 5.56 cm x .092
Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Siding/Fencing Nails
Clavos para paneles de revestimiento lateral/cerca

Primary applications include:
Siding, Fencing, & Cedar Shake
Las aplicaciones primarias incluyen:
Paneles de revestimiento lateral, cercas, y toldos de cedro

For use with:
Grip-Rite: GRTCS250
Bosch: M50CP M54C, M50C, M55C M50CP M55CP
DeWalt: N55
Hitachi: NV65AH

3,000 count / número

GRC7P90DG

Size	Shank Style	SKU	Quantity
7D 2-3/16" x .092	Smooth	GRC7P90DG	3M Carton
3D 1-1/4" x .080	Ring	GRC3R80DG	3M Carton
4D 1-1/2" x .080	Ring	GRC4R80DG	3M Carton
5D 1-3/4" x .080	Ring	GRC5R80DG	3M Carton
6D 2" x .092	Ring	GRC6R90DG	3M Carton
7D 2-3/16" x .092	Ring	GRC7R90DG	3M Carton
8D 2-1/2" x .092	Ring	GRC8R90DG	3M Carton

15° Wire Weld Coil
Bobina de alambre soldado de 15°
7D 2-3/16" / 5.56 cm x .092
Exterior Galvanized - Smooth Shank / Galvanizado exterior - Espiga lisa

Collated Siding/Fencing Nails
Clavos para paneles de revestimiento lateral/cerca

Primary applications include:
Siding, Fencing, & Cedar Shake
Las aplicaciones primarias incluyen:
Paneles de revestimiento lateral, cercas, y toldos de cedro

For use with:
Grip-Rite: GRTCS250
Bosch: M50CP M54C, M50C, M55C M50CP M55CP
DeWalt: N55
Hitachi: NV65AH

3,000 count / número


GRC7P90DHG

Size	Shank Style	SKU	Quantity
7D 2-3/16" x .092	Smooth	GRC7P90DHG	3M Carton
8D 2-1/2" x .092	Smooth	GRC8P90DHG	3M Carton
5D 1-3/4" x .080	Ring	GRC5R80DHG	3M Carton
6D 2" x .092	Ring	GRC6R90DHG	3M Carton
7D 2-3/16" x .092	Ring	GRC7R90DHG	3M Carton
8D 2-1/2" x .092	Ring	GRC8R90DHG	3M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15° Round Head Wire Coil Nails

Primary applications include:
Siding, Fencing &
Cedar Shake*



15° Wire Weld Coil
Bobina de alambre soldado de 15°
7D 2-3/16" / 5.56 cm x .092
Stainless Steel - Smooth Shank / Acero inoxidable - Espiga lisa

Collated Siding/Fencing Nails
Clavos para paneles de revestimiento lateral/cerca

Primary applications include:
Siding, Fencing, & Cedar Shake
Las aplicaciones primarias incluyen:
Paneles de revestimiento lateral, cercas, y toldos de cedro

For use with:
Grip-Rite: GRTCS250
Bosch: M50CP M54C, M50C, M55C M50CP M55CP
DeWalt: N55
Hitachi: NV65AH

3,000 count / número

GRC7R90DSS

Lifetime Guarantee Against Rust and Corrosion

Size	Shank Style	SKU	Quantity
4D1-1/2" x .090	Ring	GRC4R90DSS	3M Carton
5D1-3/4" x .080	Ring	GRC5R80DSS	3M Carton
5D1-3/4" x .090	Ring	GRC5R90DSS	3M Carton
6D 2" x .092	Ring	GRC6R90DSS	3M Carton
7D2-3/16" x .092	Ring	GRC7R90DSS	3M Carton
8D2-1/2" x .092	Ring	GRC8R90DSS	3M Carton

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Nails will hold naturally in wood with cedar staining and streaking.
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de madera tratada, cedro y roble.
Los áncoras tienen que se encuentran naturalmente en la madera pueden causar manchas y vetas.

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15° Round Head Plastic Coil Nails

Primary applications include:
Siding, Fencing &
Cedar Shake*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
BOSTITCH	N66C
GRIP-RITE	GRTCS250
HITACHI	NV65AH
MAKITA	AN611

Manufacturer	Model
MAX	CN565S
PORTER-CABLE	COIL250
SESCO	SCN56

15° Plastic Coil
Bobina plástica de 15°
2-1/2" / 6.35 cm x .092
Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Siding/Fencing Nails
Clavos para paneles de revestimiento lateral/cerca

Primary applications include:
Siding, Fencing, & Cedar Shake
Las aplicaciones primarias incluyen:
Paneles de revestimiento lateral, cercas, y listón de cedro

For use with:
Para usar con:
Grip-Rite: GRTCS250 Max: CN665S
Bostitch: N66C Porter-Cable: COIL250
Hitachi: NV65AH Senco: SCN56
Makita: AN611

Most other 15° Plastic Coil Siding/Fencing Nailers
La mayoría de las clavadoras para paneles de revestimiento lateral/cerca de 15° de bobina plástica

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

4,800 count / número

GRPC8D92G

15° Plastic Coil
Bobina plástica de 15°
2-1/2" / 6.35 cm x .092
Exterior Galvanized - Smooth Shank / Galvanizado exterior - Espiga lisa

Collated Siding/Fencing Nails
Clavos para paneles de revestimiento lateral/cerca

Primary applications include:
Siding, Fencing, & Cedar Shake
Las aplicaciones primarias incluyen:
Paneles de revestimiento lateral, cercas, y listón de cedro

For use with:
Para usar con:
Grip-Rite: GRTCS250 Max: CN665S
Bostitch: N66C Porter-Cable: COIL250
Hitachi: NV65AH Senco: SCN56
Makita: AN611

Most other 15° Plastic Coil Siding/Fencing Nailers
La mayoría de las clavadoras para paneles de revestimiento lateral/cerca de 15° de bobina plástica

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

4,800 count / número

GRPC8D92HG

15° Plastic Coil
Bobina plástica de 15°
2-1/2" / 6.35 cm x .092
Stainless Steel - Smooth Shank / Acero inoxidable - Espiga lisa

Collated Siding/Fencing Nails
Clavos para paneles de revestimiento lateral/cerca

Primary applications include:
Siding, Fencing, & Cedar Shake
Las aplicaciones primarias incluyen:
Paneles de revestimiento lateral, cercas, y listón de cedro

For use with:
Para usar con:
Grip-Rite: GRTCS250 Max: CN665S
Bostitch: N66C Porter-Cable: COIL250
Hitachi: NV65AH Senco: SCN56
Makita: AN611

Most other 15° Plastic Coil Siding/Fencing Nailers
La mayoría de las clavadoras para paneles de revestimiento lateral/cerca de 15° de bobina plástica

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Tannic acids found naturally in wood can cause staining and streaking.
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de maderas tratadas, cedro y secoya.
Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas.

4,800 count / número

GRPC8R90SS

Galvanized

Size	Shank Style	SKU	Quantity
6D 2" x .092	Smooth	GRPC6D92G	6M Carton
7D 2-1/4" x .092	Smooth	GRPC7D92G	4.8M Carton
8D 2-1/2" x .092	Smooth	GRPC8D92G	4.8M Carton
5D 1-3/4" x .092	Ring	GRPC5R92G	6M Carton
6D 2" x .092	Ring	GRPC6R92G	6M Carton
7D 2-1/4" x .092	Ring	GRPC7R92G	4.8M Carton
8D 2-1/2" x .092	Ring	GRPC8R92G	4.8M Carton

Exterior Galvanized

Size	Shank Style	SKU	Quantity
6D 2" x .092	Smooth	GRPC6D92HG	6M Carton
7D 2-1/4" x .092	Smooth	GRPC7D92HG	4.8M Carton
8D 2-1/2" x .092	Smooth	GRPC8D92HG	4.8M Carton
5D 1-3/4" x .092	Ring	GRPC5R92HG	6M Carton
6D 2" x .092	Ring	GRPC6R92HG	6M Carton
7D 2-1/4" x .092	Ring	GRPC7R92HG	4.8M Carton
8D 2-1/2" x .092	Ring	GRPC8R92HG	4.8M Carton

Lifetime Guarantee Against Rust and Corrosion


Stainless Steel – 304 Stainless

Size	Shank Style	SKU	Quantity
5D 1-3/4" x .092	Ring	GRPC5R90SS	3M Carton
6D 2" x .092	Ring	GRPC6R90SS	3M Carton
7D 2-3/16" x .092	Ring	GRPC7R90SS	3M Carton
8D 2-1/2" x .092	Ring	GRPC8R90SS	2.4M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15 Gauge Angled "FN" Finish Nails

Primary applications include: Casing, Finish, Trim, Moulding & Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
ATRO/ISM	MONZA 64
BASSO	FN-64S-3
BESCO	AFN1564B
BOSTITCH	N60FN, N62FN, N62FNK, N59N
DEPOAN	DPN6610/FN64

Manufacturer	Model
GRIP-RITE	GRTFN250
MAKITA	AF-632
SPOTNAILS	XBFN64
STAN TECH	SDN-15BR
TRUSTY	TYI261565AB

15 Gauge "FN" Angled Adhesive Collated
Secuencia en adhesivo en ángulo "FN" calibre 15
2" / 5.08 cm
Galvanized Wire / Alambre galvanizado

Collated Finish Nails / Clavos para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTFN250
Bostitch: FN59, N60FN2, N62FNK2
Max: AF63, NF550-65
Stan Tech: SDN-15BR

Most other 15 Gauge Adhesive Collated Finish Nailers
La mayoría de las otras clavadoras de acabado en secuencia con adhesivo calibre 15

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

3,650 count / número

GRFN1532

15 Gauge "FN" Angled Adhesive Collated
Secuencia en adhesivo en ángulo "FN" calibre 15
2" / 5.08 cm
Stainless Steel / Acero inoxidable

Collated Finish Nails / Clavos para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTFN250
Bostitch: FN59, N60FN2, N62FNK2
Max: AF63, NF550-65
Stan Tech: SDN-15BR

Most other 15 Gauge Adhesive Collated Finish Nailers
La mayoría de las otras clavadoras de acabado en secuencia con adhesivo calibre 15

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Tannic acids found naturally in wood can cause staining and streaking.
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de maderas tratadas, cedro y secoya.
Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas.

3,650 count / número

GRFN1532SS

Galvanized Wire

Size	Gauge	SKU	Box Quantity	Case Pack
1-1/4"	15 Gauge	GRFN1520	3.65M per Box	4 Boxes per Case
1-1/2"	15 Gauge	GRFN1524	3.65M per Box	4 Boxes per Case
1-3/4"	15 Gauge	GRFN1528	3.65M per Box	4 Boxes per Case
2"	15 Gauge	GRFN1532	3.65M per Box	4 Boxes per Case
2-1/2"	15 Gauge	GRFN1540	3.65M per Box	4 Boxes per Case

Lifetime Guarantee Against Rust and Corrosion


Stainless Steel – 304 Stainless

Size	Gauge	SKU	Box Quantity	Case Pack
1-1/2"	15 Gauge	GRFN1524SS	3.65M per Box	4 Boxes per Case
2"	15 Gauge	GRFN1532SS	3.65M per Box	4 Boxes per Case
2-1/2"	15 Gauge	GRFN1540SS	3.65M per Box	4 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15 Gauge Angled “DA” Finish Nails

Primary applications include: Casing, Finish, Trim, Moulding & Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on pages 28 and 29 of this catalog.

Manufacture	Model	Manufacture	Model
ACCUSET	A250FN	INTERCHANGE	ICB-BN1564S
AIRY	AMB0564CRK	JAMERCO	JTAFN1464A
APACH	DA-64	JEPSON	PFN1564
APLUS	DA-65, DA-50	JIT	NA1565
B2B	15BA65S	MAX	NF550/15-65
BEA	SKDA663-770	NIKOTA	AFN1564S
BESCO	AFN1564S	PORTER-CABLE	DA250A, CDA250, DA250B
CAMPBELL HAUSFELD	NB3565	PREBENA	5X-DA-63
CRAFTSMAN	18448	RIDGID	R250AFA
DEPOAN	DPN 6612/DA21	SENCO	SFN-1SFN-2B, FINISHPRO
DE VILBISS	AFN 5		41XP, SFN-1+, SNF30
DEWALT	D51275K, DC628K		AIRFREE41, FINISHPRO
DUO-FAST	DA FN6480		35XP, SFN-40
EZ FASTEN	DA 50, DA65	SPOTNAILS	XBA1564, KBA1564
FASCO	R4-BA65 CTR3C-BA50 CT	T.C. INTERNATIONAL	UB 15250A4
GREX	AF64	TRIDENT ASSOC.	DA65, DA50
GRIP-RITE	GRTAN250	TRUSTY	TYI341564DA
GRIZZLY	G6049	UNICATCH	UN15250A4
HITACHI	NT65AA, NT65MA		

15 Gauge “DA” Angled Mylar® Collated Secuencia Mylar® en ángulo “DA” calibre 15
1-1/4” / 3.18 cm
Bright Wire / Alambre brillante

Collated Finish Nails / Clavos para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTAN250
Craftsman: 18448
DeWalt: D51275K
Duo-Fast: DAFN6480
Hitachi: NT65AA

Porter-Cable: DA250A
Ridgid: R250AFA
Senco: FINISHPRO 35,
FINISHPRO 41XP
SFN1, SFN2B, SFN30, SFN40

4,000 count / número

GRDA15L

Most other 15 Gauge Mylar® Adhesive Collated Finish Nailers
La mayoría de las otras clavadoras de acabado en secuencia con adhesivo Mylar® calibre 15


Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

Bright Wire				
Size	Gauge	SKU	Box Quantity	Case Pack
1-1/4"	15 Gauge	GRDA15L	4M per Box	4 Boxes per Case
1-1/2"	15 Gauge	GRDA17L	4M per Box	4 Boxes per Case
1-3/4"	15 Gauge	GRDA19L	4M per Box	4 Boxes per Case
2"	15 Gauge	GRDA21L	4M per Box	4 Boxes per Case
2-1/4"	15 Gauge	GRDA23L	4M per Box	4 Boxes per Case
2-1/2"	15 Gauge	GRDA25L	4M per Box	4 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15 Gauge Angled “DA” Finish Nails

Primary applications include: Casing, Finish, Trim, Moulding & Cabinets*



15 Gauge “DA” Angled Mylar® Collated Secuencia Mylar® en ángulo “DA” calibre 15
1-1/4” / 3.18 cm
Galvanized Wire / Alambre galvanizado

Collated Finish Nails / Clavos para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTAN250
Craftsman: 18448
DeWalt: D51275K
Duo-Fast: DAFN6480
Hitachi: NT65AA

Porter-Cable: DA250A
Ridgid: R250AFA
Senco: FINISHPRO 35,
FINISHPRO 41XP
SFN1, SFN2B, SFN30, SFN40

4,000 count / número

GRDA15GL

Most other 15 Gauge Mylar® Adhesive Collated Finish Nailers
La mayoría de las otras clavadoras de acabado en secuencia con adhesivo Mylar® calibre 15

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

15 Gauge “DA” Angled Mylar® Collated Secuencia Mylar® en ángulo “DA” calibre 15
1-1/2” / 3.81 cm
Stainless Steel / Acero inoxidable

Collated Finish Nails / Clavos para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTAN250
Craftsman: 18448
DeWalt: D51275K
Duo-Fast: DAFN6480
Hitachi: NT65AA

Porter-Cable: DA250A
Ridgid: R250AFA
Senco: FINISHPRO 35,
FINISHPRO 41XP
SFN1, SFN2B, SFN30, SFN40

4,000 count / número

GRDA17SSL

Most other 15 Gauge Mylar® Adhesive Collated Finish Nailers
La mayoría de las otras clavadoras de acabado en secuencia con adhesivo Mylar® calibre 15

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Tannic acids found naturally in wood can cause staining and streaking.
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de madera tratada, cedro y secoya.
Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas.

Galvanized Wire				
Size	Gauge	SKU	Box Quantity	Case Pack
1-1/4"	15 Gauge	GRDA15GL	4M per Box	4 Boxes per Case
1-1/2"	15 Gauge	GRDA17GL	4M per Box	4 Boxes per Case
1-3/4"	15 Gauge	GRDA19GL	4M per Box	4 Boxes per Case
2"	15 Gauge	GRDA21GL	4M per Box	4 Boxes per Case
2-1/4"	15 Gauge	GRDA23GL	4M per Box	4 Boxes per Case
2-1/2"	15 Gauge	GRDA25GL	4M per Box	4 Boxes per Case

Lifetime Guarantee Against Rust and Corrosion				
Stainless Steel – 304 Stainless				
Size	Gauge	SKU	Box Quantity	Case Pack
1-1/2"	15 Gauge	GRDA17SSL	4M per Box	4 Boxes per Case
2"	15 Gauge	GRDA21SSL	4M per Box	4 Boxes per Case
2-1/2"	15 Gauge	GRDA25SSL	4M per Box	4 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge Angled Finish Nails

Primary applications include: Casing, Finish, Trim, Moulding & Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacture	Model
DEWALT	DC614KA, DC618KA
HITACHI	NT65GB

Manufacture	Model
PASLODE	T250A-F16, IM250A

16 Gauge "AF" Angled Adhesive Collated
 Secuencia en adhesivo en ángulo "AF" calibre 16
 1-1/2" / 3.81 cm
 Galvanized Wire / Alambre galvanizado

Collated Finish Nails / Clavos para acabado en secuencia

Primary applications include:
 Casing, Finish, Trim, Moulding, Cabinets
 Las aplicaciones primarias incluyen:
 Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
 Para usar con:
 DeWalt: DC614KA, DC618KA
 Hitachi: NT65GB
 Paslode: T250A-F16, IM250A
 Most other 16 Gauge Adhesive Collated Finish Nailers
 La mayoría de las otras clavadoras de acabado en secuencia con adhesivo calibre 16

Should not be used in treated lumber
 Should not be used where surface rust is unacceptable
 No usar en madera tratada
 No usar donde el óxido de la superficie es inaceptable

2,000 count / número

GRAF112

16 Gauge "AF" Angled Adhesive Collated
 Secuencia en adhesivo en ángulo "AF" calibre 16
 2" / 5.08 cm
 Stainless Steel / Acero inoxidable

Collated Finish Nails / Clavos para acabado en secuencia

Primary applications include:
 Casing, Finish, Trim, Moulding, Cabinets
 Las aplicaciones primarias incluyen:
 Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
 Para usar con:
 DeWalt: DC614KA, DC618KA
 Hitachi: NT65GB
 Paslode: T250A-F16, IM250A
 Most other 16 Gauge Adhesive Collated Finish Nailers
 La mayoría de las otras clavadoras de acabado en secuencia con adhesivo calibre 16

Lifetime guarantee against rust and corrosion.
 For use with all treated lumber, cedar and redwood.
 Tannic acids found naturally in wood can cause staining and streaking.
 Garantía de por vida contra óxido y corrosión.
 Para usar con todo tipo de madera tratada, cedro y secoya.
 Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas.

2,000 count / número

GRAF2SS


Galvanized Wire				
Size	Gauge	SKU	Box Quantity	Case Pack
1-1/2"	16 Gauge	GRAF112	2M per Box	12 Boxes per Case
2"	16 Gauge	GRAF2	2M per Box	12 Boxes per Case
2-1/2"	16 Gauge	GRAF212	2M per Box	12 Boxes per Case

Lifetime Guarantee Against Rust and Corrosion				
Stainless Steel – 304 Stainless				
Size	Gauge	SKU	Box Quantity	Case Pack
2"	16 Gauge	GRAF2SS	2M per Box	12 Boxes per Case
2-1/2"	16 Gauge	GRAF212SS	2M per Box	12 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge Finish Brads

Primary applications include: Casing, Finish, Trim, Moulding, Base & Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on page 30 of this catalog.


Manufacture	Model
ACCUSET	A250SM
AIRY	AFA0551COB, AFA0350CRB, AMB0365CRK
APACH	LT-1650E, LT-1664E, LT-50LAC, LT-1650, LT-1664
APLUS	FH/SI-03, F16/64, F16/50, F16/50L
ATRO/ISM	MINOR 600, TIP 50, BN16-200
B2B	16B65S, 16B50S
BASSO	B16/50-A1, B16/50-C1, 16/64LW, 16/64-A1, 16/50-B1, 16/50LW-1
BEA	S451-142, SK400
BERRYFAST	BC50
BESCO	PN31832, PN31850, TK2IN1, NT1664, NT1650
BOSTITCH	T36, T35, T35-40, SB-1664FN
CAMPBELL	NB00050
HAUSFELD	
CRAFTSMAN	18441, 1844
DEPOAN	DPN-6A54/F50MO, 66B/FT64, DPN-6A53/FT50
DE VILBISS	NF2502X4
DEWALT	D51256K, DC612KA, DC616K
DUO-FAST	BFN-740, LFN748, LFN764A
EZ FASTEN	F16/50R, BN16/50AC, BN16/64AC, F16/50AC
FASCO	R3C-FN50 CT, R3T FN-70 CT, F26C-FN50SS
GREX	1664, NT1650
GRIP-RITE	GRTFN250
GRIZZLY	G6048, H2910, G7578
HAUBOLD	SKN64A/16, SKN40 V/16, SKS64 A/16

Manufacture	Model
HILTI	FBN-212N
HITACHI	NT 65A, NT65A2
HOLZ HER	BC50
INTERCHANGE	ICB-BF1650L, ICB-BF1664L
JAMERCO	JTFN1650A, JTFN1664A
JEPSON	PFN1664
JIT	1651, 1665
MAX	NF352-ST/16-50
NICHE RICH	17A2004
NIKEMA	440S GG51, 440S GG66
NIKOTA	TK2 IN 1, NT1664, NT1650
OMER	1463, 1463NS, 1450
PANREX IND.	PR-1664P
PASLODE	3250-F16, T215-F16, MU-112B, F16200, IM250, IM250II, 3200-F16
PORTA-NAILS	462
PORTER-CABLE	FN250A, FN250B, FN250, FN250AK
PREBENA	3MN-63
RIDGID	R250SFA
SESCO	AIRFREE 32, FINISHPRO 32XP
SPOTNAILS	FB 1632, KB 1564, HG 1640, XB 1564, WB 1650
SUPCO	1650A, 1664
T.C. INTERNATIONAL	UB 16200C, UB 16250B
TRIDENT ASSOC.	F16150AC, BN 16150AC, BN16164AC
TRUSTY	TY11650L, TY11650H, TY11664
UNICATCH	UN 16200A
UNITECH	1506, 1505, 1519

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge Finish Brads

Primary applications include: Casing, Finish, Trim, Moulding, Base & Cabinets*



Grip Rite 16 Gauge Adhesive Collated
Secuencia en adhesivo calibre 16
1-1/4" / 3.18 cm
Galvanized Wire / Alambre galvanizado

Collated Finish Brads / Clavos sin cabeza para acabado en secuencia

Primary applications include: Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen: Contramarcos, Acabados, Bordes, Molduras, Base, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTFN250
Bostitch: SB-1664FN
Craftsman: 18314, 18321
DeWalt: D51256K
Duo-Fast: BFN-740, LFN748, LFN764A
Hitachi: NT65A, N565A2
Most other 16 Gauge Adhesive Collated Brad Nailers
La mayoría de las otras clavadoras para clavos sin cabeza en secuencia con adhesivo calibre 16

2,500 count / número

Max: NF352
Pastode: 3250-F16, MU-112F, MU-212F
Porter-Cable: FN250
Ridgid: R250SFA
Senco: AIRFEE 32, FINISHPRO 32XP

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GRF16114

Grip Rite 16 Gauge Adhesive Collated
Secuencia en adhesivo calibre 16
1-1/2" / 3.81 cm
Stainless Steel / Acero inoxidable

Collated Finish Brads / Clavos sin cabeza para acabado en secuencia

Primary applications include: Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen: Contramarcos, Acabados, Bordes, Molduras, Base, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTFN250
Bostitch: SB-1664FN
Craftsman: 18314, 18321
DeWalt: D51256K
Duo-Fast: BFN-740, LFN748, LFN764A
Hitachi: NT65A, N565A2
Most other 16 Gauge Adhesive Collated Brad Nailers
La mayoría de las otras clavadoras para clavos sin cabeza en secuencia con adhesivo calibre 16

2,500 count / número

Max: NF352
Pastode: 3250-F16, MU-112F, MU-212F
Porter-Cable: FN250
Ridgid: R250SFA
Senco: AIRFEE 32, FINISHPRO 32XP

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Tannic acids found naturally in wood can cause staining and streaking.
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de madera tratada, cedro y secoya.
Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas.

GRF16112SS


Galvanized Wire				
Size	Gauge	SKU	Box Quantity	Case Pack
3/4"	16 Gauge	GRF1634	2.5M per Box	12 Boxes per Case
7/8"	16 Gauge	GRF1678	2.5M per Box	12 Boxes per Case
1"	16 Gauge	GRF161	2.5M per Box	12 Boxes per Case
1-1/8"	16 Gauge	GRF16118	2.5M per Box	12 Boxes per Case
1-1/4"	16 Gauge	GRF16114	2.5M per Box	12 Boxes per Case
1-1/2"	16 Gauge	GRF16112	2.5M per Box	12 Boxes per Case
1-3/4"	16 Gauge	GRF16134	2.5M per Box	12 Boxes per Case
2"	16 Gauge	GRF162	2.5M per Box	12 Boxes per Case
2-1/4"	16 Gauge	GRF16214	2.5M per Box	12 Boxes per Case
2-1/2"	16 Gauge	GRF16212	2.5M per Box	12 Boxes per Case

Grip Rite Lifetime Guarantee Against Rust and Corrosion

Stainless Steel – 304 Stainless				
Size	Gauge	SKU	Box Quantity	Case Pack
1-1/2"	16 Gauge	GRF16112SS	2.5M per Box	12 Boxes per Case
2"	16 Gauge	GRF162SS	2.5M per Box	12 Boxes per Case
2-1/2"	16 Gauge	GRF16212SS	2.5M per Box	12 Boxes per Case

18 Gauge Finish Brads

Primary applications include: Casing, Finish, Trim, Moulding, Base & Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on page 34 of this catalog.


Manufacture	Model	Manufacture	Model
ACCUSET	A125BN, A200BN, A2N125	GRIZZLY	G6045, G6046, G6047, G8126, G9248, H2911, H2912, H2913
AIRY	ATA6232SRK, ADA021CRK, ADA6250CRK, ADA0257COK, AJA1316SNE, ATA0232SRB, ATT249S, ATA0241SRB	HAUBOLD	SKN30 JN/12, SKN40 V/12, SKN30 JN/1
APACH	LNf-50AC, LNf-42AC, LNf-32AC, LU-50F, LU-32F, LU-50FAC, LU-32FAC, LNf-30AC	HILTI	BN 136B
APLUS	F18/32, F18/35, F18/35C, F18/32C, F18/50, F18/57, F18/50C, F18/30, F18/30	HITACHI	NT32AE, NT45A, NT50AD
ATRO/ISM	TI-PIN 44, MINOR TIPIN 30, MINOR TIPIN 38, BN18-125	HOLZ HER	BC-130
B2B	18B32S	INTERCHANGE	ICB-BF1832M3, ICB-BF1850M3
BASSO	BS50P-A1, F18/50P-A1, B18/35P-A2, B18/35-A1, 18/50, BS50-A1, B18/50-A1, B18/50P-A2, BS32P-A1, B18/32P-A2	JAMERCO	JTBN1832, JTBN1842A, JTBN1850A, JT1838SB42
BEA	S125	JEPSON	PFN1832
BERRYFAST	BC 140, BC120, BC 130	JIT	1832, 1850
BESCO	SF1850, SB1840, BN1850, BN1842, BN1832	J-K	TNF201/18-25, TJDPB607 2, TJ DPN6018 2
BOSTITCH	T29-30, BT31-1B, BT35B, BT50B, SB2N1, SB-1842BN, SB-1850BN	MAKITA	AF-502, AF-503
CAMPBELL	NB0040, NB0030	MAX	NF201/18-35, NF221/18-55, NF201/18-25
HAUSFELD		NICHE RICH	17A2002, 17A2003, 17A2001
CRAFTSMAN	18433, 18454	NIKEMA	420S GF/32, 420S GF51
DEPOAN	GA52/F50MD	NIKOTA	BN1850, SB1840, BN1832
DE VILBISS	NB1252X4, NBSCN2X4, NB2002X4	OMER	1250, 1240, 1220, 1220D
DEWALT	D51238K, D51236K	PASLODE	T125-F18, T200-F18, IM200-F18, 2138-F18II
DUO-FAST	BB 4440, DBN 4440	PORTER-CABLE	BN 125, BN 200
EZ FASTEN	COMBI 40/50, F18/50AC, F18/57R, F18/30AC, F18/32AC	PREBENA	2K-J50, SPJ-50-SDS, 2X-J32SD-S90
FASCO	F20P GN-31CT, F20T GN-40CT, F26C-GN50SS, R3C GN50 CT	RIDGID	R213BNA
GREX	1832, 1850, BS5032	SENCO	FINISHPRO 15XP, FINISHPRO 18XP, SDN18BR, FINISHPRO 25XP, FINISHPRO2N1, SLP20, AIRFREE25
GRIP-RITE	GRTBN125, GRTBN200	SPOTNAILS	CB 1820, TB1840, WB 1850, CB1832, DB1825, HLB-1520BP
		STAN TECH	SDN18BR
		SUPCO	1832, 1850
		T.C. INTERNATIONAL	UB 18125C, UB 18200B
		TRADESMAN	8460, 8480
		TRIDENT ASSOC.	F18150AC, F18132A
		TRUSTY	TY11832, TY11850, TY11840
		UNICATCH	UB 18200A
		UNITECH	1503A

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

18 Gauge Finish Brads

Primary applications include: Casing, Finish, Trim, Moulding, Base & Cabinets*



Grip Rite 18 Gauge Adhesive Collated
Secuencia en adhesivo calibre 18
1-1/4" / 3.18 cm
Galvanized Wire / Alambre galvanizado

Collated Finish Brads / Clavos sin cabeza para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Base, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Base, Gabinetes

For use with:
Para usar con:
Grip-Rite: GR1BN125, GR1BN200 Paslode: 3250-F16,
Bestlich: SB-1842BN, SB-1850BN MU-112F, MU-212F
Craftsman: 18309, 18310 Porter-Cable: BN125,
DeWalt: D51238K BN200
Duo-Fast: BB4440 Ridgid: R231BNA
Hitachi: NT45A, NT50AD Senco: FINISHPRO 15 & 18,
Makita: AF501, AF502, AF503 FINISHPRO 25XP, LS4, LS5
Most other 18 Gauge Adhesive Collated Brad Nailers
La mayoría de las otras clavadoras para clavos sin cabeza en secuencia con adhesivo calibre 18

5,000 count / número

GRF18114

Grip Rite 18 Gauge Adhesive Collated
Secuencia en adhesivo calibre 18
1-1/4" / 3.18 cm
Stainless Steel / Acero inoxidable

Collated Finish Brads / Clavos sin cabeza para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Base, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Base, Gabinetes

For use with:
Para usar con:
Grip-Rite: GR1BN125, GR1BN200 Paslode: 3250-F16,
Bestlich: SB-1842BN, SB-1850BN MU-112F, MU-212F
Craftsman: 18309, 18310 Porter-Cable: BN125,
DeWalt: D51238K BN200
Duo-Fast: BB4440 Ridgid: R231BNA
Hitachi: NT45A, NT50AD Senco: FINISHPRO 15 & 18,
Makita: AF501, AF502, AF503 FINISHPRO 25XP, LS4, LS5
Most other 18 Gauge Adhesive Collated Brad Nailers
La mayoría de las otras clavadoras para clavos sin cabeza en secuencia con adhesivo calibre 18

5,000 count / número

GRF18114SS

Galvanized Wire				
Size	Gauge	SKU	Box Quantity	Case Pack
5/8"	18 Gauge	GRF1858	5M per Box	20 Boxes per Case
3/4"	18 Gauge	GRF1834	5M per Box	20 Boxes per Case
1"	18 Gauge	GRF181	5M per Box	20 Boxes per Case
1-1/8"	18 Gauge	GRF18118	5M per Box	20 Boxes per Case
1-3/16"	18 Gauge	GRF181316	5M per Box	20 Boxes per Case
1-1/4"	18 Gauge	GRF18114	5M per Box	20 Boxes per Case
1-1/2"	18 Gauge	GRF18112	5M per Box	10 Boxes per Case
1-3/4"	18 Gauge	GRF18134	5M per Box	10 Boxes per Case
2"	18 Gauge	GRF182	5M per Box	10 Boxes per Case

Grip Rite Lifetime Guarantee Against Rust and Corrosion

Stainless Steel – 304 Stainless

Size	Gauge	SKU	Box Quantity	Case Pack
3/4"	18 Gauge	GRF1834SS	5M per Box	20 Boxes per Case
1"	18 Gauge	GRF181SS	5M per Box	20 Boxes per Case
1-1/4"	18 Gauge	GRF18114SS	5M per Box	20 Boxes per Case
1-1/2"	18 Gauge	GRF18112SS	5M per Box	10 Boxes per Case
2"	18 Gauge	GRF182SS	5M per Box	10 Boxes per Case

23 Gauge Micropins

Primary applications include: Small trim, carvings and ornamentals, picture frames*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacture	Model	Manufacture	Model
ACCUSET	A100MP	PORTER-CABLE	PIN100
BOSTITCH	TU-216-2330	SENCO	SHP10, FINISHPRO 10
GRIP-RITE	GRTPIN23		

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Grip Rite 23 Gauge Adhesive Collated
Secuencia en adhesivo calibre 23
3/4" / 1.91 cm
Galvanized Wire / Alambre galvanizado

Collated Headless Pins / Pasadores sin cabeza en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTPIN23 Porter-Cable: PIN100
Accuset: A100MP Senco: SHP10, FINISHPRO 10
Bestlich: TU-216-2330
Most other 23 Gauge Pinners
La mayoría de los otros sujetadores calibre 23

3,000 count / número

GR34PIN

Galvanized Wire


Size	Gauge	SKU	Box Quantity	Case Pack
1/2"	23 Gauge	GR12PIN	3M per Box	5 Boxes per Case
5/8"	23 Gauge	GR58PIN	3M per Box	5 Boxes per Case
3/4"	23 Gauge	GR34PIN	3M per Box	5 Boxes per Case
13/16"	23 Gauge	GR1316PIN	3M per Box	5 Boxes per Case
1"	23 Gauge	GR1PIN	3M per Box	5 Boxes per Case
Mix of four different sizes of nails	23 Gauge	GRMIXPIN	3.2M per Box	5 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15 Gauge Flooring Staples

Primary applications include: Hardwood Flooring*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page and on page 53 of this catalog.

Manufacturer	Model	Manufacturer	Model
BOSTITCH	MIII FS	POWER NAIL	445FS
GRIP-RITE	GR200FS	TRUSTY	FS50

Grip Rite 15 Gauge Medium Crown 1/2" / 1.27 cm
Calibre 15 Corona media
1-1/2" / 3.81 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Hardwood flooring
Las aplicaciones primarias incluyen: Pisos de madera dura

5,000 Count / Número

For use with:
Para usar con:
Grip-Rite: GR200FS Bostitch: MIII FS
Most other 15 Gauge Adhesive Collated Flooring Staples
La mayoría de las otras engrapadoras en secuencia con adhesivo para pisos calibre 15

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GRBCS1512

Galvanized Wire

Crown	Leg	Gauge	SKU	Quantity
1/2"	1-1/2"	15 Gauge	GRBCS1512	5M Carton
1/2"	1-3/4"	15 Gauge	GRBCS1514	5M Carton
1/2"	2"	15 Gauge	GRBCS1516	5M Carton

"L" Style Flooring Cleat

Primary applications include: Hardwood Flooring*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model	Manufacturer	Model
BOSTITCH	MIII FN	POWER NAIL	445, 345, 55
GRIP-RITE	GR200LCN	PRIMATECH	P210, H300, Q500
PORTER CABLE	FCN 200	SENCO	SHF50, SHF15, SHF10

Grip Rite "L" Shaped Flooring Cleats
Remaches en "L" para piso
1-3/4" / 4.45 cm - Heat Treated / Termotratado

Collated Flooring Cleats / Remaches para pisos en secuencia

Primary applications include: Hardwood flooring
Las aplicaciones primarias incluyen: Pisos de madera dura

1,000 count / número

For use with:
Para usar con:
Grip-Rite: GR200LCN Porter-Cable: FCN200
Bostitch: MIII FN Senco: SHF10, SHF15, SHF50
Most other Adhesive Collated Flooring "L" Shaped Cleat Nailers
La mayoría de las otras clavadoras de remaches en "L" en secuencia con adhesivo para pisos

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GRFLN175

Heat Treated - Coated

Size	SKU	Box Quantity	Case Pack
1-1/2"	GRFLN150	1M per Box	5 Boxes per Case
1-3/4"	GRFLN175	1M per Box	5 Boxes per Case
2"	GRFLN200	1M per Box	5 Boxes per Case

"T" Nail

Primary applications include: Wood furring to concrete and masonry*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model	Manufacturer	Model
BEA	T54-155	PORTA-NAIL	460
BOSTITCH	MIII812-CNCT		

Grip Rite 1-3/8" / 3.49 cm x .097
Heat Treated / Termotratado

Collated "T"-Nails / Clavos estilo "T" en secuencia

Primary applications include: Wood furring to concrete and masonry
Las aplicaciones primarias incluyen: Listones de madera para arrisar a concreto o mampostería

2,500 count número

For use with / Para usar con:
Bostitch: MIII812-CNCT Porta Nail: 460
Most other Adhesive Collated "T"-Nailers
La mayoría de las otras clavadoras "T" en secuencia con adhesivo

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GRBT499XH

Heat Treated - Coated


Size	SKU	Box Quantity	Case Pack
5/8" x .097	GRBT461XH	2.5M per Box	4 Boxes per Case
1-3/8" x .097	GRBT499XH	2.5M per Box	4 Boxes per Case
2-1/4" x .097	GRBT481XH	2.5M per Box	4 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge "BCS" Wide Crown Staples

Primary applications include: Lath, Insulation, Butt Joining, Sheathing & Roofing*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacture	Model
ATRO/ISM	100, MINOR 38
BASSO	N25/38
BEA	140, 145/32-178
BERRYFAST	1115, 1110
BESCO	WS2538
BOSTITCH	T40 S2, T50-52, T35-32, 438S2, T35-8, 450S2

Manufacture	Model
CRAFTSMAN	18415
FASCO	R3 ATW-38ROOF
HILTI	SW-112A
OMER	WS 38, WS 38ROOFING
SPOTNAILS	HL 1612A, HL 1620, XS 1650, HL1616A, XS 1640, HL 1612AW

Grip Rite 16 Gauge Wide Crown 1" / 2.54 cm
Calibre 16 Corona ancha
1-1/2" / 3.81 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors, Cabinet Backs
Las aplicaciones primarias incluyen: Revestimiento, Cajón de embalaje, Paletas, Cercas, Terrazas, Puertas, Parte posterior de gabinetes

10,000 count / número

For use with:
Para usar con:
Bostitch: T40 S2, T50-52, T35-32, 438S2, T35-8, 450S2
Craftsman: 18415 Hilti: SWA-112A

Most other 16 Gauge Wide Crown "BCS"-style Collated Staples
La mayoría de las otras engrapadoras en secuencia estilo "BCS" calibre 16 de ancho corona


Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GRBCS1102

Crown	Leg	Gauge	SKU	Quantity
1"	3/4"	16 Gauge	GRBCS1097	10M Carton
1"	7/8"	16 Gauge	GRBCS1098	10M Carton
1"	1"	16 Gauge	GRBCS1099	10M Carton
1"	1-1/4"	16 Gauge	GRBCS1101	10M Carton
1"	1-1/2"	16 Gauge	GRBCS1102	10M Carton
1"	1-3/4"	16 Gauge	GRBCS1116	10M Carton
1"	2"	16 Gauge	GRBCS1117	10M Carton

16 Gauge "P" Wide Crown Staples

Primary applications include: Lath, Insulation, Butt Joining, Sheathing & Roofing*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
APLUS	P-50
BASSO	N26/38, N26/38P
BESCO	WS 2638
DEPOAN	DPN-6651
DUO-FAST	KW 1748, RNS-1748I, KWR 1748RS 1748
EZ FASTEN	WS 16/38
FASCO	R3 SNW-38CTR
GREX	2638

Manufacturer	Model
GRIP-RITE	GRTS1200
HITACHI	N 3824A
INTERCHANGE	ICB-SF2640S
JEPSON	PSW1638
NIKOTA	WS2638
OMER	WP 38, WP 38ROOFING
SENCO	PW, MW, SPS
SPOTNAILS	XS 3640, XS 3650, HL 1612AT
STAN TECH	SDS 16-1

Grip Rite 16 Gauge Wide Crown 1" / 2.54 cm
Calibre 16 Corona ancha
1" / 2.54 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Lath, Insulation, Butt Joining, Sheathing, Roofing
Las aplicaciones primarias incluyen: Listón, aislamiento, junta plana, revestimiento, techado

10,000 count / número

For use with:
Para usar con:
Grip-Rite: GRTS1200
Duo-Fast: KW 1748, RNS-1748I, Senco: PW, MW, SPS, KWR 1748RS 1748
Hitachi: N 3824 A

Most other 16 Gauge Wide Crown "P"-style Collated Staples
La mayoría de las otras engrapadoras en secuencia estilo "P" calibre 16 de ancho corona

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GRP13


Crown	Leg	Gauge	SKU	Quantity
1"	5/8"	16 Gauge	GRP10	10M Carton
1"	3/4"	16 Gauge	GRP11	10M Carton
1"	7/8"	16 Gauge	GRP12	10M Carton
1"	1"	16 Gauge	GRP13	10M Carton
1"	1-1/4"	16 Gauge	GRP15	10M Carton
1"	1-1/2"	16 Gauge	GRP17	10M Carton
1"	1-3/4"	16 Gauge	GRP19	10M Carton
1"	2"	16 Gauge	GRP21	10M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge “GSW” Wide Crown Staples

Primary applications include: Lath, Insulation, Butt Joining, Sheathing & Roofing*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
B2B	16W50P, 16W38P
BASSO	140/38
FASCO	R3 PSW-38CT
GRIP-RITE:	GRTS1516
HAUBOLD	PN 3232JW

Manufacturer	Model
JIT	1651S
OMER	WK 38, WK 38ROOFING
PASLODE	3200-W16, 3150-W16R, MU112-W-16R
SPOTNAILS	XS 2650, XS 2640

16 Gauge Wide Crown 15/16" / 2.38 cm
Calibre 16 Corona ancha
 5/8" / 1.59 cm Leg / Pata
 Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Lath, Insulation, Butt Joining, Sheathing, Roofing
 Las aplicaciones primarias incluyen: Látón, aislamiento, junta plana, revestimiento, techado

10,000 count / número

For use with:
 Para usar con:
 Grip-Rite: GRTS1516
 Basso: 140/38
 Paslode: 3200-W16, 3150-W16R, MU112-W-16R
 Most other 16 Gauge Wide Crown "GSW"-style Collated Staples
 La mayoría de las otras engrapadoras en secuencia estilo "GSW" calibre 16 de ancha corona

Should not be used in treated lumber
 Should not be used where surface rust is unacceptable
 No usar en madera tratada
 No usar donde el óxido de la superficie es inaceptable

GRGSW1658

Galvanized Wire				
Crown	Leg	Gauge	SKU	Quantity
15/16"	3/4"	16 Gauge	GRGSW1634	10M Carton
15/16"	7/8"	16 Gauge	GRGSW1678	10M Carton
15/16"	1"	16 Gauge	GRGSW161	10M Carton
15/16"	1-1/4"	16 Gauge	GRGSW16114	10M Carton
15/16"	1-1/2"	16 Gauge	GRGSW16112	10M Carton
15/16"	1-3/4"	16 Gauge	GRGSW16134	10M Carton
15/16"	2"	16 Gauge	GRGSW162	10M Carton

16 Gauge “BCS” Medium Crown Staples

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors & Cabinet Backs*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
AIRY	AMB1751CRK
APACH	LU-964, LU-951
ATRO/ISM	VULCANO 16NC-VS
BASSO	N851P
BESCO	MS951
BOSTITCH	T40S4, T50S4, T36-50, T36-1, 538S4, 438S4, 650S4

Manufacturer	Model
CRAFTSMAN	18410
FASCO	R4P HD-50CT TL
HILTI	SM 300
JIT	938, 951
SPOTNAILS	HL 7616AP
TRUSTY	TY116964B, TY116964B T35-8, 450S2

16 Gauge Medium Crown 1/2" / 1.27 cm
Calibre 16 Corona media
 1-1/2" / 3.81 cm Leg / Pata
 Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors, Cabinet Backs
 Las aplicaciones primarias incluyen: Revestimiento, Cajón de embalaje, Paletas, Cercas, Terrazas, Puertas, Parte posterior de gabinetes


10,000 Count / Número

For use with:
 Para usar con:
 Bostitch: T40S4, T50S4, T36-50, T36-1, 538S4, 438S4, 650S4
 Craftsman: 18410
 Hilti: SM300
 Most other 16 Gauge Medium Crown "BCS"-style Collated Staples
 La mayoría de las otras engrapadoras en secuencia estilo "BCS" calibre 16 de ancha media

Should not be used in treated lumber
 Should not be used where surface rust is unacceptable
 No usar en madera tratada
 No usar donde el óxido de la superficie es inaceptable

GRBCS1109

Galvanized Wire				
Crown	Leg	Gauge	SKU	Quantity
1/2"	1"	16 Gauge	GRBCS1105	10M Carton
1/2"	1-1/4"	16 Gauge	GRBCS1107	10M Carton
1/2"	1-1/2"	16 Gauge	GRBCS1109	10M Carton
1/2"	1-3/4"	16 Gauge	GRBCS1111	10M Carton
1/2"	2"	16 Gauge	GRBCS1112	10M Carton




* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge “N” Medium Crown Staples

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors & Cabinet Backs*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacture	Model
AIRY	AMB1551CRK
APACH	LU-864, LU-864KG, LU-851KG
APLUS	N-50, N-64
ATRO/ISM	VULCANO 100
B2B	16M50S
BASSO	N16-951
BEA	14/40-723, 14/50-763, 14/32-613, 14/40-713, 14/50-800, 14/50-800SEQ, 14/50-800QR
BESCO	MS951FS, MS851
DEWALT	D51430
EZ FASTEN	MS16/50, MS16/50A, MS16/50H, MS16/64A, MS16/64, MS16/64H
FASCO	F45C-G-55TL, R3C G40 CT, R4P-G-50
GREX	1140, 1151
GRIP-RITE	GRTSM200
GRIZZLY	G6044
HITACHI	N 5008ACN, N 5008AB, N 5008AA, N 5008AI

Manufacture	Model
INTERCHANGE	ICT-SF-167851S
JAMERCO	JTSN1650
JIT	1150
MAX	TA551/16-11
NICHE RICH	17A3001
NIKOTA	MS851
OMER	M2 45, MS 50, 700 50, 700 45, MS 38CL, MS 38NS, MS 30NOSAG, 700 32NOSAG
PANREX IND.	PR-16851P
PORTER-CABLE	MS 200
PREBENA	3ML44
SESCO	M1, M2 50, SKSN, SNS 45, SNS 50, SNS 40
SPOTNAILS	XS76-8650, XS6650, MS76-865i
STAN TECH	SDS16-716
T.C. INTERNATIONAL US	16716A
TRIDENT ASSOC.	MS16/50A
TRUSTY	TY116851S, TY116864S, 16851

16 Gauge “GS” Medium Crown Staples

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors & Cabinet Backs*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
APACH	LU-951PD
BASSO	7616
BERRYFAST	1320
DEWALT	D51431
FASCO	R3C HD-40 VIL-SID, F45C-HD-55TL
GRIZZLY	G6772

Manufacturer	Model
NIKEMA	450 16NC
OMER	S4 50
PASLODE	3150-S16, 3200 S16P, PA-200, IM200 S16, 5200, 4200S16P
SPOTNAILS	MS6650i
TRUSTY	TY116851KG, TY116864KG

Grip Rite 16 Gauge Medium Crown 7/16" / 1.11 cm
Calibre 16 Corona media
1" / 2.54 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors, Cabinet Backs. 10,000 Count / Número

Las aplicaciones primarias incluyen: Revestimiento, Cajón de embalaje, Paletas, Cercas, Terrazas, Puertas, Parte posterior de gabinetes

For use with:
Para usar con:
Grip-Rite: GRTSM200
Hitachi: N 5008ACN, N 5008AB, N 5008AA, N5008AI
Max: TA551/16-11
Most other 16 Gauge Medium Crown "N"-style Collated Staples
La mayoría de las otras engrapadoras en secuencia estilo "N" calibre 16 de ancho media

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GRN13

Crown	Leg	Gauge	SKU	Quantity
7/16"	1"	16 Gauge	GRN13	10M Carton
7/16"	1-1/4"	16 Gauge	GRN15	10M Carton
7/16"	1-1/2"	16 Gauge	GRN17	10M Carton
7/16"	1-3/4"	16 Gauge	GRN19	10M Carton
7/16"	2"	16 Gauge	GRN21	10M Carton

Grip Rite 16 Gauge Medium Crown 7/16" / 1.11 cm
Calibre 16 Corona media
1-1/2" / 3.81 cm Leg / Pata
Stainless Steel / Acero inoxidable

Collated Staples / Grapas en secuencia

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors, Cabinet Backs. 10,000 Count / Número

Las aplicaciones primarias incluyen: Revestimiento, Cajón de embalaje, Paletas, Cercas, Terrazas, Puertas, Parte posterior de gabinetes

For use with:
Para usar con:
Grip-Rite: GRTSM200
Hitachi: N 5008ACN, N 5008AB, N 5008AA, N5008AI
Max: TA551/16-11
Most other 16 Gauge Medium Crown "N"-style Collated Staples
La mayoría de las otras engrapadoras en secuencia estilo "N" calibre 16 de ancho media

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Tannic acids found naturally in wood can cause staining and streaking.
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de madera tratada, cedro y seceya.
Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas.

GRN17SS

Lifetime Guarantee Against Rust and Corrosion

Crown	Leg	Gauge	SKU	Quantity
7/16"	1-1/2"	16 Gauge	GRN17SS	10M Carton
7/16"	1-3/4"	16 Gauge	GRN19SS	10M Carton
7/16"	2"	16 Gauge	GRN21SS	10M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

Grip Rite 16 Gauge Medium Crown 1/2" / 1.27 cm
Calibre 16 Corona media
1" / 2.54 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors, Cabinet Backs. 10,000 Count / Número

Las aplicaciones primarias incluyen: Revestimiento, Cajón de embalaje, Paletas, Cercas, Terrazas, Puertas, Parte posterior de gabinetes

For use with:
Para usar con:
Basso: 7616
Paslode: 3150-S16, 3200 S16P PA-200, IM200 S16, 5200, 4200S16P
Most other 16 Gauge Medium Crown "GS"-style Collated Staples
La mayoría de las otras engrapadoras en secuencia estilo "GS" calibre 16 de ancho media

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GRGS161

Crown	Leg	Gauge	SKU	Quantity
1/2"	1"	16 Gauge	GRGS161	10M Carton
1/2"	1-1/4"	16 Gauge	GRGS16114	10M Carton
1/2"	1-1/2"	16 Gauge	GRGS16112	10M Carton
1/2"	1-3/4"	16 Gauge	GRGS16134	10M Carton
1/2"	2"	16 Gauge	GRGS162	10M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge "76" Medium Crown Staples

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors & Cabinet Backs*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacture	Model
DUO-FAST	MS-7664E, SM-7648, SM-7664

Manufacture	Model
PASLODE	GSI16

Grip Rite 16 Gauge Medium Crown 7/16" / 1.11 cm
Calibre 16 Corona media
1-3/8" / 3.49 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors, Cabinet Backs. 10,000 Count / Número
Las aplicaciones primarias incluyen: Revestimiento, Cajón de embalaje, Paletas, Cercas, Terrazas, Puertas, Parte posterior de gabinetes

For use with:
Para usar con:
Duo-Fast: MS-7664E, SM-7648, SM-7664
Paslode: GSI16
Most other 16 Gauge Medium Crown "76"-style Collated Staples
La mayoría de las otras engrapadoras en secuencia estilo "76" calibre 16 de ancho media

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GR7644

Galvanized Wire				
Crown	Leg	Gauge	SKU	Quantity
7/16"	1"	16 Gauge	GR7632	10M Carton
7/16"	1-1/4"	16 Gauge	GR7640	10M Carton
7/16"	1-1/2"	16 Gauge	GR7648	10M Carton
7/16"	1-3/4"	16 Gauge	GR7656	10M Carton
7/16"	2"	16 Gauge	GR7664	10M Carton

18 Gauge "SX" Narrow Crown Staples

Primary applications include: Casing, Finish, Trim, Moulding, Base and Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
BOSTITCH	SB-150SX, SB2N1, SB150SX-HD, T35-15, T28-5, S32SX, T40SX-CT

Manufacturer	Model
NIKEMA	430 90
TRUSTY	TY19025, TY19040L, TY19040H, AS3290

Grip Rite 18 Gauge Narrow Crown 7/32" / 5.33 mm
Calibre 18 Corona estrecha
1/2" / 1.27 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Casing, Finish, Trim, Moulding, Base, Cabinets. 5,000 count / número
Las aplicaciones primarias incluyen: Contramarcos, Acabados, Bordes, Molduras, Base, Gabinetes

For use with:
Para usar con:
Bostitch: SB-150SX, SB2N1, SB150SX-HD, T35-15, T28-5, S32SX, T40SX-CT
Most other 1/4" Narrow Crown 18 Gauge "SX"-style Adhesive Collated Staples
La mayoría de las otras engrapadoras en secuencia con adhesivo estilo "sx" calibre 18 de corona estrecha

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GRSX12G

Galvanized Wire					
Crown	Leg	Gauge	SKU	Quantity	Case Pack
7/32"	1/2"	18 Gauge	GRSX12G	5M per Box	10 Boxes per Case
7/32"	3/4"	18 Gauge	GRSX34G	5M per Box	10 Boxes per Case
7/32"	7/8"	18 Gauge	GRSX78G	5M per Box	8 Boxes per Case
7/32"	1"	18 Gauge	GRSX1G	5M per Box	8 Boxes per Case
7/32"	1-1/8"	18 Gauge	GRSX118G	5M per Box	8 Boxes per Case
7/32"	1-3/16"	18 Gauge	GRSX1316G	5M per Box	8 Boxes per Case
7/32"	1-1/4"	18 Gauge	GRSX114G	5M per Box	6 Boxes per Case
7/32"	1-3/8"	18 Gauge	GRSX138G	5M per Box	6 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

18 Gauge “L” Narrow Crown Staples

Primary applications include: Casing, Finish, Trim, Moulding, Base and Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on page 47 of this catalog.


Manufacture	Model
ACCUSET	A100LS, A150LS, A2N125
AIRY	ADA6250CRK, ADA0637CRK, ATA6232SRK, ATA0632CRK, ATA0616S, ATA0626SRB
APACH	LU-9032AC, LU-9032, LU-9025, LU9025AC, LU-50F, LU-9040AC, LU-9040LB, LU-9040H
APLUS	LU-9040 HAD, LU-50FAC
ATRO/ISM	90/25, F18/35C, F18/32C, F18/50C, 90/40, 90/40L, 90/40LP
B2B	90/32, 18 NC 150, 90/32 LM, MINOR 90/40
BASSO	18N32S, 18N38S
BEA	S90/40LP-A1, S90/40L-A1, S90/30-A1, 90/40LW, BS50P-A1, BS50-A1, BS32P-A1, S90/25P-C1, 90/40 A1, S90/25P-B2
BERRYFAST	90/38-150, 90/40-621, 90/40-711, 90/25-552, 90/38-157, 90/32-611
BESCO	90/30, 90/40
CAMPBELL	SB1840, NS9038HG, W9038HD, NS9038LW, TK2IN1, NS9025, NS9025FS
HAUSFELD	SN258K
CRAFTSMAN	18496, 18449, 18435, 18454, 18396
DEPOAN	DPN 763, 673/9040
DEWALT	D51420K, D51422K
DE VILBISS	NCS 2, SCN1002X4, NBSCN2X4
DUO-FAST	KN1848A, KG1836, DNS1840
EZ FASTEN	90/25AC, 90/40AC, COMBI 40/50, NS90/40AC, 90/40F
FASCO	F20P 90/25, F20T 90/30, R3C-90/40, F26C-90/40SS, F26C-90/32SS, F20T40CT, F20 T90/40 CT

Manufacture	Model
GREX	9025, 9032, 9040, 9032F, BS 5032
GRIP-RITE	GRTSN100, GRTSN150
GRIZZLY	G6042, G6043, G8126, G9248, H2913, H2912
HAUBOLD	PN6040H
HILTI	SN-114B, SN-118
HITACHI	N 3804A, N3804 AA, N3804AB
INTERCHANGE	ICB-SF0425SK, ICB-SF9040B
JAMERCO	JTS061825, JT1838SB42, JTS061838H, JTS061825A
JEPSON	PSN1832
JIT	9038A, 9032
MAKITA	AT638
NIKEMA	430 92
NIKOTA	SB 1840, TK2IN1, NS9038HD, NS9025
OMER	9040, 9038 CLD3, 9038B, 9032, 9032R, 9038
PORTA NAILS	462
PORTER-CABLE	NS 100, NS 150, NSS 150
PREBENA	3M-E-50-PR, 2P-E40-S90, 2X-E25SD-S90
RIDGID	R213BNA
SENCO	LN4450, KN4450, SLS25XP-L, FINISHPRO SN1, SKS L, SLS 20L, SLS 15, SLS18
SPOTNAILS	HL3852, WS4840W2, FS 4825, WS4840, TS4825, TRL 3852
STAN TECH	SDS 18-14, SDS 18-LM14, SDS-18-14-24
SUPCO	9040
T.C. INTERNATIONAL	US2238A, US1814C
TRADESMAN	8470, 8480
TRIDENT ASSOC.	90/40 AC

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

18 Gauge “L” Narrow Crown Staples

Primary applications include: Casing, Finish, Trim, Moulding, Base and Cabinets*



Grip Rite 18 Gauge Narrow Crown 1/4" / 6.35 mm Calibre 18 Corona estrecha 1" / 1.27 cm Leg / Pata Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Casing, Finish, Trim, Moulding, Base, Cabinets. 5,000 count / número

For use with:
 Para usar con:
 Grip-Rite: GRTSN100, GRTSN150
 Craftsman: 18396, 18435, 18449, 18454, 18496
 Duo-Fast: DNS1840, KG1836, KN1848A
 Hitachi: N3804A, N3804AA, N3804AB
 Makita: AT638
 Porter-Cable: N2100, N2150, NSS150
 Ridgid: R213BNA
 Senco: KN4450, LN4450
 Most other 1/4" Narrow Crown 18 Gauge "L"-style Adhesive Collated Staples
 La mayoría de las otras engrapadoras en secuencia con adhesivo estilo "L" calibre 18 de corona estrecha

Should not be used in treated lumber
 Should not be used where surface rust is unacceptable
 No usar en madera tratada
 No usar donde el óxido de la superficie es inaceptable

ISANTA ASSOCIATES

GRL13

Galvanized Wire


Crown	Leg	Gauge	SKU	Quantity	Case Pack
1/4"	3/4"	18 Gauge	GRL11	5M per Box	16 Boxes per Case
1/4"	7/8"	18 Gauge	GRL12	5M per Box	12 Boxes per Case
1/4"	1"	18 Gauge	GRL13	5M per Box	12 Boxes per Case
1/4"	1-1/8"	18 Gauge	GRL14	5M per Box	10 Boxes per Case
1/4"	1-1/4"	18 Gauge	GRL15	5M per Box	10 Boxes per Case
1/4"	1-1/2"	18 Gauge	GRL17	5M per Box	10 Boxes per Case



* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

“50” Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model	Manufacturer	Model
BEA	95/16-425	NIKEMA	50 4000
DUO-FAST	CS5000, EWC-5018A, SURESHOT 5020, HT550, CT 859	OMER	5016, 5016SCL, 5016SL, 5016CL, 5016CLV
EZ FASTEN	95/16AB	PATEK	HT550, HT550H
FASCO	T-HT550, T-R19	PREBENA	IM-D16-S90
GREX	G50/8E, 5018	SPOTNAILS	BS8018, BS5018

Grip Rite 5/16" / 1.27 cm Crown / Corona
5/16" / 7.94 mm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Insulation, Housewrap, Roofing, Felt
Las aplicaciones primarias incluyen: Aislamiento, envoltura para casas, techado, feltro

5,000 count / número

For use with: / Para usar con:
Duo-Fast: CS5000, EWC-5018A, SURESHOT 5020, HT550, CT 859
Most other "50"-style Hammer Tacker Staples
La mayoría de las otras engrapadoras estilo martillo para tachuelas "50"


Should not be used in treated lumber.
Should not be used where surface rust is unacceptable.
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GR5010516C

Galvanized Wire				
Crown	Leg	SKU	Box Quantity	Case Pack
1/2"	1/4"	GR50814C	5M per Box	20 Boxes per Case
1/2"	5/16"	GR5010516C	5M per Box	20 Boxes per Case
1/2"	3/8"	GR501238C	5M per Box	20 Boxes per Case

“A11” Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model	Manufacturer	Model
AIRY	AZA5016S, AZA5016SOK	INTERCHANGE	ICB-A11-TACKER, ME-T50
ARROW	T50, T50PBN, ETF50PBN, ETG50BN, ETFX50, HT 50	PATEK	HT54R, HT11, HT11H
BOSTITCH	PHT150C, TR200, TR100, TRE500	PREBENA	HHPF09, HPPF14-S90
DUO-FAST	SLAPSHOT	RAPID	R-11, A-11
FASCO	T-R11, F1AA11-16AUTOL/M	SENCO	PC0705
GREX	GHT 5000	SPOTNAILS	85060
GRIP-RITE	GRR11	STAN TECH	SDH20
		T.C. INTERNATIONAL US A11	

Grip Rite 3/8" / 9.53 mm Crown / Corona
1/4" / 6.35 mm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Insulation, Housewrap, Roofing, Felt
Las aplicaciones primarias incluyen: Aislamiento, envoltura para casas, techado, feltro

5,000 count / número

For use with: / Para usar con:
Grip-Rite: GRR11
Bostitch: PHT150C, TR200, TR100
Duo-Fast: SLAPSHOT
Most other "A11"-style Hammer Tacker Staples
La mayoría de las otras engrapadoras estilo martillo para tachuelas "A11"


Should not be used in treated lumber.
Should not be used where surface rust is unacceptable.
No usar en madera tratada

GRA1114

Galvanized Wire				
Crown	Leg	SKU	Box Quantity	Case Pack
3/8"	1/4"	GRA1114	5M per Box	20 Boxes per Case
3/8"	5/16"	GRA11516	5M per Box	20 Boxes per Case
3/8"	3/8"	GRA1138	5M per Box	20 Boxes per Case
3/8"	3/8"	GRA1138125	1.25M per Box	32 Boxes per Case

“A19” Series Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model	Manufacturer	Model
GRIP-RITE	GRR19	RAPID	R19

Grip Rite 3/8" / 9.53 mm Crown / Corona
1/4" / 6.35 mm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Insulation, Housewrap, Roofing, Felt
Las aplicaciones primarias incluyen: Aislamiento, envoltura para casas, techado, feltro

5,000 count / número

For use with: / Para usar con:
Grip-Rite: GRR19
Rapid: R-19
Most other "A19"-style Hammer Tacker Staples
La mayoría de las otras engrapadoras estilo martillo para tachuelas "A19"

Should not be used in treated lumber.
Should not be used where surface rust is unacceptable.
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GRA1914


Galvanized Wire				
Crown	Leg	SKU	Box Quantity	Case Pack
3/8"	1/4"	GRA1914	5M per Box	20 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

“STCR” Series Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model	Manufacturer	Model
BOSTITCH	PC5000, PC4000, PC2000, PC1000, P6C-80, P6C-8, T5-8DR, T15/T-80CT, H30-8, EHS-300	J-K	694
		PREBENA	HHD-10
		RAPID	31

Grip Rite 9/16" / 1.43 mm Crown / Corona
7/16" / 1.11 mm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Insulation, Housewrap, Roofing, Felt
Las aplicaciones primarias incluyen: Aislamiento, envoltura para casas, techado, feltro

5,000 count / número

For use with: / Para usar con:
Bostitch: PC5000, PC4000, PC2000, PC1000, P6C-80, P6C-8, Rapid: 31
Most other "STCR"-style Hammer Tacker Staples
La mayoría de las otras engrapadoras estilo martillo para techadas "STCR"


GRSTCR916

Should not be used in treated lumber.
Should not be used where surface rust is unacceptable.
No usar en madera tratada.
No usar donde el óxido de la superficie es inaceptable.

Crown	Leg	SKU	Box Quantity	Case Pack
7/16"	1/4"	GRSTCR14	5M per Box	20 Boxes per Case
7/16"	5/16"	GRSTCR516	5M per Box	20 Boxes per Case
7/16"	3/8"	GRSTCR38	5M per Box	20 Boxes per Case
7/16"	1/2"	GRSTCR12	5M per Box	20 Boxes per Case
7/16"	9/16"	GRSTCR916	5M per Box	20 Boxes per Case

“SHCR” Series Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model	Manufacturer	Model
BOSTITCH	H2B		

Grip Rite 3/8" / 9.53 mm Crown / Corona
1/4" / 6.35 mm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Insulation, Housewrap, Roofing, Felt
Las aplicaciones primarias incluyen: Aislamiento, envoltura para casas, techado, feltro

5,000 count / número

For use with: / Para usar con:
Bostitch: H2B
Most other "SHCR"-style Hammer Tacker Staples
La mayoría de las otras engrapadoras estilo martillo para techadas "SHCR"

GRSHCR14

Should not be used in treated lumber.
Should not be used where surface rust is unacceptable.
No usar en madera tratada.
No usar donde el óxido de la superficie es inaceptable.


Crown	Leg	SKU	Box Quantity	Case Pack
3/8"	1/4"	GRSHCR14	5M per Box	20 Boxes per Case
3/8"	3/8"	GRSHCR38	5M per Box	20 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

Do-It-Yourself Convenience Tubs

15° Coil Roofing Nails

Primary applications include: Roofing Shingles & Vinyl Siding*



Grip Rite 1-1/4" x .120 (Roofing Nail)
Galvanized Ring
ANOS GALVANIZADOS RECUBIERTOS • À REVÊTEMENT GALVANISÉ CRANTÉ

COIL ROOFING NAILS

600

CAUTION: YOU MUST WEAR SAFETY GLASSES

Size	Shank Style	SKU	Tub Quantity	Case Pack	Cases Per Skid
1-1/4"	Smooth	GRCR3TRC	600 per tub	6 tubs per case	48 cases
1-1/4"	Ring	GRCR3TRC	600 per tub	6 tubs per case	48 cases

Tool listings for these fasteners can be found on page 8



15° Coil Nails Wire Collated

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



Grip Rite 2-3/8" x .113 (8D Cooler)
Coated Smooth
RECUBRIMIENTO LISO • À REVÊTEMENT LISSE

STANDARD COIL NAILS

500

CAUTION: YOU MUST WEAR SAFETY GLASSES

Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
8D 2-3/8"x.113	Smooth	Cooler	GRTC8PD	500 per tub	6 tubs per case	48 cases
10D 3"x.120	Smooth	Sinker	GRTC10PD	500 per tub	6 tubs per case	48 cases

Tool listings for these fasteners can be found on page 20




* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

Do-It-Yourself Convenience Tubs

21° Round Head Plastic Stick Nails

Primary applications include: Framing, Sheathing, Subfloors & Roof Decking*



Coated						
Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
8D 2-3/8"x.113	Smooth	Cooler	GRT07	500 per tub	4 tubs per case	80 cases
10D 3"x.131	Smooth	Framer	GRT014	500 per tub	4 tubs per case	80 cases
16D 3-1/4"x.131	Smooth	Sinker	GRT024	500 per tub	4 tubs per case	80 cases
16D 3-1/2"x.131	Smooth	Box	GRT312131	500 per tub	4 tubs per case	80 cases

Tool listings for these fasteners can be found on page 10




Exterior Galvanized						
Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
6D 2"x.113	Ring	Cooler	GRT04HG	500 per tub	4 tubs per case	100 cases
8D 2-3/8"x.113	Ring	Cooler	GRT08RHG	500 per tub	4 tubs per case	100 cases
10D 3"x.120	Ring	Sinker	GRT408HG	500 per tub	4 tubs per case	80 cases

Tool listings for these fasteners can be found on page 10

Do-It-Yourself Convenience Tubs

28° Clipped Head Wire Stick Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



Coated						
Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
8D 2-3/8"x.113	Smooth	Cooler	GRTS8D	500 per tub	12 tubs per case	42 cases
10D 3"x.120	Smooth	Sinker	GRTS10D	500 per tub	4 tubs per case	80 cases
12D 3-1/4"x.120	Smooth	Box	GRTS12D	500 per tub	4 tubs per case	80 cases
16D 3-1/2"x.131	Smooth	Box	GRTS16DZ	500 per tub	4 tubs per case	80 cases

Tool listings for these fasteners can be found on page 15



Exterior Galvanized						
Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
6D 2"x.113	Ring	Cooler	GRTS6DRHG	500 per tub	12 tubs per case	42 cases
8D 2-3/8"x.113	Ring	Cooler	GRTS8DRHG	500 per tub	12 tubs per case	42 cases

Tool listings for these fasteners can be found on page 15



15 Gauge Flooring Staples

Primary applications include: Hardwood Flooring*



Galvanized Wire						
Crown	Leg	Gauge	SKU	Tub Quantity	Case Pack	Cases Per Skid
1/2"	2"	15 Gauge	GRTBCS1516	500 per tub	12 tubs per case	56 cases

Tool listings for these fasteners can be found on page 36

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
ACCUSET	15 GAUGE ANGLED "DA" FINISH NAILER	A250FN	31-32
ACCUSET	16 GAUGE FINISH BRAD NAILER	A250SM	33-34
ACCUSET	18 GAUGE "L" NARROW CROWN STAPLER	A100LS, A150LS, A2N125	47-78
ACCUSET	18 GAUGE FINISH BRAD NAILER	A125BN, A200BN, A2N125	35-36
AIRY	"A11" HAMMER TACKER STAPLER	AZA5016S, AZA5016SOK	50
AIRY	15 GAUGE ANGLED "DA" FINISH NAILER	AMB0564CRK	31-32
AIRY	16 GAUGE "BCS" MEDIUM CROWN STAPLER	AMB1751CRK	42
AIRY	16 GAUGE "N" MEDIUM CROWN STAPLER	AMB1551CRK	43
AIRY	16 GAUGE FINISH BRAD NAILER	AFA0551COB, AFA0350CRB, AMB0365CRK	33-34
AIRY	18 GAUGE "L" NARROW CROWN STAPLER	ADA6250CRK, ADA0637CRK, ATA6232SRK, ATA0632CRK, ATA0616S, ATA0626SRB	47-78
AIRY	18 GAUGE FINISH BRAD NAILER	ATA6232SRK, ADA021CRK, ADA6250CRK, ADA0257COK, AJA1316SNE, ATA0232SRB, ATT249S, ATA0241SRB	35-36
AIRY	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	AVA2100CRK	21-24, 53
AIRY	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	ANB2883CRK	26-27, 54
AIRY	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	AUA3490CRK	28-29
APACH	15 GAUGE ANGLED "DA" FINISH NAILER	DA-64	31-32
APACH	16 GAUGE "BCS" MEDIUM CROWN STAPLER	LU-964, LU-951	42
APACH	16 GAUGE "GS" MEDIUM CROWN STAPLER	LU-951PD	44
APACH	16 GAUGE "N" MEDIUM CROWN STAPLER	LU-864, LU-864KG, LU-851KG	43
APACH	16 GAUGE FINISH BRAD NAILER	LT-1650E, LT-1664E, LT-50LAC, LT-1650, LT-1664	33-34
APACH	18 GAUGE "L" NARROW CROWN STAPLER	LU-9032AC, LU-9032, LU-9025, LU9025AC, LU-50F, LU-9040AC, LU-9040LB, LU-9040H, LU-9040 HAD, LU-50FAC	47-78
APACH	18 GAUGE FINISH BRAD NAILER	LNF-50AC, LNF-42AC, LNF-32AC, LU-50F, LU-32F, LU-50FAC, LU-32FAC, LNF-30AC	35-36
APACH	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	AN-9021, AN-9021AC	21-24, 53
APACH	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	AN-9028, AN-9028AC	26-27, 54
APACH	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	AN-9034, AN-9024AC	28-29
APLUS	15 GAUGE ANGLED "DA" FINISH NAILER	DA-65, DA-50	31-32
APLUS	15° COIL FRAMING/SIDING NAILER	C-70, C-65, C-57, C-50, C-90, C-100	17-18, 52
APLUS	15° COIL ROOFING NAILER	R-45	16, 52
APLUS	15° MINI-COIL FRAMING/SIDING NAILER	C-70, C-65, C-57, C-50	19-20
APLUS	16 GAUGE "N" MEDIUM CROWN STAPLER	N-50, N-64	43
APLUS	16 GAUGE "P" WIDE CROWN STAPLER	P-50	40
APLUS	16 GAUGE FINISH BRAD NAILER	FH/SI-03, F16/64, F16/50, F16/50L	33-34
APLUS	18 GAUGE "L" NARROW CROWN STAPLER	90/25, F18/35C, F18/32C, F18/50C, 90/40, 90/40L, 90/40LP	47-78
APLUS	18 GAUGE FINISH BRAD NAILER	F18/32, F18/35, F18/35C, F18/32C, F18/50, F18/57, F18/50C, F18/30, F18/30	35-36
APLUS	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	S-130A, S-100A, S-90D	21-24, 53
APLUS	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	S-90B	26-27, 54
APLUS	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	S-90E	28-29
ARROW	"A11" HAMMER TACKER STAPLER	T50, T50PBN, ETF50PBN, ETG50BN, ETFX50, HT 50	50
ATRO	15° COIL FRAMING/SIDING NAILER	ROLL 85, RHC 700, RHC 900, RHC 1000	17-18, 52
ATRO	15° COIL ROOFING NAILER	45 ROOFING ROLL	16, 52
ATRO/ISM	15 GAUGE ANGLED "FN" FINISH NAILER	MONZA 64	30
ATRO/ISM	16 GAUGE "BCS" MEDIUM CROWN STAPLER	VULCANO 16NC-VS	42
ATRO/ISM	16 GAUGE "BCS" WIDE CROWN STAPLER	100, MINOR 38	39
ATRO/ISM	16 GAUGE "N" MEDIUM CROWN STAPLER	VULCANO 100	43
ATRO/ISM	16 GAUGE FINISH BRAD NAILER	MINOR 600, TIP 50, BN16-200	33-34
ATRO/ISM	18 GAUGE "L" NARROW CROWN STAPLER	90/32, 18 NC 150, 90/32 LM, MINOR 90/40	47-78
ATRO/ISM	18 GAUGE FINISH BRAD NAILER	TI-PIN 44, MINOR TIPIN 30, MINOR TIPIN 38, BN18-125	35-36

Tool & Fastener Cross Reference



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
ATRO/ISM	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	RHS921	21-24, 53
ATRO/ISM	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	CHS-928	26-27, 54
ATRO/ISM	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	CHS-933	28-29
B2B	15 GAUGE ANGLED "DA" FINISH NAILER	15BA65S	31-32
B2B	16 GAUGE "GSW" WIDE CROWN STAPLER	16W50P, 16W38P	41
B2B	16 GAUGE "N" MEDIUM CROWN STAPLER	16M50S	43
B2B	16 GAUGE FINISH BRAD NAILER	16B65S, 16B50S	33-34
B2B	18 GAUGE "L" NARROW CROWN STAPLER	18N32S, 18N38S	47-78
B2B	18 GAUGE FINISH BRAD NAILER	18B32S	35-36
BASSO	15 GAUGE ANGLED "FN" FINISH NAILER	FN-64S-3	30
BASSO	15° COIL FRAMING/SIDING NAILER	C33/90-B1, C25/65L-A1, C25/60-A1, C33/90-A1, C31/65-A1	17-18, 52
BASSO	15° COIL ROOFING NAILER	NR 31/45	16, 52
BASSO	15° MINI-COIL FRAMING/SIDING NAILER	C25/65L-A1	19-20
BASSO	16 GAUGE "BCS" MEDIUM CROWN STAPLER	N851P	42
BASSO	16 GAUGE "BCS" WIDE CROWN STAPLER	N25/38	39
BASSO	16 GAUGE "GS" MEDIUM CROWN STAPLER	7616	44
BASSO	16 GAUGE "GSW" WIDE CROWN STAPLER	140/38	41
BASSO	16 GAUGE "N" MEDIUM CROWN STAPLER	N16-951	43
BASSO	16 GAUGE "P" WIDE CROWN STAPLER	N26/38, N26/38P	40
BASSO	16 GAUGE FINISH BRAD NAILER	B16/50-A1, B16/50-C1, 16/64LW, 16/64-A1, 16/50-B1, 16/50LW-1	33-34
BASSO	18 GAUGE "L" NARROW CROWN STAPLER	S90/40LP-A1, S90/40L-A1, S90/30-A1, 90/40LW, BS50P-A1, BS50-A1, BS32P-A1, S90/25P-C1, 90/40 A1, S90/25P-B2	47-78
BASSO	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	A22/100-A1, A22/90H-B1	21-24, 53
BASSO	18 GAUGE FINISH BRAD NAILER	BS50P-A1, F18/50P-A1, B18/35P-A2, B18/35-A1, 18/50, BS50-A1, B18/50-A1, B18/50P-A2, BS32P-A1, B18/32P-A2	35-36
BASSO	28° CLIPPED HEAD PLASTIC COLLATED FRAMING NAILER	N90PH-A1	25
BASSO	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	N90SB	26-27, 54
BASSO	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	N90PA-A1	28-29
BEA	"50" HAMMER TACKER STAPLER	95/16-425	49
BEA	15 GAUGE ANGLED "DA" FINISH NAILER	SKDA663-770	31-32
BEA	15° COIL FRAMING/SIDING NAILER	T701, 900DC, 800DC, 566DC, 550DC, 700DC	17-18, 52
BEA	15° COIL ROOFING NAILER	SN-500, 554DC, 552DC	16, 52
BEA	15° MINI-COIL FRAMING/SIDING NAILER	566DC, 550DC, 700DC	19-20
BEA	16 GAUGE "BCS" WIDE CROWN STAPLER	145/32-178	39
BEA	16 GAUGE "N" MEDIUM CROWN STAPLER	14/40-713, 14/50-763, 14/50-800, 14/50-800SEQ, 14/50-800QR, 14/32-613	43
BEA	16 GAUGE FINISH BRAD NAILER	S451-142, SK400	33-34
BEA	18 GAUGE "L" NARROW CROWN STAPLER	90/38-150, 90/40-621, 90/40-711, 90/25-552, 90/38-157, 90/32-611	47-78
BEA	18 GAUGE FINISH BRAD NAILER	S125	35-36
BEA	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	R90-946, R100-950, R130-957	21-24, 53
BERRYFAST	16 GAUGE "BCS" WIDE CROWN STAPLER	1115, 1110	39
BERRYFAST	16 GAUGE "GS" MEDIUM CROWN STAPLER	1320	44
BERRYFAST	16 GAUGE FINISH BRAD NAILER	BC50	33-34
BERRYFAST	18 GAUGE "L" NARROW CROWN STAPLER	90/30, 90/40	47-78
BERRYFAST	18 GAUGE FINISH BRAD NAILER	BC 140, BC120, BC 130	35-36
BERRYFAST	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	3000, 3500, 4100, 4500	21-24, 53
BESCO	15 GAUGE ANGLED "DA" FINISH NAILER	AFN1564S	31-32
BESCO	15 GAUGE ANGLED "FN" FINISH NAILER	AFN1564B	30

Tool & Fastener Cross Reference



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
BESCO	15° COIL ROOFING NAILER	RF3145	16, 52
BESCO	16 GAUGE "BCS" MEDIUM CROWN STAPLER	MS951	42
BESCO	16 GAUGE "BCS" WIDE CROWN STAPLER	WS2538	39
BESCO	16 GAUGE "N" MEDIUM CROWN STAPLER	MS951FS	43
BESCO	16 GAUGE "P" WIDE CROWN STAPLER	WS 2638	40
BESCO	16 GAUGE FINISH BRAD NAILER	PN31832, PN31850, TK2IN1, NT1664, NT1650	33-34
BESCO	18 GAUGE "L" NARROW CROWN STAPLER	SB1840, NS9038HG, W9038HD, NS9038LW, TK2IN1, NS9025, NS9025FS	47-78
BESCO	18 GAUGE FINISH BRAD NAILER	SF1850, SB1840, BN1850, BN1842, BN1832	35-36
BESCO	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	RHF9021	21-24, 53
BESCO	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	CHF9028	26-27, 54
BESCO	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	CHF9034, CHF9030	28-29
BOSTITCH	"A11" HAMMER TACKER STAPLER	PHT150C, TR200, TR100, TRE500	50
BOSTITCH	"SHCR" HAMMER TACKER STAPLER	H2B	51
BOSTITCH	"STCR" HAMMER TACKER STAPLER	PC5000, PC4000, PC2000, PC1000, P6C-80, P6C-8, T5-8DR, T15/T-80CT, H30-8, EHS-300	51
BOSTITCH	15 GAUGE ANGLED "FN" FINISH NAILER	N60FN, N62FN, N62FNK, N59N	30
BOSTITCH	15 GAUGE HARDWOOD FLOORING CLEAT NAILER	MIII FN	38
BOSTITCH	15 GAUGE HARDWOOD FLOORING STAPLER	MIII FS	38, 54
BOSTITCH	15° COIL FRAMING/SIDING NAILER	N80CB, N86C, N100CPP, N70C, N64CP, N100C	17-18, 52
BOSTITCH	15° COIL ROOFING NAILER	RN45B, RN46, N12, N12-40	16, 52
BOSTITCH	15° MINI-COIL FRAMING/SIDING NAILER	N63CP, N64C, N55C, N50C, N55CP, N65CP	19-20
BOSTITCH	16 GAUGE "BCS" MEDIUM CROWN STAPLER	T40S4, T50S4, T36-50, T36-1, 538S4, 438S4, 650S4	42
BOSTITCH	16 GAUGE "BCS" WIDE CROWN STAPLER	T40-S2, T50-52, T35-32, 438S2, T35-8, 450S2	39
BOSTITCH	16 GAUGE FINISH BRAD NAILER	T36, T35, T35-40, SB-1664FN	33-34
BOSTITCH	18 GAUGE "SX" NARROW CROWN STAPLER	SB-150SX, SB2N1, SB150SX-HD, T35-15, T28-5, S32SX, T40SX-CT	46
BOSTITCH	18 GAUGE FINISH BRAD NAILER	T29-30, BT31-1B, BT35-B, BT50-B, SB2N1, SB-1842BN, SB-1850BN	35-36
BOSTITCH	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	N95RHN, N90RHN, KN85PP-1, N95-162, N79RH, N88RH	21-24, 53
BOSTITCH	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	N80SB, N70S, N79WW, N16, N100S, N86S, N80S, N88WW	26-27, 54
BOSTITCH	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	N90PT, N79PT	28-29
CAMPBELL HAUSFELD	15 GAUGE ANGLED "DA" FINISH NAILER	NB3565	31-32
CAMPBELL HAUSFELD	15° COIL ROOFING NAILER	NC1545	16, 52
CAMPBELL HAUSFELD	16 GAUGE FINISH BRAD NAILER	NB00050	33-34
CAMPBELL HAUSFELD	18 GAUGE "L" NARROW CROWN STAPLER	SN258K	47-78
CAMPBELL HAUSFELD	18 GAUGE FINISH BRAD NAILER	NB0040, NB0030	35-36
CAMPBELL HAUSFELD	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	NS2090	21-24, 53
CAMPBELL HAUSFELD	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	NS2890	26-27, 54
CRAFTSMAN	15 GAUGE ANGLED "DA" FINISH NAILER	18448	31-32
CRAFTSMAN	15° COIL ROOFING NAILER	18445	16, 52
CRAFTSMAN	16 GAUGE "BCS" MEDIUM CROWN STAPLER	18410	42
CRAFTSMAN	16 GAUGE "BCS" WIDE CROWN STAPLER	18415	39
CRAFTSMAN	16 GAUGE FINISH BRAD NAILER	18441, 1844	33-34
CRAFTSMAN	18 GAUGE "L" NARROW CROWN STAPLER	18496, 18449, 18435, 18454, 18396	47-78
CRAFTSMAN	18 GAUGE FINISH BRAD NAILER	18433, 18454	35-36
CRAFTSMAN	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	18436, 19034	21-24, 53
CRAFTSMAN	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	18430, 19035	26-27, 54
DE VILBISS	15 GAUGE ANGLED "DA" FINISH NAILER	AFN 5	31-32
DE VILBISS	16 GAUGE FINISH BRAD NAILER	NF2502X4	33-34
DE VILBISS	18 GAUGE "L" NARROW CROWN STAPLER	NCS2, SCN1002X4, NBSCN2X4	47-78
DE VILBISS	18 GAUGE FINISH BRAD NAILER	NB1252X4, NBSCN2X4, NB2002X4	35-36

Tool & Fastener Cross Reference



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
DEPOAN	15 GAUGE ANGLED "DA" FINISH NAILER	DPN-6612/DA21	31-32
DEPOAN	15 GAUGE ANGLED "FN" FINISH NAILER	DPN-6610/FN64	30
DEPOAN	15° COIL FRAMING/SIDING NAILER	DPN-6C1/CN1583	17-18, 52
DEPOAN	15° COIL ROOFING NAILER	DPN-6D2	16, 52
DEPOAN	16 GAUGE "P" WIDE CROWN STAPLER	DPN-6651	40
DEPOAN	16 GAUGE FINISH BRAD NAILER	DPN-6A54/F50MO, 66B/FT64, DPN-6A53/FT50	33-34
DEPOAN	18 GAUGE "L" NARROW CROWN STAPLER	DPN-763, 673/9040	47-78
DEPOAN	18 GAUGE FINISH BRAD NAILER	GA52/F50MD	35-36
DEPOAN	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	DPN-6C50-RN2290	21-24, 53
DEPOAN	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	6C51-CN2890	26-27, 54
DEPOAN	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	DPN-6052	28-29
DEWALT	15 GAUGE ANGLED "DA" FINISH NAILER	D51275K	31-32
DEWALT	16 GAUGE FINISH BRAD NAILER	D51256K	33-34
DEWALT	18 GAUGE FINISH BRAD NAILER	D51238K	35-36
DEWALT	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	D51845, D51844	21-24, 53
DEWALT	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	D51823, D51822	28-29
DUO-FAST	"50" HAMMER TACKER STAPLER	HT 755, CS 5000, EWC-5018A, SURESHOT 5020, HT550, CT 859, HT 755M	49
DUO-FAST	"A11" HAMMER TACKER STAPLER	SLAPSHOT	50
DUO-FAST	15 GAUGE ANGLED "DA" FINISH NAILER	DA FN6480	31-32
DUO-FAST	15° COIL ROOFING NAILER	DRN-45	16, 52
DUO-FAST	15° MINI-COIL FRAMING/SIDING NAILER	N55	19-20
DUO-FAST	16 GAUGE "76" MEDIUM CROWN STAPLER	MS-7664E, SM-7648, SM-7664	45
DUO-FAST	16 GAUGE "P" WIDE CROWN STAPLER	KW-1748, RNS-1748I, KWR-1748RS	40
DUO-FAST	16 GAUGE FINISH BRAD NAILER	BFN-740, LFN-748, LFN-764A	33-34
DUO-FAST	18 GAUGE "L" NARROW CROWN STAPLER	KN1848A, KG1836, DNS1840	47-78
DUO-FAST	18 GAUGE FINISH BRAD NAILER	BB 4440, DBN 4440	35-36
DUO-FAST	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	CN350B, SNP 83, CN325B, NSP350F, CN350, CN137	21-24, 53
DUO-FAST	28° CLIPPED HEAD PLASTIC COLLATED FRAMING NAILER	NSPM-325F	25
EZ FASTEN	"50" HAMMER TACKER STAPLER	95/16AB	49
EZ FASTEN	15 GAUGE ANGLED "DA" FINISH NAILER	DA50, DA65	31-32
EZ FASTEN	15° COIL FRAMING/SIDING NAILER	CN90, CN70AA, CN70HD	17-18, 52
EZ FASTEN	15° COIL ROOFING NAILER	CRN45AA	16, 52
EZ FASTEN	15° MINI-COIL FRAMING/SIDING NAILER	CN70AA, CN70HD	19-20
EZ FASTEN	16 GAUGE "N" MEDIUM CROWN STAPLER	MS16/50, MS16/50A, MS16/50H, MS16/64A, MS16/64, MS16/64H	43
EZ FASTEN	16 GAUGE "P" WIDE CROWN STAPLER	WS16/38	40
EZ FASTEN	16 GAUGE FINISH BRAD NAILER	F16/50R, BN16/50AC, BN16/64AC, F16/50AC	33-34
EZ FASTEN	18 GAUGE "L" NARROW CROWN STAPLER	90/25AC, 90/40AC, COMBI 40/50, NS90/40AC, 90/40F	47-78
EZ FASTEN	18 GAUGE FINISH BRAD NAILER	COMBI 40/50, F18/50AC, F18/57R, F18/30AC, F18/32AC	35-36
EZ FASTEN	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	SN9021	21-24, 53
EZ FASTEN	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	SRN9028	26-27, 54
EZ FASTEN	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	SN9034	28-29
FASCO	"50" HAMMER TACKER STAPLER	T-HT550, T-R19	49
FASCO	"A11" HAMMER TACKER STAPLER	T-R11, F1AA11-16AUTOL/M	50
FASCO	15 GAUGE ANGLED "DA" FINISH NAILER	R4-BA65 CTR3C-BA50 CT	31-32
FASCO	15° COIL FRAMING/SIDING NAILER	R5 CN15W-90A, F5 CN15W65, F5C CN15W90, F5 CN15W65 SIC REG, F5C CN15W75	17-18, 52
FASCO	15° COIL ROOFING NAILER	R4CN 15W-45CT, R3C-CN15W-32CT ROOF	16, 52
FASCO	15° MINI-COIL FRAMING/SIDING NAILER	R4 CN15W-50CT	19-20
FASCO	16 GAUGE "BCS" MEDIUM CROWN STAPLER	R4P HD-50CT TL	42

Tool & Fastener Cross Reference



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
FASCO	16 GAUGE "BCS" WIDE CROWN STAPLER	R3 ATW-38ROOF	39
FASCO	16 GAUGE "GS" MEDIUM CROWN STAPLER	R3 CHD-40 VIL-SID, F45C-HD-55TL	44
FASCO	16 GAUGE "GSW" WIDE CROWN STAPLER	R3 PSW-38CT	41
FASCO	16 GAUGE "N" MEDIUM CROWN STAPLER	F45C-G-55TL, R3C G40 CT, R4P-G-50	43
FASCO	16 GAUGE "P" WIDE CROWN STAPLER	R3 SNW-38CTR	40
FASCO	16 GAUGE FINISH BRAD NAILER	R3C-FN50 CT, R3T FN-70 CT, F26C-FN50SS	33-34
FASCO	18 GAUGE "L" NARROW CROWN STAPLER	F20P 90/25, F20T 90/30, R3C-90/40, F26C-90/40SS, F26C-90/32SS, F20T40CT, F20 T90/40 CT	47-78
FASCO	18 GAUGE FINISH BRAD NAILER	F20P GN-31CT, F20T GN-40CT, F26C-GN50SS, R3C-GN50CT	35-36
FASCO	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	R5C RHN 20-90 SS-CT, F6C RHN 20-100	21-24, 53
FASCO	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	R5C HHN 28-90 SS CT	26-27, 54
FASCO	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	R5C HHN 31-90 SS CT, F5C HHN 31-83, F6 HHN 31-90	28-29
GREX	"50" HAMMER TACKER STAPLER	G50/8E, 5018	49
GREX	"A11" HAMMER TACKER STAPLER	GHT 5000	50
GREX	15 GAUGE ANGLED "DA" FINISH NAILER	AF64	31-32
GREX	15° COIL FRAMING/SIDING NAILER	CN70, CN90	17-18, 52
GREX	15° COIL ROOFING NAILER	CR45, CR50	16, 52
GREX	16 GAUGE "N" MEDIUM CROWN STAPLER	1140, 1151	43
GREX	16 GAUGE "P" WIDE CROWN STAPLER	2638	40
GREX	16 GAUGE FINISH BRAD NAILER	1664, NT1650	33-34
GREX	18 GAUGE "L" NARROW CROWN STAPLER	9025, 9032, 9040, 9032F, BS 5032	47-78
GREX	18 GAUGE FINISH BRAD NAILER	1832, 1850, BS5032	35-36
GREX	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	SF9021H	21-24, 53
GREX	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	SF9028H	26-27, 54
GREX	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	SF9034H	28-29
GRIP-RITE	15 GAUGE ANGLED "DA" FINISH NAILER	GRTAN250	31-32
GRIP-RITE	15 GAUGE HARDWOOD FLOORING CLEAT NAILER	GR200LCN	38
GRIP-RITE	15 GAUGE HARDWOOD FLOORING STAPLER	GR200FS	38, 54
GRIP-RITE	15° COIL ROOFING NAILER	GRTCR175	16, 52
GRIP-RITE	16 GAUGE FINISH BRAD NAILER	GRTFN250	33-34
GRIP-RITE	18 GAUGE FINISH BRAD NAILER	GRTBN200	35-36
GRIP-RITE	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	GRTRH350	21-24, 53
GRIP-RITE	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	GRTCH350	28-29
GRIP-RITE	33° JOIST HANGER NAILER	GR150, GR250	37
GRIP-RITE	5/8" CAP STAPLER	GRC58	37
GRIZZLY	15 GAUGE ANGLED "DA" FINISH NAILER	G6049	31-32
GRIZZLY	15° COIL ROOFING NAILER	G6771	16, 52
GRIZZLY	16 GAUGE "GS" MEDIUM CROWN STAPLER	G6772	44
GRIZZLY	16 GAUGE "N" MEDIUM CROWN STAPLER	G6044	43
GRIZZLY	16 GAUGE FINISH BRAD NAILER	G6048, H2910, G7578	33-34
GRIZZLY	18 GAUGE "L" NARROW CROWN STAPLER	G6042, G6043, G8126, G9248, H2913, H2912	47-78
GRIZZLY	18 GAUGE FINISH BRAD NAILER	G6045, G6046, G6047, G8126, G9248, H2911, H2912, H2913	35-36
GRIZZLY	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	G6050	21-24, 53
HAUBOLD	15° COIL FRAMING/SIDING NAILER	RNC90 WI, RNC65 WKI, RNC700WII, RN60 PII/BS	17-18, 52
HAUBOLD	15° COIL ROOFING NAILER	RNC450W, RNC45W	16, 52
HAUBOLD	15° MINI-COIL FRAMING/SIDING NAILER	N55	19-20
HAUBOLD	16 GAUGE "GSW" WIDE CROWN STAPLER	PN3232JW	41
HAUBOLD	16 GAUGE FINISH BRAD NAILER	SKN64A/16, SKN40 V/16, SKS64 A/16	33-34
HAUBOLD	18 GAUGE "L" NARROW CROWN STAPLER	PN6040H	47-78
HAUBOLD	18 GAUGE FINISH BRAD NAILER	SKN30 JN/12, SKN40 V/12, SKN30 JN/1	35-36
HAUBOLD	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	RH90, RN100D, RN90PII, RN130 R, RN130 R/DB	21-24, 53



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
HILTI	15° COIL ROOFING NAILER	RFC-134B	16, 52
HILTI	16 GAUGE "BCS" MEDIUM CROWN STAPLER	SM-300	42
HILTI	16 GAUGE "BCS" WIDE CROWN STAPLER	SW-112A	39
HILTI	16 GAUGE FINISH BRAD NAILER	FBN-212N	33-34
HILTI	18 GAUGE "L" NARROW CROWN STAPLER	SN-114B, SN-118	47-78
HILTI	18 GAUGE FINISH BRAD NAILER	BN-136B	35-36
HILTI	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	RHN-9020	21-24, 53
HILTI	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	CHN-9033	28-29
HITACHI	15 GAUGE ANGLED "DA" FINISH NAILER	NT 65AA, NT 65MA	31-32
HITACHI	15° COIL FRAMING/SIDING NAILER	NV 83A, NV 65AB, NV 65AC, NV 75AG, NV 65AH	17-18, 52
HITACHI	15° COIL ROOFING NAILER	NV 45AB, NV 45AC	16, 52
HITACHI	15° MINI-COIL FRAMING/SIDING NAILER	NV 65AH	19-20
HITACHI	16 GAUGE "76" MEDIUM CROWN STAPLER	N 5008AB	45
HITACHI	16 GAUGE "N" MEDIUM CROWN STAPLER	N 5008ACN, N 5008AB, N 5008AA, N 5008AI	43
HITACHI	16 GAUGE "P" WIDE CROWN STAPLER	N 3824A	40
HITACHI	16 GAUGE FINISH BRAD NAILER	NT 65A, NT65A2	33-34
HITACHI	18 GAUGE "L" NARROW CROWN STAPLER	N 3804A, N3804 AA, N3804AB	47-78
HITACHI	18 GAUGE FINISH BRAD NAILER	NT 32AE, NT 45A, NT 50AD	35-36
HITACHI	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	NR 83A, NR 90AC, NR 90AC2, NR 83A2	21-24, 53
HITACHI	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	NR 83AA, NR 83AA2, NR 90AA, NR 90AD	28-29
HOLZ HER	16 GAUGE FINISH BRAD NAILER	BC 50	33-34
HOLZ HER	18 GAUGE FINISH BRAD NAILER	BC 130	35-36
HOLZ HER	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	3500 SERIES	21-24, 53
INTERCHANGE	"A11" HAMMER TACKER STAPLER	ICB-A11-TACKER, ME-T50	50
INTERCHANGE	15 GAUGE ANGLED "DA" FINISH NAILER	ICB-BN1564S	31-32
INTERCHANGE	15° COIL FRAMING/SIDING NAILER	ICB-CN83	17-18, 52
INTERCHANGE	15° COIL ROOFING NAILER	ICB-CN45R	16, 52
INTERCHANGE	16 GAUGE "N" MEDIUM CROWN STAPLER	ICB-SF-167851S	43
INTERCHANGE	16 GAUGE "P" WIDE CROWN STAPLER	ICB-SF2640S	40
INTERCHANGE	16 GAUGE FINISH BRAD NAILER	ICB-BF1650L, ICB-BF1664L	33-34
INTERCHANGE	18 GAUGE "L" NARROW CROWN STAPLER	ICB-SF0425SK, ICB-SF9040B	47-78
INTERCHANGE	18 GAUGE FINISH BRAD NAILER	ICB-BF1832M3, ICB-BF1850M3	35-36
INTERCHANGE	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	ICB-FN88	21-24, 53
INTERCHANGE	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	ICB-DF88	28-29
JADE	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	JT350PL	21-24, 53
JADE	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	JT350 P4	28-29
JAMERCO	15 GAUGE ANGLED "DA" FINISH NAILER	JTAFN1464A	31-32
JAMERCO	15° COIL ROOFING NAILER	JTCN45RA	16, 52
JAMERCO	16 GAUGE "N" MEDIUM CROWN STAPLER	JTSN1650	43
JAMERCO	16 GAUGE FINISH BRAD NAILER	JTFN1650A, JTFN1664A	33-34
JAMERCO	18 GAUGE "L" NARROW CROWN STAPLER	JTS061825, JT1838SB42, JTS061838H, JTS061825A	47-78
JAMERCO	18 GAUGE FINISH BRAD NAILER	JTBN1832, JTBN1842A, JTBN1850A, JT1838SB42	35-36
JAMERCO	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	JTNFH90A	21-24, 53
JAMERCO	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	JTAFN2890	26-27, 54
JAMERCO	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	JTAFN3190	28-29
JEPSON	15 GAUGE ANGLED "DA" FINISH NAILER	PFN1564	31-32
JEPSON	15° COIL ROOFING NAILER	PRN45C	16, 52
JEPSON	16 GAUGE "P" WIDE CROWN STAPLER	PSW1638	40
JEPSON	16 GAUGE FINISH BRAD NAILER	PFN1664	33-34
JEPSON	18 GAUGE "L" NARROW CROWN STAPLER	PSN1832	47-78
JEPSON	18 GAUGE FINISH BRAD NAILER	PFN1832	35-36
JEPSON	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	PF21FH	21-24, 53



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
JIT	15 GAUGE ANGLED "DA" FINISH NAILER	NA1565	31-32
JIT	16 GAUGE "BCS" MEDIUM CROWN STAPLER	938, 951	42
JIT	16 GAUGE "GSW" WIDE CROWN STAPLER	1651S	41
JIT	16 GAUGE "N" MEDIUM CROWN STAPLER	1150	43
JIT	16 GAUGE FINISH BRAD NAILER	1651, 1665	33-34
JIT	18 GAUGE "L" NARROW CROWN STAPLER	9038A, 9032	47-78
JIT	18 GAUGE FINISH BRAD NAILER	1832, 1850	35-36
JIT	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	FN2190	21-24, 53
J-K	"STCR" HAMMER TACKER STAPLER	694	51
J-K	18 GAUGE FINISH BRAD NAILER	TNF201/18-25, TJDPB607 2, TJDPN6018 2	35-36
J-K	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	89	21-24, 53
MAKITA	15 GAUGE ANGLED "FN" FINISH NAILER	AF-632	30
MAKITA	15° COIL FRAMING/SIDING NAILER	AN-901, AN-621	17-18, 52
MAKITA	15° COIL ROOFING NAILER	AN-451	16, 52
MAKITA	15° MINI-COIL FRAMING/SIDING NAILER	AN-611	19-20
MAKITA	18 GAUGE "L" NARROW CROWN STAPLER	AT-638	47-78
MAKITA	18 GAUGE FINISH BRAD NAILER	AF-502, AF-503	35-36
MAKITA	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	AN-922, AN-8300	21-24, 53
MAKITA	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	AN-942	28-29
MAX	15 GAUGE ANGLED "DA" FINISH NAILER	NF550/15-65	31-32
MAX	15° COIL FRAMING/SIDING NAILER	HN90, CN565, CN565S, CN565D, CN890S, CN100, CN70, CN665, CN890II, CN80, CN80F	17-18, 52
MAX	15° COIL ROOFING NAILER	CN450R	16, 52
MAX	15° MINI-COIL FRAMING/SIDING NAILER	CN565S, CN565, CN665, CN55, CN70	19-20
MAX	16 GAUGE "N" MEDIUM CROWN STAPLER	TA551/16-11	43
MAX	16 GAUGE FINISH BRAD NAILER	NF352-ST/16-50	33-34
MAX	18 GAUGE FINISH BRAD NAILER	NF201/18-35, NF221/18-55, NF201/18-25	35-36
MAX	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	SN890RH, SN80, SN90	21-24, 53
MAX	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	SN890CH/28	26-27, 54
MAX	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	SN890CH/34	28-29
NICHE RICH	15° COIL ROOFING NAILER	17A2052	16, 52
NICHE RICH	16 GAUGE "N" MEDIUM CROWN STAPLER	17A3001	43
NICHE RICH	16 GAUGE FINISH BRAD NAILER	17A2004	33-34
NICHE RICH	18 GAUGE FINISH BRAD NAILER	17A2002, 17A2003, 17A2001	35-36
NICHE RICH	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	17A2051	21-24, 53
NIKEMA	"50" HAMMER TACKER STAPLER	50 4000	49
NIKEMA	15° COIL FRAMING/SIDING NAILER	565CN70, 590CN90, 451CN60	17-18, 52
NIKEMA	15° MINI-COIL FRAMING/SIDING NAILER	451CN60	19-20
NIKEMA	16 GAUGE "GS" MEDIUM CROWN STAPLER	450 16NC	44
NIKEMA	16 GAUGE FINISH BRAD NAILER	440S GG51, 440S GG66	33-34
NIKEMA	18 GAUGE "L" NARROW CROWN STAPLER	430 92	47-78
NIKEMA	18 GAUGE "SX" NARROW CROWN STAPLER	430 90	46
NIKEMA	18 GAUGE FINISH BRAD NAILER	420S GF/32, 420S GF51	35-36
NIKEMA	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	590RN100, 590RN90	21-24, 53
NIKOTA	15 GAUGE ANGLED "DA" FINISH NAILER	AFN1564S	31-32
NIKOTA	15° COIL ROOFING NAILER	RF3145	16, 52
NIKOTA	16 GAUGE "N" MEDIUM CROWN STAPLER	MS851	43
NIKOTA	16 GAUGE "P" WIDE CROWN STAPLER	WS2638	40
NIKOTA	16 GAUGE FINISH BRAD NAILER	TK2IN1, NT1664, NT1650	33-34
NIKOTA	18 GAUGE "L" NARROW CROWN STAPLER	SB1840, TK2IN1, NS9038HD, NS9025	47-78
NIKOTA	18 GAUGE FINISH BRAD NAILER	BN1850, SB1840, BN1832	35-36
NIKOTA	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	RHF9021	21-24, 53

Tool & Fastener Cross Reference



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
OMER	"50" HAMMER TACKER STAPLER	5016, 5016SCL, 5016SL, 5016CL, 5016CLV	49
OMER	16 GAUGE "BCS" WIDE CROWN STAPLER	WS 38, WS 38ROOFING	39
OMER	16 GAUGE "GS" MEDIUM CROWN STAPLER	S4 50	44
OMER	16 GAUGE "GSW" WIDE CROWN STAPLER	WK 38, WK 38ROOFING	41
OMER	16 GAUGE "N" MEDIUM CROWN STAPLER	M2 45, MS 50, 700 50, 700 45, MS 38CL, MS 38NS, MS 30NOSAG, 700 32NOSAG	43
OMER	16 GAUGE "P" WIDE CROWN STAPLER	WP 38, WP 38ROOFING	40
OMER	16 GAUGE FINISH BRAD NAILER	1463, 1463NS, 1450	33-34
OMER	18 GAUGE "L" NARROW CROWN STAPLER	9040, 9038 CLD3, 9038B, 9032, 9032R, 9038	47-78
OMER	18 GAUGE FINISH BRAD NAILER	1250, 1240, 1220, 1220D	35-36
PANREX IND.	15° COIL FRAMING/SIDING NAILER	PR-565P	17-18, 52
PANREX IND.	15° MINI-COIL FRAMING/SIDING NAILER	PR-565P	19-20
PANREX IND.	16 GAUGE "N" MEDIUM CROWN STAPLER	PR-16851P	43
PANREX IND.	16 GAUGE FINISH BRAD NAILER	PR-1664P	33-34
PANREX IND.	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	PR-9021P	21-24, 53
PANREX IND.	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	PR-0034P	28-29
PASLODE	15° COIL FRAMING/SIDING NAILER	F275C, P275C, 4275/CN70, F325C, P350C, 5325/CN80, 4250/65CP	17-18, 52
PASLODE	15° COIL ROOFING NAILER	3175/44RCU	16, 52
PASLODE	15° MINI-COIL FRAMING/SIDING NAILER	3250/HSF, 3225/N55	19-20
PASLODE	16 GAUGE "76" MEDIUM CROWN STAPLER	3200-S16P, PA-200, IM200-S16	45
PASLODE	16 GAUGE "GS" MEDIUM CROWN STAPLER	3150-S16, 3200-S16P, PA-200, IM200-S16, 5200, 4200-S16P	44
PASLODE	16 GAUGE "GSW" WIDE CROWN STAPLER	3200-W16, 3150-W16R, MU112-W-16R	41
PASLODE	16 GAUGE FINISH BRAD NAILER	3250-F16, T215-F16, MU-112B, F-16200, IM250, IM250II, 3200-F16	33-34
PASLODE	18 GAUGE FINISH BRAD NAILER	T125-F18, T200-F18, IM200-F18, 2138-F18II	35-36
PASLODE	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	5325 SRH, 5350/SRN-20	21-24, 53
PASLODE	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	IMPULSE350, IMPULSE300, IMPULSE325, GN212, F-350S, 5350, SK312, IMCT, 5325	28-29
PATEK	"50" HAMMER TACKER STAPLER	HT550, HT550H	49
PATEK	"A11" HAMMER TACKER STAPLER	HT54R, HT11, HT11H	50
PATEK	15° COIL FRAMING/SIDING NAILER	CN565	17-18, 52
PATEK	15° MINI-COIL FRAMING/SIDING NAILER	CN565	19-20
PATEK	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	PR9021	21-24, 53
PATEK	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	PR0034	28-29
PNEU TOOLS	15° COIL ROOFING NAILER	RC150	16, 52
PORTA-NAIL	16 GAUGE FINISH BRAD NAILER	462	33-34
PORTA-NAIL	18 GAUGE "L" NARROW CROWN STAPLER	461	47-78
PORTER CABLE	15 GAUGE ANGLED "DA" FINISH NAILER	DA250A, CDA250, DA250B	31-32
PORTER CABLE	15 GAUGE HARDWOOD FLOORING CLEAT NAILER	FCN 200	38
PORTER CABLE	15° COIL FRAMING/SIDING NAILER	COIL250, COIL350	17-18, 52
PORTER CABLE	15° COIL ROOFING NAILER	RN 175	16, 52
PORTER CABLE	15° MINI-COIL FRAMING/SIDING NAILER	COIL200	19-20
PORTER CABLE	16 GAUGE "76" MEDIUM CROWN STAPLER	MS 200	45
PORTER CABLE	16 GAUGE "N" MEDIUM CROWN STAPLER	MS 200	43
PORTER CABLE	16 GAUGE FINISH BRAD NAILER	FN250A, FN250B, FN250, FN250AK	33-34
PORTER CABLE	18 GAUGE "L" NARROW CROWN STAPLER	NS 100, NS 150, NSS 150	47-78
PORTER CABLE	18 GAUGE FINISH BRAD NAILER	BN125, BN200	35-36
PORTER CABLE	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	FR350NC, FR350MAG, FR350, FR 350A	21-24, 53
PORTER CABLE	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	FM350A	26-27, 54
PORTER CABLE	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	FC350, FC350A	28-29

Tool & Fastener Cross Reference



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
POWER NAIL	15 GAUGE HARDWOOD FLOORING CLEAT NAILER	445, 345, 55	38
POWER NAIL	15 GAUGE HARDWOOD FLOORING STAPLER	445FS	38, 54
PREBENA	"50" HAMMER TACKER STAPLER	IM-D16-S90	49
PREBENA	"A11" HAMMER TACKER STAPLER	HHPF09, HPPF14-S90	50
PREBENA	"STCR" HAMMER TACKER STAPLER	HHD10	51
PREBENA	15 GAUGE ANGLED "DA" FINISH NAILER	5X-DA-63	31-32
PREBENA	16 GAUGE "N" MEDIUM CROWN STAPLER	3ML-44	43
PREBENA	16 GAUGE FINISH BRAD NAILER	3MN-63	33-34
PREBENA	18 GAUGE "L" NARROW CROWN STAPLER	3M-E-50-PR, 2P-E40-S90, 2X-E25SD-S90	47-78
PREBENA	18 GAUGE FINISH BRAD NAILER	2K-J50, SPJ-50-SDS, 2X-J32SD-S90	35-36
PREBENA	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	9FAK100	21-24, 53
PRIMATECH	15 GAUGE HARDWOOD FLOORING CLEAT NAILER	P210, H300, Q500	38
RAPID	"A11" HAMMER TACKER STAPLER	R-11, A-11	50
RAPID	"A19" HAMMER TACKER STAPLER	R-19	50
RAPID	"STCR" HAMMER TACKER STAPLER	31	51
RIGID	15 GAUGE ANGLED "DA" FINISH NAILER	R250AFA	31-32
RIGID	15° COIL ROOFING NAILER	R1750RNA	16, 52
RIGID	16 GAUGE FINISH BRAD NAILER	R250SFA	33-34
RIGID	18 GAUGE "L" NARROW CROWN STAPLER	R150FSA	47-78
RIGID	18 GAUGE FINISH BRAD NAILER	R213BNA	35-36
RIGID	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	R350RHA	21-24, 53
RIGID	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	R350CHA	28-29
SENCO	"A11" HAMMER TACKER STAPLER	PC0705	50
SENCO	15 GAUGE ANGLED "DA" FINISH NAILER	SFN-1SFN-2B, FINISHPRO 41XP, SFN-1+, SNF30, AIRFREE41, FINISHPRO 35XP, SFN-40	31-32
SENCO	15 GAUGE HARDWOOD FLOORING CLEAT NAILER	SHF50, SHF15, SHF10	38
SENCO	15° COIL FRAMING/SIDING NAILER	SCN 300, SCN 60, SCN 65	17-18, 52
SENCO	15° COIL ROOFING NAILER	SCN 200R, SCN 40R	16, 52
SENCO	15° MINI-COIL FRAMING/SIDING NAILER	SCN 55, SCN 56	19-20
SENCO	16 GAUGE "N" MEDIUM CROWN STAPLER	M1, M2 50, SKSN, SNS 45, SNS 50, SNS 40	43
SENCO	16 GAUGE "P" WIDE CROWN STAPLER	PW, MW, SPS	40
SENCO	16 GAUGE FINISH BRAD NAILER	AIRFREE 32, FINISHPRO 32XP	33-34
SENCO	18 GAUGE "L" NARROW CROWN STAPLER	LN4450, KN4450, SLS25XP-L, FINISHPRO SN1, SKS L, SLS 20L, SLS 15, SLS18	47-78
SENCO	18 GAUGE FINISH BRAD NAILER	FINISHPRO 15XP, FINISHPRO 18XP, SDN18BR, FINISHPRO 25XP, FINISHPRO2N1, SLP20, AIRFREE25	35-36
SENCO	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	SN60, SN65, SN65C, FRAMEPRO 652, FRAMEPRO 602, FRAMEPRO 650, FRAMEPRO 752XP, FRAMEPRO 702XP	21-24, 53
SENCO	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	SN2, SN325+, FRAMEPRO 751 EXP THINK TRAC, SN70, FRAMEPRO 751XP, FRAMEPRO 651, FRAMEPRO 601, FRAMEPRO 751 EXP THINK, SN3, SN4, FRAMEPRO 701EXP THINK TRAC, FRAMEPRO 701 EXP THINK, SN2+	28-29
SPOTNAILS	"50" HAMMER TACKER STAPLER	BS8018, BS5018	49
SPOTNAILS	"A11" HAMMER TACKER STAPLER	85060	50
SPOTNAILS	15 GAUGE ANGLED "DA" FINISH NAILER	XBA1564, KBA1564	31-32
SPOTNAILS	15 GAUGE ANGLED "FN" FINISH NAILER	XBFN64	30
SPOTNAILS	16 GAUGE "BCS" MEDIUM CROWN STAPLER	HL 7616AP	42
SPOTNAILS	16 GAUGE "BCS" WIDE CROWN STAPLER	HL 1612A, HL 1620, XS 1650, HL1616A, XS 1640, HL 1612AW	39
SPOTNAILS	16 GAUGE "GS" MEDIUM CROWN STAPLER	MS 6650i	44
SPOTNAILS	16 GAUGE "GSW" WIDE CROWN STAPLER	XS 2650, XS 2640	41

Tool & Fastener Cross Reference



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
SPOTNAILS	16 GAUGE "N" MEDIUM CROWN STAPLER	XS 76-8650, XS 6650, MS 76-865i	43
SPOTNAILS	16 GAUGE "P" WIDE CROWN STAPLER	XS 3640, XS 3650, HL 1612AT	40
SPOTNAILS	16 GAUGE FINISH BRAD NAILER	FB 1632, KB 1564, HG 1640, XB 1564, WB 1650	33-34
SPOTNAILS	18 GAUGE "L" NARROW CROWN STAPLER	HL3852, WS4840W2, FS4825, WS4840, TS4825, TRL3852	47-78
SPOTNAILS	18 GAUGE FINISH BRAD NAILER	CB1820, TB1840, WB1850, CB1832, DB1825, HLB-1520BP	35-36
SPOTNAILS	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	YPR90	21-24, 53
SPOTNAILS	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	YTD90	28-29
SPOTNAILS	15° COIL FRAMING/SIDING NAILER	YCN83, MCW64	17-18, 52
SPOTNAILS	15° COIL ROOFING NAILER	KRN 45, VRN45	16, 52
SPOTNAILS	15° MINI-COIL FRAMING/SIDING NAILER	MCW 64	19-20
STAN TECH	"A11" HAMMER TACKER STAPLER	SDH-20	50
STAN TECH	15 GAUGE ANGLED "FN" FINISH NAILER	SDN-15BR	30
STAN TECH	15° COIL ROOFING NAILER	SDCN-10B-1	16, 52
STAN TECH	16 GAUGE "N" MEDIUM CROWN STAPLER	SDS-16-716	43
STAN TECH	16 GAUGE "P" WIDE CROWN STAPLER	SDS-16-1	40
STAN TECH	18 GAUGE "L" NARROW CROWN STAPLER	SDS-18-14, SDS-18-LM14, SDS-18-14-24	47-78
STAN TECH	18 GAUGE FINISH BRAD NAILER	SDN-18BR	35-36
STAN TECH	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	SDN-11 B-1, SDN-11	21-24, 53
STAN TECH	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	1526B	26-27, 54
STAN TECH	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	SDN11-PT-1	28-29
SUPCO	16 GAUGE FINISH BRAD NAILER	1650A, 1664	33-34
SUPCO	18 GAUGE "L" NARROW CROWN STAPLER	9040	47-78
SUPCO	18 GAUGE FINISH BRAD NAILER	1832, 1850	35-36
T.C. INTERNATIONAL	"A11" HAMMER TACKER STAPLER	US A11	50
T.C. INTERNATIONAL	15 GAUGE ANGLED "DA" FINISH NAILER	UB 15250A4	31-32
T.C. INTERNATIONAL	15° COIL ROOFING NAILER	UNC 175R	16, 52
T.C. INTERNATIONAL	16 GAUGE "N" MEDIUM CROWN STAPLER	US 16716A	43
T.C. INTERNATIONAL	16 GAUGE FINISH BRAD NAILER	UB 16200C, UB 16250B	33-34
T.C. INTERNATIONAL	18 GAUGE "L" NARROW CROWN STAPLER	US 2238A, US1814C	47-78
T.C. INTERNATIONAL	18 GAUGE FINISH BRAD NAILER	UB 18125C, UB 18200B	35-36
T.C. INTERNATIONAL	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	SRN 90, UNS 350	21-24, 53
T.C. INTERNATIONAL	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	UNS 350 P4/P8	28-29
TECH FORGE	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	1521	28-29
TRADESMAN	18 GAUGE "L" NARROW CROWN STAPLER	8470, 8480	47-78
TRADESMAN	18 GAUGE FINISH BRAD NAILER	8460, 8480	35-36
TRIDENT ASSOC.	15 GAUGE ANGLED "DA" FINISH NAILER	DA65, DA50	31-32
TRIDENT ASSOC.	15° COIL FRAMING/SIDING NAILER	CN70	17-18, 52
TRIDENT ASSOC.	15° COIL ROOFING NAILER	CRW45AA	16, 52
TRIDENT ASSOC.	16 GAUGE "N" MEDIUM CROWN STAPLER	MS16/50A	43
TRIDENT ASSOC.	16 GAUGE FINISH BRAD NAILER	F16150AC, BN16150AC, BN16164AC	33-34
TRIDENT ASSOC.	18 GAUGE "L" NARROW CROWN STAPLER	90/40 AC	47-78
TRIDENT ASSOC.	18 GAUGE FINISH BRAD NAILER	F18150AC, F18132A	35-36
TRIDENT ASSOC.	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	SRN90	21-24, 53
TRUSTY	15 GAUGE ANGLED "DA" FINISH NAILER	TYI341564DA	31-32
TRUSTY	15 GAUGE ANGLED "FN" FINISH NAILER	TYI261565AB	30
TRUSTY	15 GAUGE HARDWOOD FLOORING STAPLER	FS50	38, 54
TRUSTY	15° COIL ROOFING NAILER	CN45R	16, 52
TRUSTY	16 GAUGE "BCS" MEDIUM CROWN STAPLER	TYI16964B, TYI16964B	42
TRUSTY	16 GAUGE "GS" MEDIUM CROWN STAPLER	TYI16851KG, TYI16864KG	44
TRUSTY	16 GAUGE "N" MEDIUM CROWN STAPLER	TYI16851S, TYI16864S, 16851	43
TRUSTY	16 GAUGE FINISH BRAD NAILER	TYI1650L, TYI1650H, TYI1664	33-34

Tool & Fastener Cross Reference



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
TRUSTY	18 GAUGE "SX" NARROW CROWN STAPLER	TYI9025, TYI9040L, TYI9040H, AS3290	46
TRUSTY	18 GAUGE FINISH BRAD NAILER	TYI1832, TYI1850, TYI1840	35-36
TRUSTY	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	AF9021, TYI2190FN	21-24, 53
TRUSTY	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	TYI2890FN	26-27, 54
TRUSTY	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	TYI3490FN, AF0034	28-29
UNICATCH	15 GAUGE ANGLED "DA" FINISH NAILER	UN 15250A4	31-32
UNICATCH	15° COIL ROOFING NAILER	UN 175R	16, 52
UNICATCH	16 GAUGE FINISH BRAD NAILER	UN 16200A	33-34
UNICATCH	18 GAUGE FINISH BRAD NAILER	UB 18200A	35-36
UNICATCH	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	UNS 350 PL	21-24, 53
UNICATCH	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	UNS 350P8	26-27, 54
UNICATCH	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	UNS 350P4	28-29
UNITECH	16 GAUGE FINISH BRAD NAILER	1506, 1505, 1519	33-34
UNITECH	18 GAUGE FINISH BRAD NAILER	1503A	35-36

